



OpenShift Container Platform 4.19

Distributed Tracing

Configuring and using distributed tracing in OpenShift Container Platform

OpenShift Container Platform 4.19 Distributed Tracing

Configuring and using distributed tracing in OpenShift Container Platform

Legal Notice

Copyright © Red Hat.

Except as otherwise noted below, the text of and illustrations in this documentation are licensed by Red Hat under the Creative Commons Attribution–Share Alike 3.0 Unported license . If you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, the Red Hat logo, JBoss, Hibernate, and RHCE are trademarks or registered trademarks of Red Hat, LLC. or its subsidiaries in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

XFS is a trademark or registered trademark of Hewlett Packard Enterprise Development LP or its subsidiaries in the United States and other countries.

The OpenStack[®] Word Mark and OpenStack logo are trademarks or registered trademarks of the Linux Foundation, used under license.

All other trademarks are the property of their respective owners.

Abstract

Use distributed tracing to store, analyze, and visualize microservices transactions passing through distributed systems in OpenShift Container Platform.

Table of Contents

CHAPTER 1. ABOUT THE DISTRIBUTED TRACING PLATFORM 3

CHAPTER 1. ABOUT THE DISTRIBUTED TRACING PLATFORM

The standalone Red Hat OpenShift Distributed Tracing Platform documentation is available at https://docs.redhat.com/en/documentation/red_hat_openshift_distributed_tracing_platform/latest.