



OpenShift Container Platform 4.17

Role APIs

Reference guide for role APIs

OpenShift Container Platform 4.17 Role APIs

Reference guide for role APIs

Legal Notice

Copyright © 2024 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This document describes the OpenShift Container Platform role API objects and their detailed specifications.

Table of Contents

CHAPTER 1. ROLE APIS	3
1.1. CLUSTERROLEBINDING [AUTHORIZATION.OPENSIFT.IO/V1]	3
1.2. CLUSTERROLE [AUTHORIZATION.OPENSIFT.IO/V1]	3
1.3. ROLEBINDINGRESTRICTION [AUTHORIZATION.OPENSIFT.IO/V1]	3
1.4. ROLEBINDING [AUTHORIZATION.OPENSIFT.IO/V1]	3
1.5. ROLE [AUTHORIZATION.OPENSIFT.IO/V1]	4
CHAPTER 2. CLUSTERROLEBINDING [AUTHORIZATION.OPENSIFT.IO/V1]	5
2.1. SPECIFICATION	5
2.2. API ENDPOINTS	7
2.2.1. /apis/authorization.openshift.io/v1/clusterrolebindings	7
2.2.2. /apis/authorization.openshift.io/v1/clusterrolebindings/{name}	8
CHAPTER 3. CLUSTERROLE [AUTHORIZATION.OPENSIFT.IO/V1]	12
3.1. SPECIFICATION	12
3.1.1. .rules	13
3.1.2. .rules[]	13
3.2. API ENDPOINTS	14
3.2.1. /apis/authorization.openshift.io/v1/clusterroles	15
3.2.2. /apis/authorization.openshift.io/v1/clusterroles/{name}	16
CHAPTER 4. ROLEBINDINGRESTRICTION [AUTHORIZATION.OPENSIFT.IO/V1]	20
4.1. SPECIFICATION	20
4.1.1. .spec	20
4.2. API ENDPOINTS	21
4.2.1. /apis/authorization.openshift.io/v1/rolebindingrestrictions	21
4.2.2. /apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindingrestrictions	22
4.2.3. /apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindingrestrictions/{name}	23
CHAPTER 5. ROLEBINDING [AUTHORIZATION.OPENSIFT.IO/V1]	27
5.1. SPECIFICATION	27
5.2. API ENDPOINTS	29
5.2.1. /apis/authorization.openshift.io/v1/rolebindings	29
5.2.2. /apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindings	29
5.2.3. /apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindings/{name}	31
CHAPTER 6. ROLE [AUTHORIZATION.OPENSIFT.IO/V1]	35
6.1. SPECIFICATION	35
6.1.1. .rules	36
6.1.2. .rules[]	36
6.2. API ENDPOINTS	37
6.2.1. /apis/authorization.openshift.io/v1/roles	38
6.2.2. /apis/authorization.openshift.io/v1/namespaces/{namespace}/roles	38
6.2.3. /apis/authorization.openshift.io/v1/namespaces/{namespace}/roles/{name}	39

CHAPTER 1. ROLE APIS

1.1. CLUSTERROLEBINDING [AUTHORIZATION.OPENSIFT.IO/V1]

Description

ClusterRoleBinding references a ClusterRole, but not contain it. It can reference any ClusterRole in the same namespace or in the global namespace. It adds who information via (Users and Groups) OR Subjects and namespace information by which namespace it exists in. ClusterRoleBindings in a given namespace only have effect in that namespace (excepting the master namespace which has power in all namespaces).

Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

1.2. CLUSTERROLE [AUTHORIZATION.OPENSIFT.IO/V1]

Description

ClusterRole is a logical grouping of PolicyRules that can be referenced as a unit by ClusterRoleBindings.

Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

1.3. ROLEBINDINGRESTRICTION [AUTHORIZATION.OPENSIFT.IO/V1]

Description

RoleBindingRestriction is an object that can be matched against a subject (user, group, or service account) to determine whether rolebindings on that subject are allowed in the namespace to which the RoleBindingRestriction belongs. If any one of those RoleBindingRestriction objects matches a subject, rolebindings on that subject in the namespace are allowed. Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

1.4. ROLEBINDING [AUTHORIZATION.OPENSIFT.IO/V1]

Description

RoleBinding references a Role, but not contain it. It can reference any Role in the same namespace or in the global namespace. It adds who information via (Users and Groups) OR Subjects and namespace information by which namespace it exists in. RoleBindings in a given namespace only have effect in that namespace (excepting the master namespace which has power in all namespaces).

Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

1.5. ROLE [AUTHORIZATION.OPENSIFT.IO/V1]

Description

Role is a logical grouping of PolicyRules that can be referenced as a unit by RoleBindings.
Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

CHAPTER 2. CLUSTERROLEBINDING [AUTHORIZATION.OPENSIFT.IO/V1]

Description

ClusterRoleBinding references a ClusterRole, but not contain it. It can reference any ClusterRole in the same namespace or in the global namespace. It adds who information via (Users and Groups) OR Subjects and namespace information by which namespace it exists in. ClusterRoleBindings in a given namespace only have effect in that namespace (excepting the master namespace which has power in all namespaces).

Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

Required

- **subjects**
- **roleRef**

2.1. SPECIFICATION

Property	Type	Description
apiVersion	string	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#resources
groupNames	array (string)	GroupNames holds all the groups directly bound to the role. This field should only be specified when supporting legacy clients and servers. See Subjects for further details.

Property	Type	Description
kind	string	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds
metadata	ObjectMeta_v2	metadata is the standard object's metadata. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#metadata
roleRef	ObjectReference	RoleRef can only reference the current namespace and the global namespace. If the ClusterRoleRef cannot be resolved, the Authorizer must return an error. Since Policy is a singleton, this is sufficient knowledge to locate a role.
subjects	array (ObjectReference)	Subjects hold object references to authorize with this rule. This field is ignored if UserNames or GroupNames are specified to support legacy clients and servers. Thus newer clients that do not need to support backwards compatibility should send only fully qualified Subjects and should omit the UserNames and GroupNames fields. Clients that need to support backwards compatibility can use this field to build the UserNames and GroupNames.

Property	Type	Description
userNames	array (string)	UserNames holds all the usernames directly bound to the role. This field should only be specified when supporting legacy clients and servers. See Subjects for further details.

2.2. API ENDPOINTS

The following API endpoints are available:

- **/apis/authorization.openshift.io/v1/clusterrolebindings**
 - **GET**: list objects of kind ClusterRoleBinding
 - **POST**: create a ClusterRoleBinding
- **/apis/authorization.openshift.io/v1/clusterrolebindings/{name}**
 - **DELETE**: delete a ClusterRoleBinding
 - **GET**: read the specified ClusterRoleBinding
 - **PATCH**: partially update the specified ClusterRoleBinding
 - **PUT**: replace the specified ClusterRoleBinding

2.2.1. /apis/authorization.openshift.io/v1/clusterrolebindings

HTTP method

GET

Description

list objects of kind ClusterRoleBinding

Table 2.1. HTTP responses

HTTP code	Response body
200 - OK	ClusterRoleBindingList schema
401 - Unauthorized	Empty

HTTP method

POST

Description

create a ClusterRoleBinding

Table 2.2. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 2.3. Body parameters

Parameter	Type	Description
body	ClusterRoleBinding schema	

Table 2.4. HTTP responses

HTTP code	Response body
200 - OK	ClusterRoleBinding schema
201 - Created	ClusterRoleBinding schema
202 - Accepted	ClusterRoleBinding schema
401 - Unauthorized	Empty

2.2.2. /apis/authorization.openshift.io/v1/clusterrolebindings/{name}

Table 2.5. Global path parameters

Parameter	Type	Description
name	string	name of the ClusterRoleBinding

HTTP method**DELETE****Description**

delete a ClusterRoleBinding

Table 2.6. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

Table 2.7. HTTP responses

HTTP code	Response body
200 - OK	Status_v3 schema
202 - Accepted	Status_v3 schema
401 - Unauthorized	Empty

HTTP method**GET****Description**

read the specified ClusterRoleBinding

Table 2.8. HTTP responses

HTTP code	Response body
200 - OK	ClusterRoleBinding schema
401 - Unauthorized	Empty

HTTP method**PATCH****Description**

partially update the specified ClusterRoleBinding

Table 2.9. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 2.10. HTTP responses

HTTP code	Response body
200 - OK	ClusterRoleBinding schema
201 - Created	ClusterRoleBinding schema
401 - Unauthorized	Empty

HTTP method**PUT****Description**

replace the specified ClusterRoleBinding

Table 2.11. Query parameters

Parameter	Type	Description
-----------	------	-------------

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 2.12. Body parameters

Parameter	Type	Description
body	ClusterRoleBinding schema	

Table 2.13. HTTP responses

HTTP code	Response body
200 - OK	ClusterRoleBinding schema
201 - Created	ClusterRoleBinding schema
401 - Unauthorized	Empty

CHAPTER 3. CLUSTERROLE

[AUTHORIZATION.OPENSIFT.IO/V1]

Description

ClusterRole is a logical grouping of PolicyRules that can be referenced as a unit by ClusterRoleBindings.

Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

Required

- **rules**

3.1. SPECIFICATION

Property	Type	Description
aggregationRule	AggregationRule_v2	AggregationRule is an optional field that describes how to build the Rules for this ClusterRole. If AggregationRule is set, then the Rules are controller managed and direct changes to Rules will be stomped by the controller.
apiVersion	string	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#resources
kind	string	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds

Property	Type	Description
metadata	ObjectMeta_v2	metadata is the standard object's metadata. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#metadata
rules	array	Rules holds all the PolicyRules for this ClusterRole
rules[]	object	PolicyRule holds information that describes a policy rule, but does not contain information about who the rule applies to or which namespace the rule applies to.

3.1.1. .rules

Description

Rules holds all the PolicyRules for this ClusterRole

Type

array

3.1.2. .rules[]

Description

PolicyRule holds information that describes a policy rule, but does not contain information about who the rule applies to or which namespace the rule applies to.

Type

object

Required

- **verbs**
- **resources**

Property	Type	Description
----------	------	-------------

Property	Type	Description
apiGroups	array (string)	APIGroups is the name of the APIGroup that contains the resources. If this field is empty, then both kubernetes and origin API groups are assumed. That means that if an action is requested against one of the enumerated resources in either the kubernetes or the origin API group, the request will be allowed
attributeRestrictions	RawExtension	AttributeRestrictions will vary depending on what the Authorizer/AuthorizationAttribute Builder pair supports. If the Authorizer does not recognize how to handle the AttributeRestrictions, the Authorizer should report an error.
nonResourceURLs	array (string)	NonResourceURLsSlice is a set of partial urls that a user should have access to. *s are allowed, but only as the full, final step in the path This name is intentionally different than the internal type so that the DefaultConvert works nicely and because the ordering may be different.
resourceNames	array (string)	ResourceNames is an optional white list of names that the rule applies to. An empty set means that everything is allowed.
resources	array (string)	Resources is a list of resources this rule applies to. ResourceAll represents all resources.
verbs	array (string)	Verbs is a list of Verbs that apply to ALL the ResourceKinds and AttributeRestrictions contained in this rule. VerbAll represents all kinds.

3.2. API ENDPOINTS

The following API endpoints are available:

- **/apis/authorization.openshift.io/v1/clusterroles**
 - **GET**: list objects of kind ClusterRole
 - **POST**: create a ClusterRole
- **/apis/authorization.openshift.io/v1/clusterroles/{name}**
 - **DELETE**: delete a ClusterRole
 - **GET**: read the specified ClusterRole
 - **PATCH**: partially update the specified ClusterRole
 - **PUT**: replace the specified ClusterRole

3.2.1. /apis/authorization.openshift.io/v1/clusterroles

HTTP method

GET

Description

list objects of kind ClusterRole

Table 3.1. HTTP responses

HTTP code	Response body
200 - OK	ClusterRoleList schema
401 - Unauthorized	Empty

HTTP method

POST

Description

create a ClusterRole

Table 3.2. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

Parameter	Type	Description
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: <ul style="list-style-type: none"> - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 3.3. Body parameters

Parameter	Type	Description
body	ClusterRole schema	

Table 3.4. HTTP responses

HTTP code	Response body
200 - OK	ClusterRole schema
201 - Created	ClusterRole schema
202 - Accepted	ClusterRole schema
401 - Unauthorized	Empty

3.2.2. /apis/authorization.openshift.io/v1/clusterroles/{name}

Table 3.5. Global path parameters

Parameter	Type	Description
name	string	name of the ClusterRole

HTTP method**DELETE****Description**

delete a ClusterRole

Table 3.6. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

Table 3.7. HTTP responses

HTTP code	Response body
200 - OK	Status_v3 schema
202 - Accepted	Status_v3 schema
401 - Unauthorized	Empty

HTTP method**GET****Description**

read the specified ClusterRole

Table 3.8. HTTP responses

HTTP code	Response body
200 - OK	ClusterRole schema
401 - Unauthorized	Empty

HTTP method**PATCH****Description**

partially update the specified ClusterRole

Table 3.9. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 3.10. HTTP responses

HTTP code	Response body
200 - OK	ClusterRole schema
201 - Created	ClusterRole schema
401 - Unauthorized	Empty

HTTP method**PUT****Description**

replace the specified ClusterRole

Table 3.11. Query parameters

Parameter	Type	Description
-----------	------	-------------

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 3.12. Body parameters

Parameter	Type	Description
body	ClusterRole schema	

Table 3.13. HTTP responses

HTTP code	Response body
200 - OK	ClusterRole schema
201 - Created	ClusterRole schema
401 - Unauthorized	Empty

CHAPTER 4. ROLEBINDINGRESTRICTION [AUTHORIZATION.OPENSIFT.IO/V1]

Description

RoleBindingRestriction is an object that can be matched against a subject (user, group, or service account) to determine whether rolebindings on that subject are allowed in the namespace to which the RoleBindingRestriction belongs. If any one of those RoleBindingRestriction objects matches a subject, rolebindings on that subject in the namespace are allowed. Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

4.1. SPECIFICATION

Property	Type	Description
apiVersion	string	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#resources
kind	string	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds
metadata	ObjectMeta	Standard object's metadata. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#metadata
spec	object	Spec defines the matcher.

4.1.1. .spec

Description

Spec defines the matcher.

Type

object

Property	Type	Description
grouprestriction	^^	GroupRestriction matches against group subjects.
serviceaccountrestriction	^^	ServiceAccountRestriction matches against service-account subjects.
userrestriction	^^	UserRestriction matches against user subjects.

4.2. API ENDPOINTS

The following API endpoints are available:

- **/apis/authorization.openshift.io/v1/rolebindingrestrictions**
 - **GET**: list objects of kind RoleBindingRestriction
- **/apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindingrestrictions**
 - **DELETE**: delete collection of RoleBindingRestriction
 - **GET**: list objects of kind RoleBindingRestriction
 - **POST**: create a RoleBindingRestriction
- **/apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindingrestrictions/{name}**
 - **DELETE**: delete a RoleBindingRestriction
 - **GET**: read the specified RoleBindingRestriction
 - **PATCH**: partially update the specified RoleBindingRestriction
 - **PUT**: replace the specified RoleBindingRestriction

4.2.1. /apis/authorization.openshift.io/v1/rolebindingrestrictions

HTTP method

GET

Description

list objects of kind RoleBindingRestriction

Table 4.1. HTTP responses

HTTP code	Reponse body
200 - OK	RoleBindingRestrictionList schema
401 - Unauthorized	Empty

4.2.2. /apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindingrestr

HTTP method

DELETE

Description

delete collection of RoleBindingRestriction

Table 4.2. HTTP responses

HTTP code	Reponse body
200 - OK	Status schema
401 - Unauthorized	Empty

HTTP method

GET

Description

list objects of kind RoleBindingRestriction

Table 4.3. HTTP responses

HTTP code	Reponse body
200 - OK	RoleBindingRestrictionList schema
401 - Unauthorized	Empty

HTTP method

POST

Description

create a RoleBindingRestriction

Table 4.4. Query parameters

Parameter	Type	Description
-----------	------	-------------

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 4.5. Body parameters

Parameter	Type	Description
body	RoleBindingRestriction schema	

Table 4.6. HTTP responses

HTTP code	Response body
200 - OK	RoleBindingRestriction schema
201 - Created	RoleBindingRestriction schema
202 - Accepted	RoleBindingRestriction schema
401 - Unauthorized	Empty

4.2.3. /apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindingrestr

Table 4.7. Global path parameters

Parameter	Type	Description
name	string	name of the RoleBindingRestriction

HTTP method

DELETE

Description

delete a RoleBindingRestriction

Table 4.8. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

Table 4.9. HTTP responses

HTTP code	Response body
200 - OK	Status schema
202 - Accepted	Status schema
401 - Unauthorized	Empty

HTTP method

GET

Description

read the specified RoleBindingRestriction

Table 4.10. HTTP responses

HTTP code	Response body
200 - OK	RoleBindingRestriction schema
401 - Unauthorized	Empty

HTTP method

PATCH

Description

partially update the specified RoleBindingRestriction

Table 4.11. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 4.12. HTTP responses

HTTP code	Response body
200 - OK	RoleBindingRestriction schema
401 - Unauthorized	Empty

HTTP method**PUT****Description**

replace the specified RoleBindingRestriction

Table 4.13. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 4.14. Body parameters

Parameter	Type	Description
body	RoleBindingRestriction schema	

Table 4.15. HTTP responses

HTTP code	Response body
200 - OK	RoleBindingRestriction schema
201 - Created	RoleBindingRestriction schema
401 - Unauthorized	Empty

CHAPTER 5. ROLEBINDING

[AUTHORIZATION.OPENSIFT.IO/V1]

Description

RoleBinding references a Role, but not contain it. It can reference any Role in the same namespace or in the global namespace. It adds who information via (Users and Groups) OR Subjects and namespace information by which namespace it exists in. RoleBindings in a given namespace only have effect in that namespace (excepting the master namespace which has power in all namespaces).

Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

Required

- **subjects**
- **roleRef**

5.1. SPECIFICATION

Property	Type	Description
apiVersion	string	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#resources
groupNames	array (string)	GroupNames holds all the groups directly bound to the role. This field should only be specified when supporting legacy clients and servers. See Subjects for further details.

Property	Type	Description
kind	string	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds
metadata	ObjectMeta_v2	metadata is the standard object's metadata. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#metadata
roleRef	ObjectReference	RoleRef can only reference the current namespace and the global namespace. If the RoleRef cannot be resolved, the Authorizer must return an error. Since Policy is a singleton, this is sufficient knowledge to locate a role.
subjects	array (ObjectReference)	Subjects hold object references to authorize with this rule. This field is ignored if UserNames or GroupNames are specified to support legacy clients and servers. Thus newer clients that do not need to support backwards compatibility should send only fully qualified Subjects and should omit the UserNames and GroupNames fields. Clients that need to support backwards compatibility can use this field to build the UserNames and GroupNames.
userNames	array (string)	UserNames holds all the usernames directly bound to the role. This field should only be specified when supporting legacy clients and servers. See Subjects for further details.

5.2. API ENDPOINTS

The following API endpoints are available:

- **/apis/authorization.openshift.io/v1/rolebindings**
 - **GET**: list objects of kind RoleBinding
- **/apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindings**
 - **GET**: list objects of kind RoleBinding
 - **POST**: create a RoleBinding
- **/apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindings/{name}**
 - **DELETE**: delete a RoleBinding
 - **GET**: read the specified RoleBinding
 - **PATCH**: partially update the specified RoleBinding
 - **PUT**: replace the specified RoleBinding

5.2.1. /apis/authorization.openshift.io/v1/rolebindings

HTTP method

GET

Description

list objects of kind RoleBinding

Table 5.1. HTTP responses

HTTP code	Reponse body
200 - OK	RoleBindingList schema
401 - Unauthorized	Empty

5.2.2. /apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindings

HTTP method

GET

Description

list objects of kind RoleBinding

Table 5.2. HTTP responses

HTTP code	Reponse body
200 - OK	RoleBindingList schema

HTTP code	Response body
401 - Unauthorized	Empty

HTTP method**POST****Description**

create a RoleBinding

Table 5.3. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 5.4. Body parameters

Parameter	Type	Description
body	RoleBinding schema	

Table 5.5. HTTP responses

HTTP code	Reponse body
200 - OK	RoleBinding schema
201 - Created	RoleBinding schema
202 - Accepted	RoleBinding schema
401 - Unauthorized	Empty

5.2.3. /apis/authorization.openshift.io/v1/namespaces/{namespace}/rolebindings/{name}

Table 5.6. Global path parameters

Parameter	Type	Description
name	string	name of the RoleBinding

HTTP method

DELETE

Description

delete a RoleBinding

Table 5.7. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

Table 5.8. HTTP responses

HTTP code	Reponse body
200 - OK	Status_v3 schema
202 - Accepted	Status_v3 schema
401 - Unauthorized	Empty

HTTP method

GET

Description

read the specified RoleBinding

Table 5.9. HTTP responses

HTTP code	Response body
200 - OK	RoleBinding schema
401 - Unauthorized	Empty

HTTP method

PATCH

Description

partially update the specified RoleBinding

Table 5.10. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 5.11. HTTP responses

HTTP code	Response body
200 - OK	RoleBinding schema

HTTP code	Response body
201 - Created	RoleBinding schema
401 - Unauthorized	Empty

HTTP method**PUT****Description**

replace the specified RoleBinding

Table 5.12. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 5.13. Body parameters

Parameter	Type	Description
body	RoleBinding schema	

Table 5.14. HTTP responses

HTTP code	Reponse body
200 - OK	RoleBinding schema
201 - Created	RoleBinding schema
401 - Unauthorized	Empty

CHAPTER 6. ROLE [AUTHORIZATION.OPENSIFT.IO/V1]

Description

Role is a logical grouping of PolicyRules that can be referenced as a unit by RoleBindings.
 Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

Type

object

Required

- **rules**

6.1. SPECIFICATION

Property	Type	Description
apiVersion	string	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#resources
kind	string	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#types-kinds
metadata	ObjectMeta_v2	metadata is the standard object's metadata. More info: https://git.k8s.io/community/contributors/devel/sig-architecture/api-conventions.md#metadata
rules	array	Rules holds all the PolicyRules for this Role

Property	Type	Description
rules[]	object	PolicyRule holds information that describes a policy rule, but does not contain information about who the rule applies to or which namespace the rule applies to.

6.1.1. .rules

Description

Rules holds all the PolicyRules for this Role

Type

array

6.1.2. .rules[]

Description

PolicyRule holds information that describes a policy rule, but does not contain information about who the rule applies to or which namespace the rule applies to.

Type

object

Required

- **verbs**
- **resources**

Property	Type	Description
apiGroups	array (string)	APIGroups is the name of the APIGroup that contains the resources. If this field is empty, then both kubernetes and origin API groups are assumed. That means that if an action is requested against one of the enumerated resources in either the kubernetes or the origin API group, the request will be allowed

Property	Type	Description
attributeRestrictions	RawExtension	AttributeRestrictions will vary depending on what the Authorizer/AuthorizationAttribute Builder pair supports. If the Authorizer does not recognize how to handle the AttributeRestrictions, the Authorizer should report an error.
nonResourceURLs	array (string)	NonResourceURLsSlice is a set of partial urls that a user should have access to. *s are allowed, but only as the full, final step in the path This name is intentionally different than the internal type so that the DefaultConvert works nicely and because the ordering may be different.
resourceNames	array (string)	ResourceNames is an optional white list of names that the rule applies to. An empty set means that everything is allowed.
resources	array (string)	Resources is a list of resources this rule applies to. ResourceAll represents all resources.
verbs	array (string)	Verbs is a list of Verbs that apply to ALL the ResourceKinds and AttributeRestrictions contained in this rule. VerbAll represents all kinds.

6.2. API ENDPOINTS

The following API endpoints are available:

- **/apis/authorization.openshift.io/v1/roles**
 - **GET**: list objects of kind Role
- **/apis/authorization.openshift.io/v1/namespaces/{namespace}/roles**
 - **GET**: list objects of kind Role
 - **POST**: create a Role

- **/apis/authorization.openshift.io/v1/namespaces/{namespace}/roles/{name}**
 - **DELETE:** delete a Role
 - **GET:** read the specified Role
 - **PATCH:** partially update the specified Role
 - **PUT:** replace the specified Role

6.2.1. /apis/authorization.openshift.io/v1/roles

HTTP method

GET

Description

list objects of kind Role

Table 6.1. HTTP responses

HTTP code	Response body
200 - OK	RoleList schema
401 - Unauthorized	Empty

6.2.2. /apis/authorization.openshift.io/v1/namespaces/{namespace}/roles

HTTP method

GET

Description

list objects of kind Role

Table 6.2. HTTP responses

HTTP code	Response body
200 - OK	RoleList schema
401 - Unauthorized	Empty

HTTP method

POST

Description

create a Role

Table 6.3. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 6.4. Body parameters

Parameter	Type	Description
body	Role schema	

Table 6.5. HTTP responses

HTTP code	Response body
200 - OK	Role schema
201 - Created	Role schema
202 - Accepted	Role schema
401 - Unauthorized	Empty

6.2.3. /apis/authorization.openshift.io/v1/namespaces/{namespace}/roles/{name}

Table 6.6. Global path parameters

Parameter	Type	Description
name	string	name of the Role

HTTP method

DELETE

Description

delete a Role

Table 6.7. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed

Table 6.8. HTTP responses

HTTP code	Response body
200 - OK	Status_v3 schema
202 - Accepted	Status_v3 schema
401 - Unauthorized	Empty

HTTP method

GET

Description

read the specified Role

Table 6.9. HTTP responses

HTTP code	Response body
200 - OK	Role schema
401 - Unauthorized	Empty

HTTP method

PATCH

Description

partially update the specified Role

Table 6.10. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 6.11. HTTP responses

HTTP code	Response body
200 - OK	Role schema
201 - Created	Role schema
401 - Unauthorized	Empty

HTTP method**PUT****Description**

replace the specified Role

Table 6.12. Query parameters

Parameter	Type	Description
dryRun	string	When present, indicates that modifications should not be persisted. An invalid or unrecognized dryRun directive will result in an error response and no further processing of the request. Valid values are: - All: all dry run stages will be processed
fieldValidation	string	fieldValidation instructs the server on how to handle objects in the request (POST/PUT/PATCH) containing unknown or duplicate fields. Valid values are: - Ignore: This will ignore any unknown fields that are silently dropped from the object, and will ignore all but the last duplicate field that the decoder encounters. This is the default behavior prior to v1.23. - Warn: This will send a warning via the standard warning response header for each unknown field that is dropped from the object, and for each duplicate field that is encountered. The request will still succeed if there are no other errors, and will only persist the last of any duplicate fields. This is the default in v1.23+ - Strict: This will fail the request with a BadRequest error if any unknown fields would be dropped from the object, or if any duplicate fields are present. The error returned from the server will contain all unknown and duplicate fields encountered.

Table 6.13. Body parameters

Parameter	Type	Description
body	Role schema	

Table 6.14. HTTP responses

HTTP code	Response body
200 - OK	Role schema
201 - Created	Role schema
401 - Unauthorized	Empty