



Red Hat Satellite 6.2

Package Manifest

Package Listing for Red Hat Satellite 6.2

Edition 1

Red Hat Satellite 6.2 Package Manifest

Package Listing for Red Hat Satellite 6.2
Edition 1

Red Hat Satellite Documentation Team
satellite-doc-list@redhat.com

Legal Notice

Copyright © 2016 Red Hat, Inc.

This document is licensed by Red Hat under the [Creative Commons Attribution-ShareAlike 3.0 Unported License](#). If you distribute this document, or a modified version of it, you must provide attribution to Red Hat, Inc. and provide a link to the original. If the document is modified, all Red Hat trademarks must be removed.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

The Package Manifest provides a list of all packages in this release of Red Hat Satellite.

Table of Contents

| | |
|---|------------|
| 1. RELEASE SCHEDULE | 3 |
| 2. RED HAT SATELLITE 6.2.0 | 3 |
| 2.1. Red Hat Enterprise Linux 7 | 4 |
| 2.2. Red Hat Enterprise Linux 6 | 32 |
| 3. RED HAT SATELLITE 6.2.1 | 59 |
| 3.1. Red Hat Enterprise Linux 7 | 59 |
| 3.2. Red Hat Enterprise Linux 6 | 62 |
| 4. RED HAT SATELLITE 6.2.2 | 66 |
| 4.1. Red Hat Enterprise Linux 7 | 66 |
| 4.2. Red Hat Enterprise Linux 6 | 69 |
| 5. RED HAT SATELLITE 6.2.3 | 72 |
| 5.1. Red Hat Enterprise Linux 7 | 72 |
| 5.2. Red Hat Enterprise Linux 6 | 74 |
| 6. RED HAT SATELLITE 6.2.4 | 79 |
| 6.1. Red Hat Enterprise Linux 7 | 79 |
| 6.2. Red Hat Enterprise Linux 6 | 82 |
| 7. RED HAT SATELLITE 6.2.5 | 84 |
| 7.1. Red Hat Enterprise Linux 7 | 84 |
| 7.2. Red Hat Enterprise Linux 6 | 87 |
| 8. RED HAT SATELLITE 6.2.6 | 90 |
| 8.1. Red Hat Enterprise Linux 7 | 90 |
| 8.2. Red Hat Enterprise Linux 6 | 91 |
| 9. RED HAT SATELLITE 6.2.7 | 93 |
| 9.1. Red Hat Enterprise Linux 7 | 93 |
| 9.2. Red Hat Enterprise Linux 6 | 97 |
| 10. RED HAT SATELLITE 6.2.8 | 101 |
| 10.1. Red Hat Enterprise Linux 7 | 101 |
| 10.2. Red Hat Enterprise Linux 6 | 106 |
| 11. RED HAT SATELLITE 6.2.9 | 110 |
| 11.1. Red Hat Enterprise Linux 7 | 110 |
| 11.2. Red Hat Enterprise Linux 6 | 115 |
| 12. RED HAT SATELLITE 6.2.10 | 120 |
| 12.1. Red Hat Enterprise Linux 7 | 120 |
| 12.2. Red Hat Enterprise Linux 6 | 124 |
| 13. RED HAT SATELLITE 6.2.11 | 128 |
| 13.1. Red Hat Enterprise Linux 7 | 128 |
| 13.2. Red Hat Enterprise Linux 6 | 132 |
| 14. RED HAT SATELLITE 6.2.12 | 136 |
| 14.1. Red Hat Enterprise Linux 7 | 136 |
| 14.2. Red Hat Enterprise Linux 6 | 140 |
| 15. RED HAT SATELLITE 6.2.13 | 143 |
| 15.1. Red Hat Enterprise Linux 7 | 144 |

| | |
|---|------------|
| 15.2. Red Hat Enterprise Linux 6 | 146 |
| 16. RED HAT SATELLITE 6.2.14 | 149 |
| 16.1. Red Hat Enterprise Linux 7 | 149 |
| 16.2. Red Hat Enterprise Linux 6 | 153 |
| 17. RED HAT SATELLITE 6.2.15 | 157 |
| 17.1. Red Hat Enterprise Linux 7 | 157 |
| 17.2. Red Hat Enterprise Linux 6 | 160 |

1. RELEASE SCHEDULE

The following table lists the dates of the Red Hat Satellite 6.2 GA, along with the dates of each subsequent asynchronous release:

Table 1. Red Hat Satellite 6.2 release schedule

| Release | Date |
|------------------------------|--------------------|
| 6.2.0 (General Availability) | July 27, 2016 |
| 6.2.1 | August 16, 2016 |
| 6.2.2 | September 15, 2016 |
| 6.2.3 | October 26, 2016 |
| 6.2.4 | November 10, 2016 |
| 6.2.5 | December 12, 2016 |
| 6.2.6 | December 19, 2016 |
| 6.2.7 | January 26, 2017 |
| 6.2.8 | March 06, 2017 |
| 6.2.9 | May 01, 2017 |
| 6.2.10 | June 20, 2017 |
| 6.2.11 | August 10, 2017 |
| 6.2.12 | September 25, 2017 |
| 6.2.13 | December 20, 2017 |
| 6.2.14 | February 5, 2018 |
| 6.2.15 | May 21, 2018 |

2. RED HAT SATELLITE 6.2.0

This section outlines the packages shipped in each channel released with the general availability of Red Hat Satellite 6.2.

2.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

2.1.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-7-server-satellite-6.2-rpms` channel.

Table 2. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| SOAPpy | 0.11.6-17.el7 | RHBA-2016:1500 |
| candlepin | 0.9.54.7-1.el7 | RHBA-2016:1501 |
| candlepin-selinux | 0.9.54.7-1.el7 | RHBA-2016:1501 |
| createrepo_c | 0.7.4-1.el7sat | RHBA-2016:1500 |
| createrepo_c-debuginfo | 0.7.4-1.el7sat | RHBA-2016:1500 |
| createrepo_c-libs | 0.7.4-1.el7sat | RHBA-2016:1500 |
| factor | 2.4.6-3.el7sat | RHBA-2016:1500 |
| foreman | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-compute | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-debug | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-discovery-image | 3.1.1-16 | RHBA-2016:1502 |
| foreman-ec2 | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-gce | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-installer | 1.11.0.9-1.el7sat | RHBA-2016:1501 |
| foreman-installer-katello | 3.0.0.56-1.el7sat | RHBA-2016:1501 |
| foreman-libvirt | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-openstack | 1.11.0.49-1.el7sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|--------------------------|----------------------------|--------------------------------|
| foreman-ovirt | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-postgresql | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-proxy | 1.11.0.4-1.el7sat | RHBA-2016:1501 |
| foreman-rackspace | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-selinux | 1.11.0.2-1.el7sat | RHBA-2016:1501 |
| foreman-vmware | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| gofer | 2.7.6-1.el7sat | RHBA-2016:1501 |
| hfsplus-tools | 332.14-12.el7 | RHBA-2016:1500 |
| hfsplus-tools-debuginfo | 332.14-12.el7 | RHBA-2016:1500 |
| hiera | 1.3.1-2.el7sat | RHBA-2016:1500 |
| ipxe | 20160127-1.git6366fa7a.el7 | RHBA-2016:1500 |
| ipxe-bootimgs | 20160127-1.git6366fa7a.el7 | RHBA-2016:1500 |
| katello | 3.0.0-10.el7sat | RHBA-2016:1501 |
| katello-agent | 2.5.0-5.el7sat | RHBA-2016:1501 |
| katello-certs-tools | 2.4.0-1.el7sat | RHBA-2016:1501 |
| katello-client-bootstrap | 1.1.0-2.el7sat | RHBA-2016:1501 |
| katello-common | 3.0.0-10.el7sat | RHBA-2016:1501 |
| katello-debug | 3.0.0-10.el7sat | RHBA-2016:1501 |
| katello-installer-base | 3.0.0.56-1.el7sat | RHBA-2016:1501 |
| katello-selinux | 3.0.1.2-1.el7sat | RHBA-2016:1501 |
| katello-service | 3.0.0-10.el7sat | RHBA-2016:1501 |
| libdb-cxx | 5.3.21-19.el7 | RHBA-2016:1500 |
| libgsystem | 2015.1-1.atomic.el7 | RHBA-2016:1500 |

| Name | Version | Advisory |
|------------------------------|---------------------|--------------------------------|
| libgsystem-debuginfo | 2015.1-1.atomic.el7 | RHBA-2016:1500 |
| libqpid-dispatch | 0.4-13.el7sat | RHBA-2016:1501 |
| libstemmer | 0-2.585svn.el7sat | RHBA-2016:1500 |
| libstemmer-debuginfo | 0-2.585svn.el7sat | RHBA-2016:1500 |
| libtasn1 | 3.8-3.el7 | RHBA-2016:1501 |
| libtasn1-debuginfo | 3.8-3.el7 | RHBA-2016:1501 |
| liquibase | 3.1.0-1.el7 | RHBA-2016:1500 |
| livecd-tools | 20.4-1.6.el7sat | RHBA-2016:1500 |
| mod_passenger | 4.0.18-22.el7sat | RHBA-2016:1500 |
| mod_xsendfile | 0.12-10.el7sat | RHBA-2016:1500 |
| mod_xsendfile-debuginfo | 0.12-10.el7sat | RHBA-2016:1500 |
| mongodb | 2.6.11-2.el7sat | RHBA-2016:1500 |
| mongodb-debuginfo | 2.6.11-2.el7sat | RHBA-2016:1500 |
| mongodb-server | 2.6.11-2.el7sat | RHBA-2016:1500 |
| ostree | 2016.5-3.atomic.el7 | RHBA-2016:1501 |
| ostree-debuginfo | 2016.5-3.atomic.el7 | RHBA-2016:1501 |
| pulp | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-admin-client | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-docker | 2.0.1.1-1.el7sat | RHBA-2016:1501 |
| pulp-docker-admin-extensions | 2.0.1.1-1.el7sat | RHBA-2016:1501 |
| pulp-docker-plugins | 2.0.1.1-1.el7sat | RHBA-2016:1501 |
| pulp-katello | 1.0.1-1.el7sat | RHBA-2016:1501 |
| pulp-ostree | 1.1.1-2.el7sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|------------------------------|---------------------------------------|--------------------------------|
| pulp-ostree-admin-extensions | 1.1.1-2.el7sat | RHBA-2016:1501 |
| pulp-ostree-plugins | 1.1.1-2.el7sat | RHBA-2016:1501 |
| pulp-puppet | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-puppet-admin-extensions | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-puppet-plugins | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-puppet-tools | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-rpm | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| pulp-rpm-admin-extensions | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| pulp-rpm-handlers | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| pulp-rpm-plugins | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| pulp-selinux | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-server | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| puppet | 3.8.6-2.el7sat | RHBA-2016:1501 |
| puppet-foreman_scap_client | 0.3.3-10.el7sat | RHBA-2016:1501 |
| puppet-server | 3.8.6-2.el7sat | RHBA-2016:1501 |
| puppetlabs-stdlib | 4.2.1- 1.20140510git08b00d9.el7sat | RHBA-2016:1501 |
| pyserial | 2.6-5.el7 | RHBA-2016:1500 |
| python-amqp | 1.4.9-1.el7sat | RHBA-2016:1500 |
| python-anyjson | 0.3.3-5.el7sat | RHBA-2016:1500 |
| python-billiard | 3.3.0.17-2.el7sat | RHBA-2016:1500 |
| python-billiard-debuginfo | 3.3.0.17-2.el7sat | RHBA-2016:1500 |
| python-blinker | 1.3-2.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|-------------------------------|------------------|--------------------------------|
| python-bson | 3.2-1.el7sat | RHBA-2016:1500 |
| python-celery | 3.1.11-1.el7sat | RHBA-2016:1500 |
| python-crane | 2.0.0.2-2.el7sat | RHBA-2016:1500 |
| python-django | 1.6.11-5.el7sat | RHBA-2016:1500 |
| python-django-bash-completion | 1.6.11-5.el7sat | RHBA-2016:1500 |
| python-flask | 0.10.1-4.el7sat | RHBA-2016:1500 |
| python-fpconst | 0.7.3-12.el7 | RHBA-2016:1500 |
| python-gnupg | 0.3.7-1.el7ui | RHBA-2016:1500 |
| python-gofer | 2.7.6-1.el7sat | RHBA-2016:1501 |
| python-gofer-proton | 2.7.6-1.el7sat | RHBA-2016:1501 |
| python-gofer-qpid | 2.7.6-1.el7sat | RHBA-2016:1501 |
| python-httplib2 | 0.6.0-6.el7sat | RHBA-2016:1500 |
| python-imgcreate | 20.4-1.6.el7sat | RHBA-2016:1500 |
| python-isodate | 0.5.0-4.el7sat | RHBA-2016:1500 |
| python-itsdangerous | 0.23-1.el7sat | RHBA-2016:1500 |
| python-jinja2 | 2.7.2-2.el7sat | RHBA-2016:1500 |
| python-kombu | 3.0.33-7.el7sat | RHBA-2016:1500 |
| python-mongoengine | 0.10.5-2.el7sat | RHBA-2016:1500 |
| python-nectar | 1.5.1-3.el7sat | RHBA-2016:1501 |
| python-oauth2 | 1.5.211-8.el7sat | RHBA-2016:1500 |
| python-okaara | 1.0.32-1.el7sat | RHBA-2016:1500 |
| python-pulp-agent-lib | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-bindings | 2.8.3.3-1.el7sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|-------------------------------|------------------|--------------------------------|
| python-pulp-client-lib | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-common | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-docker-common | 2.0.1.1-1.el7sat | RHBA-2016:1501 |
| python-pulp-oid_validation | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-ostree-common | 1.1.1-2.el7sat | RHBA-2016:1501 |
| python-pulp-puppet-common | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-repoauth | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-rpm-common | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| python-pulp-streamer | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pymongo | 3.2-1.el7sat | RHBA-2016:1500 |
| python-pymongo-debuginfo | 3.2-1.el7sat | RHBA-2016:1500 |
| python-pymongo-gridfs | 3.2-1.el7sat | RHBA-2016:1500 |
| python-qpidd | 0.30-9.el7sat | RHBA-2016:1500 |
| python-qpidd-proton | 0.9-16.el7 | RHBA-2016:1501 |
| python-qpidd-qmf | 0.30-5.el7 | RHBA-2016:1501 |
| python-requests-toolbelt | 0.6.0-1.el7sat | RHBA-2016:1500 |
| python-saslwrapper | 0.22-5.el7sat | RHBA-2016:1500 |
| python-semantic_version | 2.2.0-6.el7sat | RHBA-2016:1500 |
| python-simplejson | 3.2.0-1.el7sat | RHBA-2016:1500 |
| python-simplejson-debuginfo | 3.2.0-1.el7sat | RHBA-2016:1500 |
| python-twisted-core | 12.2.0-4.el7 | RHBA-2016:1500 |
| python-twisted-core-debuginfo | 12.2.0-4.el7 | RHBA-2016:1500 |
| python-twisted-web | 12.1.0-4.el7 | RHBA-2016:1500 |

| Name | Version | Advisory |
|---------------------------------|----------------|--------------------------------|
| python-werkzeug | 0.9.1-1.el7sat | RHBA-2016:1500 |
| python-zope-interface | 4.0.5-4.el7 | RHBA-2016:1500 |
| python-zope-interface-debuginfo | 4.0.5-4.el7 | RHBA-2016:1500 |
| qpid-cpp | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-cpp-client | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-cpp-client-devel | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-cpp-debuginfo | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-cpp-server | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-cpp-server-linearstore | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-dispatch | 0.4-13.el7sat | RHBA-2016:1501 |
| qpid-dispatch-debuginfo | 0.4-13.el7sat | RHBA-2016:1501 |
| qpid-dispatch-router | 0.4-13.el7sat | RHBA-2016:1501 |
| qpid-dispatch-tools | 0.4-13.el7sat | RHBA-2016:1501 |
| qpid-proton | 0.9-16.el7 | RHBA-2016:1501 |
| qpid-proton-c | 0.9-16.el7 | RHBA-2016:1501 |
| qpid-proton-debuginfo | 0.9-16.el7 | RHBA-2016:1501 |
| qpid-qmf | 0.30-5.el7 | RHBA-2016:1501 |
| qpid-qmf-debuginfo | 0.30-5.el7 | RHBA-2016:1501 |
| qpid-tools | 0.30-4.el7 | RHBA-2016:1501 |
| ruby-augeas | 0.5.0-1.el7 | RHBA-2016:1500 |
| ruby-augeas-debuginfo | 0.5.0-1.el7 | RHBA-2016:1500 |
| ruby-rgen | 0.6.5-2.el7sat | RHBA-2016:1500 |
| ruby-shadow | 1.4.1-21.el7 | RHBA-2016:1500 |

| Name | Version | Advisory |
|-----------------------------|-----------------|--------------------------------|
| ruby-shadow-debuginfo | 1.4.1-21.el7 | RHBA-2016:1500 |
| rubygem-ansi | 1.4.3-3.el7sat | RHBA-2016:1500 |
| rubygem-apipie-bindings | 0.0.14-2.el7sat | RHBA-2016:1501 |
| rubygem-awesome_print | 1.0.2-12.el7sat | RHBA-2016:1500 |
| rubygem-bundler_ext | 0.3.0-7.el7sat | RHBA-2016:1500 |
| rubygem-clamp | 0.6.2-2.el7sat | RHBA-2016:1500 |
| rubygem-ffi | 1.4.0-3.el7sat | RHBA-2016:1500 |
| rubygem-ffi-debuginfo | 1.4.0-3.el7sat | RHBA-2016:1500 |
| rubygem-foreman_scap_client | 0.1.2-1.el7sat | RHBA-2016:1501 |
| rubygem-gssapi | 1.1.2-4.el7sat | RHBA-2016:1500 |
| rubygem-hashie | 2.0.5-2.el7sat | RHBA-2016:1500 |
| rubygem-highline | 1.6.21-1.el7sat | RHBA-2016:1500 |
| rubygem-kafo | 0.7.6-1.el7sat | RHBA-2016:1501 |
| rubygem-kafo_parsers | 0.0.6-1.el7sat | RHBA-2016:1501 |
| rubygem-kafo_wizards | 0.0.1-1.el7sat | RHBA-2016:1501 |
| rubygem-little-plugger | 1.1.3-17.el7sat | RHBA-2016:1500 |
| rubygem-logging | 1.8.1-26.el7sat | RHBA-2016:1500 |
| rubygem-mime-types | 1.19-7.el7sat | RHBA-2016:1500 |
| rubygem-multi_json | 1.8.2-4.el7sat | RHBA-2016:1500 |
| rubygem-newt | 0.9.6-2.el7sat | RHBA-2016:1500 |
| rubygem-newt-debuginfo | 0.9.6-2.el7sat | RHBA-2016:1500 |
| rubygem-oauth | 0.4.7-8.el7sat | RHBA-2016:1500 |
| rubygem-openscap | 0.4.3-3.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|--|-------------------|--------------------------------|
| rubygem-passenger | 4.0.18-22.el7sat | RHBA-2016:1500 |
| rubygem-passenger-debuginfo | 4.0.18-22.el7sat | RHBA-2016:1500 |
| rubygem-passenger-native | 4.0.18-22.el7sat | RHBA-2016:1500 |
| rubygem-passenger-native-libs | 4.0.18-22.el7sat | RHBA-2016:1500 |
| rubygem-powerbar | 1.0.11-8.el7sat | RHBA-2016:1500 |
| rubygem-rack | 1.4.1-13.el7sat | RHBA-2016:1500 |
| rubygem-rack-protection | 1.5.0-7.el7sat | RHBA-2016:1500 |
| rubygem-rake | 0.9.2.2-41.el7sat | RHBA-2016:1500 |
| rubygem-rest-client | 1.6.7-1.el7sat | RHBA-2016:1500 |
| rubygem-rkerberos | 0.1.2-3.el7sat | RHBA-2016:1500 |
| rubygem-rkerberos-debuginfo | 0.1.2-3.el7sat | RHBA-2016:1500 |
| rubygem-rubyipmi | 0.10.0-1.el7sat | RHBA-2016:1500 |
| rubygem-sinatra | 1.3.6-27.el7sat | RHBA-2016:1500 |
| rubygem-smart_proxy_discovery | 1.0.3-3.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_discovery_image | 1.0.5-4.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_dynflow | 0.1.3-1.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_openscap | 0.5.3.6-1.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_pulp | 1.2.2-1.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_remote_execution_ssh | 0.1.2-2.el7sat | RHBA-2016:1501 |
| rubygem-tilt | 1.3.3-18.el7sat | RHBA-2016:1500 |
| saslwrapper | 0.22-5.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|--|-------------------|--------------------------------|
| saslwrapper-debuginfo | 0.22-5.el7sat | RHBA-2016:1500 |
| satellite | 6.2.0-21.1.el7sat | RHBA-2016:1501 |
| satellite-capsule | 6.2.0-21.1.el7sat | RHBA-2016:1501 |
| satellite-cli | 6.2.0-21.1.el7sat | RHBA-2016:1501 |
| satellite-debug-tools | 6.2.0-21.1.el7sat | RHBA-2016:1501 |
| satellite-installer | 6.2.0.11-1.el7sat | RHBA-2016:1501 |
| tfm | 2.0-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-activerecord-session_store | 0.1.2-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-addressable | 2.3.6-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-algebrick | 0.7.3-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-ancestry | 2.0.0-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-anemone | 0.7.2-12.el7sat | RHBA-2016:1500 |
| tfm-rubygem-angular-rails-templates | 0.1.2-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-ansi | 1.4.3-6.el7sat | RHBA-2016:1500 |
| tfm-rubygem-apipie-bindings | 0.0.16-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-apipie-params | 0.0.5-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-apipie-rails | 0.3.6-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-audited | 4.2.0-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-audited-activerecord | 4.2.0-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-autoparse | 0.3.3-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-awesome_print | 1.0.2-13.el7sat | RHBA-2016:1500 |
| tfm-rubygem-bastion | 3.2.0.9-1.el7sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|----------------------------------|-----------------|--------------------------------|
| tfm-rubygem-bundler_ext | 0.3.0-8.el7sat | RHBA-2016:1500 |
| tfm-rubygem-clamp | 1.0.0-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-colorize | 0.7.7-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-concurrent-ruby | 1.0.0-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-concurrent-ruby-edge | 0.2.0-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-daemons | 1.2.3-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-deep_cloneable | 2.1.1-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-deface | 1.0.2-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-docker-api | 1.28.0-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-dynflow | 0.8.11-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-excon | 0.45.3-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-extlib | 0.9.16-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-facter | 2.4.0-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-facter-debuginfo | 2.4.0-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-faraday | 0.9.1-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fast_gettext | 0.9.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog | 1.38.0-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog-aws | 0.7.4-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog-core | 1.36.0-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog-google | 0.1.0-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog-json | 1.0.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog-libvirt | 0.0.2-3.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|--------------------------------------|-------------------|--------------------------------|
| tfm-rubygem-fog-openstack | 0.1.2-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog-rackspace | 0.1.1-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog-vmware | 0.6.3-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog-xenserver | 0.2.2-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-fog-xml | 0.1.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-foreigner | 1.7.1-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-foreman-redhat_access | 1.0.10-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-foreman-tasks | 0.7.14.6-3.el7sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_bootdisk | 6.1.0.3-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_discovery | 5.0.0.8-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_docker | 2.0.1.11-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_hooks | 0.3.11-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_openscap | 0.5.3.17-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.11-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_theme_satellite | 0.1.25-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-formatador | 0.2.1-9.el7sat | RHBA-2016:1500 |
| tfm-rubygem-friendly_id | 5.1.0-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-gettext_i18n_rails | 1.2.1-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-google-api-client | 0.8.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-hammer_cli | 0.5.1.11-4.el7sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_csv | 2.0.0.1-1.el7sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|---|--------------------|--------------------------------|
| tfm-rubygem-hammer_cli_foreman | 0.5.1.9-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman_bootdisk | 0.1.3.3-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman_discovery | 0.0.2.3-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman_docker | 0.0.6-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman_remote_execution | 0.0.5.3-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman_tasks | 0.0.10.3-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_import | 0.11.2-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.23-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-hashie | 2.0.5-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-highline | 1.6.21-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-i18n | 0.7.0-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-ipaddress | 0.8.0-9.el7sat | RHBA-2016:1500 |
| tfm-rubygem-jquery-ui-rails | 4.1.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-jwt | 1.2.0-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-katello | 3.0.0.68-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-katello_ostree | 3.0.0.68-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-launchy | 2.4.3-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-ldap_fluff | 0.4.3-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-little-plugger | 1.1.3-20.el7sat | RHBA-2016:1500 |
| tfm-rubygem-locale | 2.0.9-11.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|---------------------------------------|------------------|--------------------------------|
| tfm-rubygem-logging | 1.8.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-multi_json | 1.10.1-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-multipart-post | 1.2.0-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-net-ldap | 0.13.0-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-net-scp | 1.1.0-5.el7sat | RHBA-2016:1500 |
| tfm-rubygem-net-ssh | 2.9.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-netrc | 0.7.7-7.el7sat | RHBA-2016:1500 |
| tfm-rubygem-nokogiri | 1.6.6.2-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-nokogiri-debuginfo | 1.6.6.2-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-oauth | 0.4.7-8.el7sat | RHBA-2016:1500 |
| tfm-rubygem-parse-cron | 0.1.4-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-passenger | 4.0.18-22.el7sat | RHBA-2016:1500 |
| tfm-rubygem-passenger-native | 4.0.18-22.el7sat | RHBA-2016:1500 |
| tfm-rubygem-passenger-native-libs | 4.0.18-22.el7sat | RHBA-2016:1500 |
| tfm-rubygem-pg | 0.15.1-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-pg-debuginfo | 0.15.1-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-powerbar | 1.0.11-11.el7sat | RHBA-2016:1500 |
| tfm-rubygem-protected_attributes | 1.1.3-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-qpuid_messaging | 0.30.0-7.el7sat | RHBA-2016:1501 |
| tfm-rubygem-qpuid_messaging-debuginfo | 0.30.0-7.el7sat | RHBA-2016:1501 |
| tfm-rubygem-rabl | 0.11.6-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-rack-jsonp | 1.3.1-3.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|--|-----------------|--------------------------------|
| tfm-rubygem-rails-i18n | 4.0.8-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-rails-observers | 0.1.2-6.el7sat | RHBA-2016:1500 |
| tfm-rubygem-rbovirt | 0.0.37-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-rbvmomi | 1.8.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-redhat_access_lib | 1.0.2-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-rest-client | 1.6.7-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-retriable | 1.4.1-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-robotex | 1.0.0-18.el7sat | RHBA-2016:1500 |
| tfm-rubygem-ruby-libvirt | 0.5.2-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-ruby-libvirt-debuginfo | 0.5.2-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-ruby2ruby | 2.1.3-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-ruby_parser | 3.6.3-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-runcible | 1.7.0-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-safemode | 1.2.3-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-scoped_search | 3.2.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-secure_headers | 1.4.1-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-sequel | 4.20.0-6.el7sat | RHBA-2016:1500 |
| tfm-rubygem-sexp_processor | 4.4.4-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-signet | 0.6.0-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2-1.el7sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|---|---------------------|--------------------------------|
| tfm-rubygem-sprockets | 3.5.2-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-sprockets-rails | 2.3.3-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-sshkey | 1.6.0-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-table_print | 1.5.1-5.el7sat | RHBA-2016:1500 |
| tfm-rubygem-trollop | 2.0-5.el7sat | RHBA-2016:1500 |
| tfm-rubygem-turbolinks | 2.5.3-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-validates_lengths_from_database | 0.5.0-1.el7sat | RHBA-2016:1500 |
| tfm-rubygem-wicked | 1.1.0-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-will_paginate | 3.0.7-1.el7sat | RHBA-2016:1500 |
| tfm-runtime | 2.0-2.el7sat | RHBA-2016:1500 |
| v8 | 3.14.5.10-11.el7sat | RHBA-2016:1500 |
| v8-debuginfo | 3.14.5.10-11.el7sat | RHBA-2016:1500 |
| yaml-cpp | 0.5.1-7.el7sat | RHBA-2016:1500 |
| yaml-cpp-debuginfo | 0.5.1-7.el7sat | RHBA-2016:1500 |

2.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** channel.

Table 3. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|------------------------|----------------|--------------------------------|
| SOAPpy | 0.11.6-17.el7 | RHBA-2016:1500 |
| createrepo_c | 0.7.4-1.el7sat | RHBA-2016:1500 |
| createrepo_c-debuginfo | 0.7.4-1.el7sat | RHBA-2016:1500 |
| createrepo_c-libs | 0.7.4-1.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|---------------------------|---------------------|--------------------------------|
| facter | 2.4.6-3.el7sat | RHBA-2016:1500 |
| foreman | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-debug | 1.11.0.49-1.el7sat | RHBA-2016:1501 |
| foreman-discovery-image | 3.1.1-16 | RHBA-2016:1502 |
| foreman-installer | 1.11.0.9-1.el7sat | RHBA-2016:1501 |
| foreman-installer-katello | 3.0.0.56-1.el7sat | RHBA-2016:1501 |
| foreman-proxy | 1.11.0.4-1.el7sat | RHBA-2016:1501 |
| foreman-selinux | 1.11.0.2-1.el7sat | RHBA-2016:1501 |
| gofer | 2.7.6-1.el7sat | RHBA-2016:1501 |
| hfsplus-tools | 332.14-12.el7 | RHBA-2016:1500 |
| hfsplus-tools-debuginfo | 332.14-12.el7 | RHBA-2016:1500 |
| hiera | 1.3.1-2.el7sat | RHBA-2016:1500 |
| katello | 3.0.0-10.el7sat | RHBA-2016:1501 |
| katello-agent | 2.5.0-5.el7sat | RHBA-2016:1501 |
| katello-certs-tools | 2.4.0-1.el7sat | RHBA-2016:1501 |
| katello-client-bootstrap | 1.1.0-2.el7sat | RHBA-2016:1501 |
| katello-debug | 3.0.0-10.el7sat | RHBA-2016:1501 |
| katello-installer-base | 3.0.0.56-1.el7sat | RHBA-2016:1501 |
| katello-selinux | 3.0.1.2-1.el7sat | RHBA-2016:1501 |
| katello-service | 3.0.0-10.el7sat | RHBA-2016:1501 |
| libdb-cxx | 5.3.21-19.el7 | RHBA-2016:1500 |
| libgsystem | 2015.1-1.atomic.el7 | RHBA-2016:1500 |
| libgsystem-debuginfo | 2015.1-1.atomic.el7 | RHBA-2016:1500 |

| Name | Version | Advisory |
|------------------------------|---------------------|--------------------------------|
| libqpid-dispatch | 0.4-13.el7sat | RHBA-2016:1501 |
| libstemmer | 0-2.585svn.el7sat | RHBA-2016:1500 |
| libstemmer-debuginfo | 0-2.585svn.el7sat | RHBA-2016:1500 |
| libtasn1 | 3.8-3.el7 | RHBA-2016:1501 |
| libtasn1-debuginfo | 3.8-3.el7 | RHBA-2016:1501 |
| livecd-tools | 20.4-1.6.el7sat | RHBA-2016:1500 |
| mod_passenger | 4.0.18-22.el7sat | RHBA-2016:1500 |
| mod_xsendfile | 0.12-10.el7sat | RHBA-2016:1500 |
| mod_xsendfile-debuginfo | 0.12-10.el7sat | RHBA-2016:1500 |
| mongodb | 2.6.11-2.el7sat | RHBA-2016:1500 |
| mongodb-debuginfo | 2.6.11-2.el7sat | RHBA-2016:1500 |
| mongodb-server | 2.6.11-2.el7sat | RHBA-2016:1500 |
| ostree | 2016.5-3.atomic.el7 | RHBA-2016:1501 |
| ostree-debuginfo | 2016.5-3.atomic.el7 | RHBA-2016:1501 |
| pulp | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-admin-client | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-docker | 2.0.1.1-1.el7sat | RHBA-2016:1501 |
| pulp-docker-admin-extensions | 2.0.1.1-1.el7sat | RHBA-2016:1501 |
| pulp-docker-plugins | 2.0.1.1-1.el7sat | RHBA-2016:1501 |
| pulp-katello | 1.0.1-1.el7sat | RHBA-2016:1501 |
| pulp-nodes-child | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-nodes-common | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-nodes-parent | 2.8.3.3-1.el7sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|------------------------------|---------------------------------------|--------------------------------|
| pulp-ostree | 1.1.1-2.el7sat | RHBA-2016:1501 |
| pulp-ostree-admin-extensions | 1.1.1-2.el7sat | RHBA-2016:1501 |
| pulp-ostree-plugins | 1.1.1-2.el7sat | RHBA-2016:1501 |
| pulp-puppet | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-puppet-admin-extensions | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-puppet-plugins | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-rpm | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| pulp-rpm-admin-extensions | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| pulp-rpm-handlers | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| pulp-rpm-plugins | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| pulp-selinux | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| pulp-server | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| puppet | 3.8.6-2.el7sat | RHBA-2016:1501 |
| puppet-foreman_scap_client | 0.3.3-10.el7sat | RHBA-2016:1501 |
| puppet-server | 3.8.6-2.el7sat | RHBA-2016:1501 |
| puppetlabs-stdlib | 4.2.1- 1.20140510git08b00d9.el7sat | RHBA-2016:1501 |
| pyserial | 2.6-5.el7 | RHBA-2016:1500 |
| python-amqp | 1.4.9-1.el7sat | RHBA-2016:1500 |
| python-anyjson | 0.3.3-5.el7sat | RHBA-2016:1500 |
| python-billiard | 3.3.0.17-2.el7sat | RHBA-2016:1500 |
| python-billiard-debuginfo | 3.3.0.17-2.el7sat | RHBA-2016:1500 |
| python-blinker | 1.3-2.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|-------------------------------|------------------|--------------------------------|
| python-bson | 3.2-1.el7sat | RHBA-2016:1500 |
| python-celery | 3.1.11-1.el7sat | RHBA-2016:1500 |
| python-crane | 2.0.0.2-2.el7sat | RHBA-2016:1500 |
| python-django | 1.6.11-5.el7sat | RHBA-2016:1500 |
| python-django-bash-completion | 1.6.11-5.el7sat | RHBA-2016:1500 |
| python-flask | 0.10.1-4.el7sat | RHBA-2016:1500 |
| python-fpconst | 0.7.3-12.el7 | RHBA-2016:1500 |
| python-gnupg | 0.3.7-1.el7ui | RHBA-2016:1500 |
| python-gofer | 2.7.6-1.el7sat | RHBA-2016:1501 |
| python-gofer-proton | 2.7.6-1.el7sat | RHBA-2016:1501 |
| python-gofer-qpid | 2.7.6-1.el7sat | RHBA-2016:1501 |
| python-httplib2 | 0.6.0-6.el7sat | RHBA-2016:1500 |
| python-imgcreate | 20.4-1.6.el7sat | RHBA-2016:1500 |
| python-isodate | 0.5.0-4.el7sat | RHBA-2016:1500 |
| python-itsdangerous | 0.23-1.el7sat | RHBA-2016:1500 |
| python-jinja2 | 2.7.2-2.el7sat | RHBA-2016:1500 |
| python-kombu | 3.0.33-7.el7sat | RHBA-2016:1500 |
| python-mongoengine | 0.10.5-2.el7sat | RHBA-2016:1500 |
| python-nectar | 1.5.1-3.el7sat | RHBA-2016:1501 |
| python-oauth2 | 1.5.211-8.el7sat | RHBA-2016:1500 |
| python-okaara | 1.0.32-1.el7sat | RHBA-2016:1500 |
| python-pulp-agent-lib | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-bindings | 2.8.3.3-1.el7sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|-------------------------------|------------------|--------------------------------|
| python-pulp-client-lib | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-common | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-docker-common | 2.0.1.1-1.el7sat | RHBA-2016:1501 |
| python-pulp-oid_validation | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-ostree-common | 1.1.1-2.el7sat | RHBA-2016:1501 |
| python-pulp-puppet-common | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-repoauth | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pulp-rpm-common | 2.8.3.5-1.el7sat | RHBA-2016:1501 |
| python-pulp-streamer | 2.8.3.3-1.el7sat | RHBA-2016:1501 |
| python-pymongo | 3.2-1.el7sat | RHBA-2016:1500 |
| python-pymongo-debuginfo | 3.2-1.el7sat | RHBA-2016:1500 |
| python-pymongo-gridfs | 3.2-1.el7sat | RHBA-2016:1500 |
| python-qpidd | 0.30-9.el7sat | RHBA-2016:1500 |
| python-qpidd-proton | 0.9-16.el7 | RHBA-2016:1501 |
| python-qpidd-qmf | 0.30-5.el7 | RHBA-2016:1501 |
| python-requests-toolbelt | 0.6.0-1.el7sat | RHBA-2016:1500 |
| python-saslwrapper | 0.22-5.el7sat | RHBA-2016:1500 |
| python-semantic_version | 2.2.0-6.el7sat | RHBA-2016:1500 |
| python-simplejson | 3.2.0-1.el7sat | RHBA-2016:1500 |
| python-simplejson-debuginfo | 3.2.0-1.el7sat | RHBA-2016:1500 |
| python-twisted-core | 12.2.0-4.el7 | RHBA-2016:1500 |
| python-twisted-core-debuginfo | 12.2.0-4.el7 | RHBA-2016:1500 |
| python-twisted-web | 12.1.0-4.el7 | RHBA-2016:1500 |

| Name | Version | Advisory |
|---------------------------------|----------------|--------------------------------|
| python-werkzeug | 0.9.1-1.el7sat | RHBA-2016:1500 |
| python-zope-interface | 4.0.5-4.el7 | RHBA-2016:1500 |
| python-zope-interface-debuginfo | 4.0.5-4.el7 | RHBA-2016:1500 |
| qpid-cpp | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-cpp-client | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-cpp-debuginfo | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-cpp-server | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-cpp-server-linearstore | 0.30-11.el7sat | RHBA-2016:1501 |
| qpid-dispatch | 0.4-13.el7sat | RHBA-2016:1501 |
| qpid-dispatch-debuginfo | 0.4-13.el7sat | RHBA-2016:1501 |
| qpid-dispatch-router | 0.4-13.el7sat | RHBA-2016:1501 |
| qpid-dispatch-tools | 0.4-13.el7sat | RHBA-2016:1501 |
| qpid-proton | 0.9-16.el7 | RHBA-2016:1501 |
| qpid-proton-c | 0.9-16.el7 | RHBA-2016:1501 |
| qpid-proton-debuginfo | 0.9-16.el7 | RHBA-2016:1501 |
| qpid-qmf | 0.30-5.el7 | RHBA-2016:1501 |
| qpid-qmf-debuginfo | 0.30-5.el7 | RHBA-2016:1501 |
| qpid-tools | 0.30-4.el7 | RHBA-2016:1501 |
| ruby-augeas | 0.5.0-1.el7 | RHBA-2016:1500 |
| ruby-augeas-debuginfo | 0.5.0-1.el7 | RHBA-2016:1500 |
| ruby-rgen | 0.6.5-2.el7sat | RHBA-2016:1500 |
| ruby-shadow | 1.4.1-21.el7 | RHBA-2016:1500 |
| ruby-shadow-debuginfo | 1.4.1-21.el7 | RHBA-2016:1500 |

| Name | Version | Advisory |
|-----------------------------|------------------|--------------------------------|
| rubygem-ansi | 1.4.3-3.el7sat | RHBA-2016:1500 |
| rubygem-apipie-bindings | 0.0.14-2.el7sat | RHBA-2016:1501 |
| rubygem-awesome_print | 1.0.2-12.el7sat | RHBA-2016:1500 |
| rubygem-bundler_ext | 0.3.0-7.el7sat | RHBA-2016:1500 |
| rubygem-clamp | 0.6.2-2.el7sat | RHBA-2016:1500 |
| rubygem-ffi | 1.4.0-3.el7sat | RHBA-2016:1500 |
| rubygem-ffi-debuginfo | 1.4.0-3.el7sat | RHBA-2016:1500 |
| rubygem-gssapi | 1.1.2-4.el7sat | RHBA-2016:1500 |
| rubygem-hashie | 2.0.5-2.el7sat | RHBA-2016:1500 |
| rubygem-highline | 1.6.21-1.el7sat | RHBA-2016:1500 |
| rubygem-kafo | 0.7.6-1.el7sat | RHBA-2016:1501 |
| rubygem-kafo_parsers | 0.0.6-1.el7sat | RHBA-2016:1501 |
| rubygem-kafo_wizards | 0.0.1-1.el7sat | RHBA-2016:1501 |
| rubygem-little-plugger | 1.1.3-17.el7sat | RHBA-2016:1500 |
| rubygem-logging | 1.8.1-26.el7sat | RHBA-2016:1500 |
| rubygem-mime-types | 1.19-7.el7sat | RHBA-2016:1500 |
| rubygem-multi_json | 1.8.2-4.el7sat | RHBA-2016:1500 |
| rubygem-newt | 0.9.6-2.el7sat | RHBA-2016:1500 |
| rubygem-newt-debuginfo | 0.9.6-2.el7sat | RHBA-2016:1500 |
| rubygem-oauth | 0.4.7-8.el7sat | RHBA-2016:1500 |
| rubygem-openscap | 0.4.3-3.el7sat | RHBA-2016:1500 |
| rubygem-passenger | 4.0.18-22.el7sat | RHBA-2016:1500 |
| rubygem-passenger-debuginfo | 4.0.18-22.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|---|-------------------|--------------------------------|
| rubygem-passenger-native | 4.0.18-22.el7sat | RHBA-2016:1500 |
| rubygem-passenger-native-libs | 4.0.18-22.el7sat | RHBA-2016:1500 |
| rubygem-powerbar | 1.0.11-8.el7sat | RHBA-2016:1500 |
| rubygem-rack | 1.4.1-13.el7sat | RHBA-2016:1500 |
| rubygem-rack-protection | 1.5.0-7.el7sat | RHBA-2016:1500 |
| rubygem-rake | 0.9.2.2-41.el7sat | RHBA-2016:1500 |
| rubygem-rest-client | 1.6.7-1.el7sat | RHBA-2016:1500 |
| rubygem-rkerberos | 0.1.2-3.el7sat | RHBA-2016:1500 |
| rubygem-rkerberos-debuginfo | 0.1.2-3.el7sat | RHBA-2016:1500 |
| rubygem-rubyipmi | 0.10.0-1.el7sat | RHBA-2016:1500 |
| rubygem-sinatra | 1.3.6-27.el7sat | RHBA-2016:1500 |
| rubygem-smart_proxy_discovery | 1.0.3-3.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_discovery_image | 1.0.5-4.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_dynflow | 0.1.3-1.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_openscap | 0.5.3.6-1.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_pulp | 1.2.2-1.el7sat | RHBA-2016:1501 |
| rubygem-smart_proxy_remote_execution_sh | 0.1.2-2.el7sat | RHBA-2016:1501 |
| rubygem-tilt | 1.3.3-18.el7sat | RHBA-2016:1500 |
| saslwrapper | 0.22-5.el7sat | RHBA-2016:1500 |
| saslwrapper-debuginfo | 0.22-5.el7sat | RHBA-2016:1500 |
| satellite | 6.2.0-21.1.el7sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|---|---------------------|--------------------------------|
| satellite-capsule | 6.2.0-21.1.el7sat | RHBA-2016:1501 |
| satellite-debug-tools | 6.2.0-21.1.el7sat | RHBA-2016:1501 |
| satellite-installer | 6.2.0.11-1.el7sat | RHBA-2016:1501 |
| tfm | 2.0-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-algebrick | 0.7.3-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-apipie-params | 0.0.5-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-bundler_ext | 0.3.0-8.el7sat | RHBA-2016:1500 |
| tfm-rubygem-concurrent-ruby | 1.0.0-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-concurrent-ruby-edge | 0.2.0-2.el7sat | RHBA-2016:1500 |
| tfm-rubygem-dynflow | 0.8.11-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-multi_json | 1.10.1-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-net-scp | 1.1.0-5.el7sat | RHBA-2016:1500 |
| tfm-rubygem-net-ssh | 2.9.2-3.el7sat | RHBA-2016:1500 |
| tfm-rubygem-netrc | 0.7.7-7.el7sat | RHBA-2016:1500 |
| tfm-rubygem-rest-client | 1.6.7-4.el7sat | RHBA-2016:1500 |
| tfm-rubygem-sequel | 4.20.0-6.el7sat | RHBA-2016:1500 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3-1.el7sat | RHBA-2016:1501 |
| tfm-rubygem-smart_proxy_remote_execution_ssh_core | 0.1.2-1.el7sat | RHBA-2016:1501 |
| tfm-runtime | 2.0-2.el7sat | RHBA-2016:1500 |
| v8 | 3.14.5.10-11.el7sat | RHBA-2016:1500 |
| v8-debuginfo | 3.14.5.10-11.el7sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|--------------------|----------------|--------------------------------|
| yaml-cpp | 0.5.1-7.el7sat | RHBA-2016:1500 |
| yaml-cpp-debuginfo | 0.5.1-7.el7sat | RHBA-2016:1500 |

2.1.3. Red Hat Satellite Tools

The following table outlines the packages included in the **rhel-7-server-satellite-tools-6.2-rpms** channel.

Table 4. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|---------------------|------------------|--------------------------------|
| facter | 2.4.6-3.el7sat | RHBA-2016:1503 |
| gofer | 2.7.6-1.el7sat | RHBA-2016:1503 |
| hiera | 1.3.1-2.el7sat | RHBA-2016:1503 |
| katello-agent | 2.5.0-5.el7sat | RHBA-2016:1503 |
| libtasn1 | 3.8-3.el7 | RHBA-2016:1503 |
| libtasn1-debuginfo | 3.8-3.el7 | RHBA-2016:1503 |
| libtasn1-devel | 3.8-3.el7 | RHBA-2016:1503 |
| pulp | 2.8.3.3-1.el7sat | RHBA-2016:1503 |
| pulp-puppet | 2.8.3.3-1.el7sat | RHBA-2016:1503 |
| pulp-puppet-tools | 2.8.3.3-1.el7sat | RHBA-2016:1503 |
| pulp-rpm | 2.8.3.5-1.el7sat | RHBA-2016:1503 |
| pulp-rpm-handlers | 2.8.3.5-1.el7sat | RHBA-2016:1503 |
| puppet | 3.8.6-2.el7sat | RHBA-2016:1503 |
| python-gofer | 2.7.6-1.el7sat | RHBA-2016:1503 |
| python-gofer-proton | 2.7.6-1.el7sat | RHBA-2016:1503 |
| python-isodate | 0.5.0-4.el7sat | RHBA-2016:1503 |

| Name | Version | Advisory |
|-----------------------------|-------------------|--------------------------------|
| python-pulp-agent-lib | 2.8.3.3-1.el7sat | RHBA-2016:1503 |
| python-pulp-common | 2.8.3.3-1.el7sat | RHBA-2016:1503 |
| python-pulp-puppet-common | 2.8.3.3-1.el7sat | RHBA-2016:1503 |
| python-pulp-rpm-common | 2.8.3.5-1.el7sat | RHBA-2016:1503 |
| python-qpidd-proton | 0.9-16.el7 | RHBA-2016:1503 |
| qpidd-proton | 0.9-16.el7 | RHBA-2016:1503 |
| qpidd-proton-c | 0.9-16.el7 | RHBA-2016:1503 |
| qpidd-proton-debuginfo | 0.9-16.el7 | RHBA-2016:1503 |
| ruby-augeas | 0.5.0-1.el7 | RHBA-2016:1503 |
| ruby-augeas-debuginfo | 0.5.0-1.el7 | RHBA-2016:1503 |
| ruby-rgen | 0.6.5-2.el7sat | RHBA-2016:1503 |
| ruby-shadow | 1.4.1-21.el7 | RHBA-2016:1503 |
| ruby-shadow-debuginfo | 1.4.1-21.el7 | RHBA-2016:1503 |
| rubygem-foreman_scap_client | 0.1.2-1.el7sat | RHBA-2016:1503 |
| satellite | 6.2.0-21.1.el7sat | RHBA-2016:1503 |
| satellite-cli | 6.2.0-21.1.el7sat | RHBA-2016:1503 |
| tfm | 2.0-2.el7sat | RHBA-2016:1503 |
| tfm-rubygem-ansi | 1.4.3-6.el7sat | RHBA-2016:1503 |
| tfm-rubygem-apipie-bindings | 0.0.16-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-awesome_print | 1.0.2-13.el7sat | RHBA-2016:1503 |
| tfm-rubygem-clamp | 1.0.0-4.el7sat | RHBA-2016:1503 |
| tfm-rubygem-fast_gettext | 0.9.2-3.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli | 0.5.1.11-4.el7sat | RHBA-2016:1503 |

| Name | Version | Advisory |
|---|--------------------|--------------------------------|
| tfm-rubygem-hammer_cli_csv | 2.0.0.1-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman | 0.5.1.9-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_bootdisk | 0.1.3.3-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_discovery | 0.0.2.3-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_docker | 0.0.6-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_remote_execution | 0.0.5.3-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_tasks | 0.0.10.3-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_import | 0.11.2-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.23-1.el7sat | RHBA-2016:1503 |
| tfm-rubygem-hashie | 2.0.5-4.el7sat | RHBA-2016:1503 |
| tfm-rubygem-highline | 1.6.21-4.el7sat | RHBA-2016:1503 |
| tfm-rubygem-little-plugger | 1.1.3-20.el7sat | RHBA-2016:1503 |
| tfm-rubygem-locale | 2.0.9-11.el7sat | RHBA-2016:1503 |
| tfm-rubygem-logging | 1.8.2-3.el7sat | RHBA-2016:1503 |
| tfm-rubygem-multi_json | 1.10.1-3.el7sat | RHBA-2016:1503 |
| tfm-rubygem-netrc | 0.7.7-7.el7sat | RHBA-2016:1503 |
| tfm-rubygem-oauth | 0.4.7-8.el7sat | RHBA-2016:1503 |
| tfm-rubygem-powerbar | 1.0.11-11.el7sat | RHBA-2016:1503 |
| tfm-rubygem-rest-client | 1.6.7-4.el7sat | RHBA-2016:1503 |
| tfm-rubygem-table_print | 1.5.1-5.el7sat | RHBA-2016:1503 |

| Name | Version | Advisory |
|-------------|--------------|--------------------------------|
| tfm-runtime | 2.0-2.el7sat | RHBA-2016:1503 |

2.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

2.2.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-6-server-satellite-6.2-rpms` channel.

Table 5. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| andlepin | 0.9.54.7-1.el6 | RHBA-2016:1501 |
| andlepin-selinux | 0.9.54.7-1.el6 | RHBA-2016:1501 |
| createrepo_c | 0.7.4-1.el6_6sat | RHBA-2016:1500 |
| createrepo_c-debuginfo | 0.7.4-1.el6_6sat | RHBA-2016:1500 |
| createrepo_c-libs | 0.7.4-1.el6_6sat | RHBA-2016:1500 |
| facter | 2.4.6-3.el6sat | RHBA-2016:1500 |
| foreman | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-compute | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-debug | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-discovery-image | 3.1.1-16 | RHBA-2016:1502 |
| foreman-ec2 | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-gce | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-installer | 1.11.0.9-1.el6sat | RHBA-2016:1501 |
| foreman-installer-katello | 3.0.0.56-1.el6sat | RHBA-2016:1501 |
| foreman-libvirt | 1.11.0.49-1.el6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|--------------------------|--------------------------------------|--------------------------------|
| foreman-openstack | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-ovirt | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-postgresql | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-proxy | 1.11.0.4-1.el6sat | RHBA-2016:1501 |
| foreman-rackspace | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-selinux | 1.11.0.2-1.el6sat | RHBA-2016:1501 |
| foreman-vmware | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| gofer | 2.7.6-1.el6sat | RHBA-2016:1501 |
| gperftools | 2.0-3.el6sat.2 | RHBA-2016:1500 |
| gperftools-debuginfo | 2.0-3.el6sat.2 | RHBA-2016:1500 |
| gperftools-libs | 2.0-3.el6sat.2 | RHBA-2016:1500 |
| hiera | 1.3.1-2.el6sat | RHBA-2016:1500 |
| ipxe | 20130517- 7.1fm.gitc4bce43.el6sat | RHBA-2016:1500 |
| ipxe-bootimgs | 20130517- 7.1fm.gitc4bce43.el6sat | RHBA-2016:1500 |
| katello | 3.0.0-10.el6sat | RHBA-2016:1501 |
| katello-agent | 2.5.0-5.el6sat | RHBA-2016:1501 |
| katello-certs-tools | 2.4.0-1.el6sat | RHBA-2016:1501 |
| katello-client-bootstrap | 1.1.0-2.el6sat | RHBA-2016:1501 |
| katello-common | 3.0.0-10.el6sat | RHBA-2016:1501 |
| katello-debug | 3.0.0-10.el6sat | RHBA-2016:1501 |
| katello-installer-base | 3.0.0.56-1.el6sat | RHBA-2016:1501 |
| katello-selinux | 3.0.1.2-1.el6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|------------------------------|------------------|--------------------------------|
| katello-service | 3.0.0-10.el6sat | RHBA-2016:1501 |
| libmongodb | 2.4.6-2.el6sat | RHBA-2016:1500 |
| libqpid-dispatch | 0.4-13.el6sat | RHBA-2016:1501 |
| liquibase | 3.1.0-5.el6_6sat | RHBA-2016:1500 |
| livecd-tools | 13.4.1-2.el6sat | RHBA-2016:1500 |
| mod_passenger | 4.0.18-22.el6sat | RHBA-2016:1500 |
| mod_wsgi | 3.4-2.el6sat | RHBA-2016:1500 |
| mod_wsgi-debuginfo | 3.4-2.el6sat | RHBA-2016:1500 |
| mod_xsendfile | 0.12-10.el6sat | RHBA-2016:1500 |
| mod_xsendfile-debuginfo | 0.12-10.el6sat | RHBA-2016:1500 |
| mongodb | 2.4.6-2.el6sat | RHBA-2016:1500 |
| mongodb-debuginfo | 2.4.6-2.el6sat | RHBA-2016:1500 |
| mongodb-server | 2.4.6-2.el6sat | RHBA-2016:1500 |
| pulp | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-admin-client | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-docker | 2.0.1.1-1.el6sat | RHBA-2016:1501 |
| pulp-docker-admin-extensions | 2.0.1.1-1.el6sat | RHBA-2016:1501 |
| pulp-docker-plugins | 2.0.1.1-1.el6sat | RHBA-2016:1501 |
| pulp-katello | 1.0.1-1.el6sat | RHBA-2016:1501 |
| pulp-puppet | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-puppet-admin-extensions | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-puppet-plugins | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-puppet-tools | 2.8.3.3-1.el6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|----------------------------|---|--------------------------------|
| pulp-rpm | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| pulp-rpm-admin-extensions | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| pulp-rpm-handlers | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| pulp-rpm-plugins | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| pulp-selinux | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-server | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| puppet | 3.8.6-2.el6sat | RHBA-2016:1501 |
| puppet-foreman_scap_client | 0.3.3-10.el6 | RHBA-2016:1501 |
| puppet-server | 3.8.6-2.el6sat | RHBA-2016:1501 |
| puppetlabs-stdlib | 4.2.1- 1.20140510git08b00d9.el6_6sat | RHBA-2016:1501 |
| pylibzma | 0.5.3-3.el6sat | RHBA-2016:1500 |
| pylibzma-debuginfo | 0.5.3-3.el6sat | RHBA-2016:1500 |
| yparsing | 1.5.6-6.el6sat | RHBA-2016:1500 |
| python-amqp | 1.4.9-1.el6sat | RHBA-2016:1500 |
| python-anyjson | 0.3.3-4.el6sat | RHBA-2016:1500 |
| python-billiard | 3.3.0.17-2.el6sat | RHBA-2016:1500 |
| python-billiard-debuginfo | 3.3.0.17-2.el6sat | RHBA-2016:1500 |
| python-blinker | 1.3-2.el6_6sat | RHBA-2016:1500 |
| python-bson | 3.2-1.el6sat | RHBA-2016:1500 |
| python-celery | 3.1.11-1.el6sat | RHBA-2016:1501 |
| python-crane | 2.0.0.2-2.el6sat | RHBA-2016:1500 |
| python-django | 1.6.11-5.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|-------------------------------|--------------------|--------------------------------|
| python-django-bash-completion | 1.6.11-5.el6sat | RHBA-2016:1500 |
| python-flask | 0.10.1-4.el6_6sat | RHBA-2016:1500 |
| python-gofer | 2.7.6-1.el6sat | RHBA-2016:1501 |
| python-gofer-proton | 2.7.6-1.el6sat | RHBA-2016:1501 |
| python-gofer-qpid | 2.7.6-1.el6sat | RHBA-2016:1501 |
| python-httplib2 | 0.7.2-1.el6 | RHBA-2016:1500 |
| python-imgcreate | 13.4.1-2.el6sat | RHBA-2016:1500 |
| python-importlib | 1.0.2-1.el6sat | RHBA-2016:1500 |
| python-isodate | 0.5.0-4.el6sat | RHBA-2016:1500 |
| python-itsdangerous | 0.23-1.el6_6sat | RHBA-2016:1500 |
| python-jinja2-26 | 2.6-3.el6_6sat | RHBA-2016:1500 |
| python-kombu | 3.0.33-7.el6sat | RHBA-2016:1500 |
| python-mongoengine | 0.10.5-2.el6sat | RHBA-2016:1500 |
| python-nectar | 1.5.2-1.el6sat | RHBA-2016:1501 |
| python-oauth2 | 1.5.211-8.el6_6sat | RHBA-2016:1500 |
| python-okaara | 1.0.32-1.el6sat | RHBA-2016:1500 |
| python-pulp-agent-lib | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-bindings | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-client-lib | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-common | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-docker-common | 2.0.1.1-1.el6sat | RHBA-2016:1501 |
| python-pulp-oid_validation | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-puppet-common | 2.8.3.3-1.el6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|------------------------------|------------------|--------------------------------|
| python-pulp-repoauth | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-rpm-common | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| python-pulp-streamer | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pymongo | 3.2-1.el6sat | RHBA-2016:1500 |
| python-pymongo-debuginfo | 3.2-1.el6sat | RHBA-2016:1500 |
| python-pymongo-gridfs | 3.2-1.el6sat | RHBA-2016:1500 |
| python-qpidd | 0.30-9.el6sat | RHBA-2016:1501 |
| python-qpidd-proton | 0.9-16.el6 | RHBA-2016:1501 |
| python-qpidd-qmf | 0.30-5.el6 | RHBA-2016:1501 |
| python-requests-toolbelt | 0.6.0-1.el6sat | RHBA-2016:1500 |
| python-saslwrapper | 0.22-5.el6sat | RHBA-2016:1500 |
| python-semantic_version | 2.2.0-6.el6sat | RHBA-2016:1500 |
| python-werkzeug | 0.8.3-2.el6_6sat | RHBA-2016:1500 |
| qpidd-cpp | 0.30-11.el6 | RHBA-2016:1501 |
| qpidd-cpp-client | 0.30-11.el6 | RHBA-2016:1501 |
| qpidd-cpp-client-devel | 0.30-11.el6 | RHBA-2016:1501 |
| qpidd-cpp-debuginfo | 0.30-11.el6 | RHBA-2016:1501 |
| qpidd-cpp-server | 0.30-11.el6 | RHBA-2016:1501 |
| qpidd-cpp-server-linearstore | 0.30-11.el6 | RHBA-2016:1501 |
| qpidd-dispatch | 0.4-13.el6sat | RHBA-2016:1501 |
| qpidd-dispatch-debuginfo | 0.4-13.el6sat | RHBA-2016:1501 |
| qpidd-dispatch-router | 0.4-13.el6sat | RHBA-2016:1501 |
| qpidd-dispatch-tools | 0.4-13.el6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|-----------------------------|-----------------|--------------------------------|
| qpid-proton | 0.9-16.el6 | RHBA-2016:1501 |
| qpid-proton-c | 0.9-16.el6 | RHBA-2016:1501 |
| qpid-proton-debuginfo | 0.9-16.el6 | RHBA-2016:1501 |
| qpid-qmf | 0.30-5.el6 | RHBA-2016:1501 |
| qpid-qmf-debuginfo | 0.30-5.el6 | RHBA-2016:1501 |
| qpid-tools | 0.30-4.el6 | RHBA-2016:1501 |
| ruby-augeas | 0.4.1-1.el6_4 | RHBA-2016:1500 |
| ruby-augeas-debuginfo | 0.4.1-1.el6_4 | RHBA-2016:1500 |
| ruby-rgen | 0.6.5-2.el6sat | RHBA-2016:1500 |
| ruby-shadow | 1.4.1-13.el6_4 | RHBA-2016:1500 |
| ruby-shadow-debuginfo | 1.4.1-13.el6_4 | RHBA-2016:1500 |
| rubygem-ansi | 1.4.3-3.el6sat | RHBA-2016:1500 |
| rubygem-apipie-bindings | 0.0.14-2.el6sat | RHBA-2016:1501 |
| rubygem-awesome_print | 1.0.2-12.el6sat | RHBA-2016:1500 |
| rubygem-bundler | 1.0.15-5.el6sat | RHBA-2016:1500 |
| rubygem-bundler_ext | 0.3.0-7.el6sat | RHBA-2016:1500 |
| rubygem-clamp | 0.6.2-2.el6sat | RHBA-2016:1500 |
| rubygem-ffi | 1.4.0-3.el6sat | RHBA-2016:1500 |
| rubygem-ffi-debuginfo | 1.4.0-3.el6sat | RHBA-2016:1500 |
| rubygem-foreman_scap_client | 0.1.2-1.el6sat | RHBA-2016:1501 |
| rubygem-gssapi | 1.1.2-4.el6sat | RHBA-2016:1500 |
| rubygem-hashie | 2.0.5-2.el6sat | RHBA-2016:1500 |
| rubygem-highline | 1.6.21-1.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|-------------------------------|-------------------|--------------------------------|
| rubygem-json | 1.4.6-2.el6 | RHBA-2016:1500 |
| rubygem-json-debuginfo | 1.4.6-2.el6 | RHBA-2016:1500 |
| rubygem-kafo | 0.7.6-1.el6sat | RHBA-2016:1501 |
| rubygem-kafo_parsers | 0.0.6-1.el6sat | RHBA-2016:1501 |
| rubygem-kafo_wizards | 0.0.1-1.el6sat | RHBA-2016:1501 |
| rubygem-little-plugger | 1.1.3-17.el6sat | RHBA-2016:1500 |
| rubygem-logging | 1.8.1-26.el6sat | RHBA-2016:1500 |
| rubygem-mime-types | 1.19-7.el6sat | RHBA-2016:1500 |
| rubygem-multi_json | 1.8.2-4.el6sat | RHBA-2016:1500 |
| rubygem-newt | 0.9.6-2.el6sat | RHBA-2016:1500 |
| rubygem-newt-debuginfo | 0.9.6-2.el6sat | RHBA-2016:1500 |
| rubygem-oauth | 0.4.7-8.el6sat | RHBA-2016:1500 |
| rubygem-openscap | 0.4.3-3.el6sat | RHBA-2016:1500 |
| rubygem-passenger | 4.0.18-22.el6sat | RHBA-2016:1500 |
| rubygem-passenger-debuginfo | 4.0.18-22.el6sat | RHBA-2016:1500 |
| rubygem-passenger-native | 4.0.18-22.el6sat | RHBA-2016:1500 |
| rubygem-passenger-native-libs | 4.0.18-22.el6sat | RHBA-2016:1500 |
| rubygem-powerbar | 1.0.11-8.el6sat | RHBA-2016:1500 |
| rubygem-rack | 1.4.1-13.el6sat | RHBA-2016:1500 |
| rubygem-rack-protection | 1.5.0-7.el6sat | RHBA-2016:1500 |
| rubygem-rake | 0.9.2.2-41.el6sat | RHBA-2016:1500 |
| rubygem-rdoc | 3.12-27.el6sat | RHBA-2016:1500 |
| rubygem-rdoc-debuginfo | 3.12-27.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|--|-------------------|--------------------------------|
| rubygem-rest-client | 1.6.7-1.el6sat | RHBA-2016:1500 |
| rubygem-rkerberos | 0.1.2-3.el6sat | RHBA-2016:1500 |
| rubygem-rkerberos-debuginfo | 0.1.2-3.el6sat | RHBA-2016:1500 |
| rubygem-rubyipmi | 0.10.0-1.el6_6sat | RHBA-2016:1501 |
| rubygem-sinatra | 1.3.6-27.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_discovery | 1.0.3-3.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_discovery_image | 1.0.5-4.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_dynflow | 0.1.3-1.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_openscap | 0.5.3.6-1.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_pulp | 1.2.2-1.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_remote_execution_ssh | 0.1.2-2.el6sat | RHBA-2016:1501 |
| rubygem-thor | 0.14.6-5.el6sat | RHBA-2016:1500 |
| rubygem-tilt | 1.3.3-18.el6sat | RHBA-2016:1501 |
| saslwrapper | 0.22-5.el6sat | RHBA-2016:1500 |
| saslwrapper-debuginfo | 0.22-5.el6sat | RHBA-2016:1500 |
| satellite | 6.2.0-21.1.el6sat | RHBA-2016:1501 |
| satellite-capsule | 6.2.0-21.1.el6sat | RHBA-2016:1501 |
| satellite-cli | 6.2.0-21.1.el6sat | RHBA-2016:1501 |
| satellite-debug-tools | 6.2.0-21.1.el6sat | RHBA-2016:1501 |
| satellite-installer | 6.2.0.11-1.el6sat | RHBA-2016:1501 |
| tfm | 2.0-2.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|--|------------------|--------------------------------|
| tfm-rubygem-activerecord-session_store | 0.1.2-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-addressable | 2.3.6-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-algebrick | 0.7.3-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-ancestry | 2.0.0-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-anemone | 0.7.2-12.el6sat | RHBA-2016:1500 |
| tfm-rubygem-angular-rails-templates | 0.1.2-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-ansi | 1.4.3-6.el6sat | RHBA-2016:1500 |
| tfm-rubygem-apipie-bindings | 0.0.16-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-apipie-params | 0.0.5-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-apipie-rails | 0.3.6-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-audited | 4.2.0-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-audited-activerecord | 4.2.0-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-autoparse | 0.3.3-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-awesome_print | 1.0.2-13.el6sat | RHBA-2016:1500 |
| tfm-rubygem-bastion | 3.2.0.9-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-bundler_ext | 0.3.0-8.el6sat | RHBA-2016:1500 |
| tfm-rubygem-clamp | 1.0.0-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-colorize | 0.7.7-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-concurrent-ruby | 1.0.0-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-concurrent-ruby-edge | 0.2.0-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-daemons | 1.2.3-3.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|------------------------------|-----------------|--------------------------------|
| tfm-rubygem-deep_cloneable | 2.1.1-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-deface | 1.0.2-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-docker-api | 1.28.0-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-dynflow | 0.8.11-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-excon | 0.45.3-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-extlib | 0.9.16-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-facter | 2.4.0-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-facter-debuginfo | 2.4.0-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-faraday | 0.9.1-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fast_gettext | 0.9.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog | 1.38.0-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-aws | 0.7.4-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-core | 1.36.0-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-google | 0.1.0-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-json | 1.0.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-libvirt | 0.0.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-openstack | 0.1.2-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-rackspace | 0.1.1-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-vsphere | 0.6.3-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-xenserver | 0.2.2-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-fog-xml | 0.1.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-foreigner | 1.7.1-3.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|--|-------------------|--------------------------------|
| tfm-rubygem-foreman-redhat_access | 1.0.10-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-foreman-tasks | 0.7.14.6-3.el6sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_bootdisk | 6.1.0.3-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_discovery | 5.0.0.8-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_docker | 2.0.1.11-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_hooks | 0.3.11-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_openscap | 0.5.3.17-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.11-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-foreman_theme_satellite | 0.1.25-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-formatador | 0.2.1-9.el6sat | RHBA-2016:1500 |
| tfm-rubygem-friendly_id | 5.1.0-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-gettext_i18n_rails | 1.2.1-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-google-api-client | 0.8.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-hammer_cli | 0.5.1.11-4.el6sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_csv | 2.0.0.1-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman | 0.5.1.9-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman_bootdisk | 0.1.3.3-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman_discovery | 0.0.2.3-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman_docker | 0.0.6-1.el6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|---|--------------------|--------------------------------|
| tfm-rubygem-hammer_cli_foreman_remote_execution | 0.0.5.3-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_foreman_tasks | 0.0.10.3-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_import | 0.11.2-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.23-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-hashie | 2.0.5-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-highline | 1.6.21-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-i18n | 0.7.0-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-ipaddress | 0.8.0-9.el6sat | RHBA-2016:1500 |
| tfm-rubygem-jquery-ui-rails | 4.1.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-jwt | 1.2.0-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-katello | 3.0.0.68-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-launchy | 2.4.3-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-ldap_fluff | 0.4.3-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-little-plugger | 1.1.3-20.el6sat | RHBA-2016:1500 |
| tfm-rubygem-locale | 2.0.9-11.el6sat | RHBA-2016:1500 |
| tfm-rubygem-logging | 1.8.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-multi_json | 1.10.1-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-multipart-post | 1.2.0-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-net-ldap | 0.13.0-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-net-scp | 1.1.0-5.el6sat | RHBA-2016:1500 |
| tfm-rubygem-net-ssh | 2.9.2-3.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|---------------------------------------|------------------|--------------------------------|
| tfm-rubygem-netrc | 0.7.7-7.el6sat | RHBA-2016:1500 |
| tfm-rubygem-nokogiri | 1.6.6.2-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-nokogiri-debuginfo | 1.6.6.2-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-oauth | 0.4.7-8.el6sat | RHBA-2016:1500 |
| tfm-rubygem-parse-cron | 0.1.4-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-passenger | 4.0.18-22.el6sat | RHBA-2016:1500 |
| tfm-rubygem-passenger-native | 4.0.18-22.el6sat | RHBA-2016:1500 |
| tfm-rubygem-passenger-native-libs | 4.0.18-22.el6sat | RHBA-2016:1500 |
| tfm-rubygem-pg | 0.15.1-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-pg-debuginfo | 0.15.1-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-powerbar | 1.0.11-11.el6sat | RHBA-2016:1500 |
| tfm-rubygem-protected_attributes | 1.1.3-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-qpuid_messaging | 0.30.0-7.el6sat | RHBA-2016:1501 |
| tfm-rubygem-qpuid_messaging-debuginfo | 0.30.0-7.el6sat | RHBA-2016:1501 |
| tfm-rubygem-rabl | 0.11.6-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-rack-jsonp | 1.3.1-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-rails-i18n | 4.0.8-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-rails-observers | 0.1.2-6.el6sat | RHBA-2016:1500 |
| tfm-rubygem-rbovirt | 0.0.37-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-rbvmomi | 1.8.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-redhat_access_lib | 1.0.2-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-rest-client | 1.6.7-4.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|---|-----------------|--------------------------------|
| tfm-rubygem-retriable | 1.4.1-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-robotex | 1.0.0-18.el6sat | RHBA-2016:1500 |
| tfm-rubygem-ruby-libvirt | 0.5.2-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-ruby-libvirt-debuginfo | 0.5.2-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-ruby2ruby | 2.1.3-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-ruby_parser | 3.6.3-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-runcible | 1.7.0-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-safemode | 1.2.3-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-scoped_search | 3.2.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-secure_headers | 1.4.1-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-sequel | 4.20.0-6.el6sat | RHBA-2016:1500 |
| tfm-rubygem-sexp_processor | 4.4.4-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-signet | 0.6.0-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-smart_proxy_remote_execution_ssh_core | 0.1.2-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-sprockets | 3.5.2-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-sprockets-rails | 2.3.3-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-sshkey | 1.6.0-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-table_print | 1.5.1-5.el6sat | RHBA-2016:1500 |
| tfm-rubygem-trollop | 2.0-5.el6sat | RHBA-2016:1500 |
| tfm-rubygem-turbolinks | 2.5.3-3.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|---|--------------------|--------------------------------|
| tfm-rubygem-validates_lengths_from_database | 0.5.0-1.el6sat | RHBA-2016:1500 |
| tfm-rubygem-wicked | 1.1.0-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-will_paginate | 3.0.7-1.el6sat | RHBA-2016:1500 |
| tfm-runtime | 2.0-2.el6sat | RHBA-2016:1500 |
| v8 | 3.14.5.10-9.el6sat | RHBA-2016:1500 |
| v8-debuginfo | 3.14.5.10-9.el6sat | RHBA-2016:1500 |

2.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** channel.

Table 6. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| createrepo_c | 0.7.4-1.el6_6sat | RHBA-2016:1500 |
| createrepo_c-debuginfo | 0.7.4-1.el6_6sat | RHBA-2016:1500 |
| createrepo_c-libs | 0.7.4-1.el6_6sat | RHBA-2016:1500 |
| facter | 2.4.6-3.el6sat | RHBA-2016:1500 |
| foreman | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-debug | 1.11.0.49-1.el6sat | RHBA-2016:1501 |
| foreman-discovery-image | 3.1.1-16 | RHBA-2016:1502 |
| foreman-installer | 1.11.0.9-1.el6sat | RHBA-2016:1501 |
| foreman-installer-katello | 3.0.0.56-1.el6sat | RHBA-2016:1501 |
| foreman-proxy | 1.11.0.4-1.el6sat | RHBA-2016:1501 |
| foreman-selinux | 1.11.0.2-1.el6sat | RHBA-2016:1501 |
| gofer | 2.7.6-1.el6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|--------------------------|-------------------|--------------------------------|
| gperftools | 2.0-3.el6sat.2 | RHBA-2016:1500 |
| gperftools-debuginfo | 2.0-3.el6sat.2 | RHBA-2016:1500 |
| gperftools-libs | 2.0-3.el6sat.2 | RHBA-2016:1500 |
| hiera | 1.3.1-2.el6sat | RHBA-2016:1500 |
| katello | 3.0.0-10.el6sat | RHBA-2016:1501 |
| katello-agent | 2.5.0-5.el6sat | RHBA-2016:1501 |
| katello-certs-tools | 2.4.0-1.el6sat | RHBA-2016:1501 |
| katello-client-bootstrap | 1.1.0-2.el6sat | RHBA-2016:1501 |
| katello-debug | 3.0.0-10.el6sat | RHBA-2016:1501 |
| katello-installer-base | 3.0.0.56-1.el6sat | RHBA-2016:1501 |
| katello-selinux | 3.0.1.2-1.el6sat | RHBA-2016:1501 |
| katello-service | 3.0.0-10.el6sat | RHBA-2016:1501 |
| libmongodb | 2.4.6-2.el6sat | RHBA-2016:1500 |
| libqpid-dispatch | 0.4-13.el6sat | RHBA-2016:1501 |
| livecd-tools | 13.4.1-2.el6sat | RHBA-2016:1500 |
| mod_passenger | 4.0.18-22.el6sat | RHBA-2016:1500 |
| mod_wsgi | 3.4-2.el6sat | RHBA-2016:1500 |
| mod_wsgi-debuginfo | 3.4-2.el6sat | RHBA-2016:1500 |
| mod_xsendfile | 0.12-10.el6sat | RHBA-2016:1500 |
| mod_xsendfile-debuginfo | 0.12-10.el6sat | RHBA-2016:1500 |
| mongodb | 2.4.6-2.el6sat | RHBA-2016:1500 |
| mongodb-debuginfo | 2.4.6-2.el6sat | RHBA-2016:1500 |
| mongodb-server | 2.4.6-2.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|------------------------------|---|--------------------------------|
| pulp | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-admin-client | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-docker | 2.0.1.1-1.el6sat | RHBA-2016:1501 |
| pulp-docker-admin-extensions | 2.0.1.1-1.el6sat | RHBA-2016:1501 |
| pulp-docker-plugins | 2.0.1.1-1.el6sat | RHBA-2016:1501 |
| pulp-katello | 1.0.1-1.el6sat | RHBA-2016:1501 |
| pulp-nodes-child | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-nodes-common | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-nodes-parent | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-puppet | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-puppet-admin-extensions | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-puppet-plugins | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-rpm | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| pulp-rpm-admin-extensions | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| pulp-rpm-handlers | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| pulp-rpm-plugins | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| pulp-selinux | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| pulp-server | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| puppet | 3.8.6-2.el6sat | RHBA-2016:1501 |
| puppet-foreman_scap_client | 0.3.3-10.el6 | RHBA-2016:1501 |
| puppet-server | 3.8.6-2.el6sat | RHBA-2016:1501 |
| puppetlabs-stdlib | 4.2.1- 1.20140510git08b00d9.el6_6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|-------------------------------|-------------------|--------------------------------|
| pyliblzma | 0.5.3-3.el6sat | RHBA-2016:1500 |
| pyliblzma-debuginfo | 0.5.3-3.el6sat | RHBA-2016:1500 |
| pyparsing | 1.5.6-6.el6sat | RHBA-2016:1500 |
| python-amqp | 1.4.9-1.el6sat | RHBA-2016:1500 |
| python-anyjson | 0.3.3-4.el6sat | RHBA-2016:1500 |
| python-billiard | 3.3.0.17-2.el6sat | RHBA-2016:1500 |
| python-billiard-debuginfo | 3.3.0.17-2.el6sat | RHBA-2016:1500 |
| python-blinker | 1.3-2.el6_6sat | RHBA-2016:1500 |
| python-bson | 3.2-1.el6sat | RHBA-2016:1500 |
| python-celery | 3.1.11-1.el6sat | RHBA-2016:1501 |
| python-crane | 2.0.0.2-2.el6sat | RHBA-2016:1500 |
| python-django | 1.6.11-5.el6sat | RHBA-2016:1500 |
| python-django-bash-completion | 1.6.11-5.el6sat | RHBA-2016:1500 |
| python-flask | 0.10.1-4.el6_6sat | RHBA-2016:1500 |
| python-gofer | 2.7.6-1.el6sat | RHBA-2016:1501 |
| python-gofer-proton | 2.7.6-1.el6sat | RHBA-2016:1501 |
| python-gofer-qpid | 2.7.6-1.el6sat | RHBA-2016:1501 |
| python-httplib2 | 0.7.2-1.el6 | RHBA-2016:1500 |
| python-imgcreate | 13.4.1-2.el6sat | RHBA-2016:1500 |
| python-importlib | 1.0.2-1.el6sat | RHBA-2016:1500 |
| python-isodate | 0.5.0-4.el6sat | RHBA-2016:1500 |
| python-itsdangerous | 0.23-1.el6_6sat | RHBA-2016:1500 |
| python-jinja2-26 | 2.6-3.el6_6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|----------------------------|--------------------|--------------------------------|
| python-kombu | 3.0.33-7.el6sat | RHBA-2016:1500 |
| python-mongoengine | 0.10.5-2.el6sat | RHBA-2016:1500 |
| python-nectar | 1.5.2-1.el6sat | RHBA-2016:1501 |
| python-oauth2 | 1.5.211-8.el6_6sat | RHBA-2016:1500 |
| python-okaara | 1.0.32-1.el6sat | RHBA-2016:1500 |
| python-pulp-agent-lib | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-bindings | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-client-lib | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-common | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-docker-common | 2.0.1.1-1.el6sat | RHBA-2016:1501 |
| python-pulp-oid_validation | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-puppet-common | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-repoauth | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pulp-rpm-common | 2.8.3.5-1.el6sat | RHBA-2016:1501 |
| python-pulp-streamer | 2.8.3.3-1.el6sat | RHBA-2016:1501 |
| python-pymongo | 3.2-1.el6sat | RHBA-2016:1500 |
| python-pymongo-debuginfo | 3.2-1.el6sat | RHBA-2016:1500 |
| python-pymongo-gridfs | 3.2-1.el6sat | RHBA-2016:1500 |
| python-qpidd | 0.30-9.el6sat | RHBA-2016:1501 |
| python-qpidd-proton | 0.9-16.el6 | RHBA-2016:1501 |
| python-qpidd-qmf | 0.30-5.el6 | RHBA-2016:1501 |
| python-requests-toolbelt | 0.6.0-1.el6sat | RHBA-2016:1500 |
| python-saslwrapper | 0.22-5.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|-----------------------------|------------------|--------------------------------|
| python-semantic_version | 2.2.0-6.el6sat | RHBA-2016:1500 |
| python-werkzeug | 0.8.3-2.el6_6sat | RHBA-2016:1500 |
| qpid-cpp | 0.30-11.el6 | RHBA-2016:1501 |
| qpid-cpp-client | 0.30-11.el6 | RHBA-2016:1501 |
| qpid-cpp-debuginfo | 0.30-11.el6 | RHBA-2016:1501 |
| qpid-cpp-server | 0.30-11.el6 | RHBA-2016:1501 |
| qpid-cpp-server-linearstore | 0.30-11.el6 | RHBA-2016:1501 |
| qpid-dispatch | 0.4-13.el6sat | RHBA-2016:1501 |
| qpid-dispatch-debuginfo | 0.4-13.el6sat | RHBA-2016:1501 |
| qpid-dispatch-router | 0.4-13.el6sat | RHBA-2016:1501 |
| qpid-dispatch-tools | 0.4-13.el6sat | RHBA-2016:1501 |
| qpid-proton | 0.9-16.el6 | RHBA-2016:1501 |
| qpid-proton-c | 0.9-16.el6 | RHBA-2016:1501 |
| qpid-proton-debuginfo | 0.9-16.el6 | RHBA-2016:1501 |
| qpid-qmf | 0.30-5.el6 | RHBA-2016:1501 |
| qpid-qmf-debuginfo | 0.30-5.el6 | RHBA-2016:1501 |
| qpid-tools | 0.30-4.el6 | RHBA-2016:1501 |
| ruby-augeas | 0.4.1-1.el6_4 | RHBA-2016:1500 |
| ruby-augeas-debuginfo | 0.4.1-1.el6_4 | RHBA-2016:1500 |
| ruby-rgen | 0.6.5-2.el6sat | RHBA-2016:1500 |
| ruby-shadow | 1.4.1-13.el6_4 | RHBA-2016:1500 |
| ruby-shadow-debuginfo | 1.4.1-13.el6_4 | RHBA-2016:1500 |
| rubygem-ansi | 1.4.3-3.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|-------------------------|-----------------|--------------------------------|
| rubygem-apipie-bindings | 0.0.14-2.el6sat | RHBA-2016:1501 |
| rubygem-awesome_print | 1.0.2-12.el6sat | RHBA-2016:1500 |
| rubygem-bundler | 1.0.15-5.el6sat | RHBA-2016:1500 |
| rubygem-bundler_ext | 0.3.0-7.el6sat | RHBA-2016:1500 |
| rubygem-clamp | 0.6.2-2.el6sat | RHBA-2016:1500 |
| rubygem-ffi | 1.4.0-3.el6sat | RHBA-2016:1500 |
| rubygem-ffi-debuginfo | 1.4.0-3.el6sat | RHBA-2016:1500 |
| rubygem-gssapi | 1.1.2-4.el6sat | RHBA-2016:1500 |
| rubygem-hashie | 2.0.5-2.el6sat | RHBA-2016:1500 |
| rubygem-highline | 1.6.21-1.el6sat | RHBA-2016:1500 |
| rubygem-json | 1.4.6-2.el6 | RHBA-2016:1500 |
| rubygem-json-debuginfo | 1.4.6-2.el6 | RHBA-2016:1500 |
| rubygem-kafo | 0.7.6-1.el6sat | RHBA-2016:1501 |
| rubygem-kafo_parsers | 0.0.6-1.el6sat | RHBA-2016:1501 |
| rubygem-kafo_wizards | 0.0.1-1.el6sat | RHBA-2016:1501 |
| rubygem-little-plugger | 1.1.3-17.el6sat | RHBA-2016:1500 |
| rubygem-logging | 1.8.1-26.el6sat | RHBA-2016:1500 |
| rubygem-mime-types | 1.19-7.el6sat | RHBA-2016:1500 |
| rubygem-multi_json | 1.8.2-4.el6sat | RHBA-2016:1500 |
| rubygem-newt | 0.9.6-2.el6sat | RHBA-2016:1500 |
| rubygem-newt-debuginfo | 0.9.6-2.el6sat | RHBA-2016:1500 |
| rubygem-oauth | 0.4.7-8.el6sat | RHBA-2016:1500 |
| rubygem-openscap | 0.4.3-3.el6sat | RHBA-2016:1500 |

| Name | Version | Advisory |
|---|-------------------|--------------------------------|
| rubygem-passenger | 4.0.18-22.el6sat | RHBA-2016:1500 |
| rubygem-passenger-debuginfo | 4.0.18-22.el6sat | RHBA-2016:1500 |
| rubygem-passenger-native | 4.0.18-22.el6sat | RHBA-2016:1500 |
| rubygem-passenger-native-libs | 4.0.18-22.el6sat | RHBA-2016:1500 |
| rubygem-powerbar | 1.0.11-8.el6sat | RHBA-2016:1500 |
| rubygem-rack | 1.4.1-13.el6sat | RHBA-2016:1500 |
| rubygem-rack-protection | 1.5.0-7.el6sat | RHBA-2016:1500 |
| rubygem-rake | 0.9.2.2-41.el6sat | RHBA-2016:1500 |
| rubygem-rdoc | 3.12-27.el6sat | RHBA-2016:1500 |
| rubygem-rdoc-debuginfo | 3.12-27.el6sat | RHBA-2016:1500 |
| rubygem-rest-client | 1.6.7-1.el6sat | RHBA-2016:1500 |
| rubygem-rkerberos | 0.1.2-3.el6sat | RHBA-2016:1500 |
| rubygem-rkerberos-debuginfo | 0.1.2-3.el6sat | RHBA-2016:1500 |
| rubygem-rubyipmi | 0.10.0-1.el6_6sat | RHBA-2016:1501 |
| rubygem-sinatra | 1.3.6-27.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_discovery | 1.0.3-3.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_discovery_image | 1.0.5-4.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_dynflow | 0.1.3-1.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_openscap | 0.5.3.6-1.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_pulp | 1.2.2-1.el6sat | RHBA-2016:1501 |
| rubygem-smart_proxy_remote_execution_sh | 0.1.2-2.el6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|--------------------------------------|-------------------|--------------------------------|
| rubygem-thor | 0.14.6-5.el6sat | RHBA-2016:1500 |
| rubygem-tilt | 1.3.3-18.el6sat | RHBA-2016:1501 |
| saslwrapper | 0.22-5.el6sat | RHBA-2016:1500 |
| saslwrapper-debuginfo | 0.22-5.el6sat | RHBA-2016:1500 |
| satellite | 6.2.0-21.1.el6sat | RHBA-2016:1501 |
| satellite-capsule | 6.2.0-21.1.el6sat | RHBA-2016:1501 |
| satellite-debug-tools | 6.2.0-21.1.el6sat | RHBA-2016:1501 |
| satellite-installer | 6.2.0.11-1.el6sat | RHBA-2016:1501 |
| tfm | 2.0-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-algebrick | 0.7.3-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-apipie-params | 0.0.5-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-bundler_ext | 0.3.0-8.el6sat | RHBA-2016:1500 |
| tfm-rubygem-concurrent-ruby | 1.0.0-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-concurrent-ruby-edge | 0.2.0-2.el6sat | RHBA-2016:1500 |
| tfm-rubygem-dynflow | 0.8.11-1.el6sat | RHBA-2016:1501 |
| tfm-rubygem-multi_json | 1.10.1-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-net-scp | 1.1.0-5.el6sat | RHBA-2016:1500 |
| tfm-rubygem-net-ssh | 2.9.2-3.el6sat | RHBA-2016:1500 |
| tfm-rubygem-netrc | 0.7.7-7.el6sat | RHBA-2016:1500 |
| tfm-rubygem-rest-client | 1.6.7-4.el6sat | RHBA-2016:1500 |
| tfm-rubygem-sequel | 4.20.0-6.el6sat | RHBA-2016:1500 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3-1.el6sat | RHBA-2016:1501 |

| Name | Version | Advisory |
|--|--------------------|--------------------------------|
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2-1.el6sat | RHBA-2016:1501 |
| tfm-runtime | 2.0-2.el6sat | RHBA-2016:1500 |
| v8 | 3.14.5.10-9.el6sat | RHBA-2016:1500 |
| v8-debuginfo | 3.14.5.10-9.el6sat | RHBA-2016:1500 |

2.2.3. Red Hat Satellite Tools

The following table outlines the packages included in the **rhel-6-server-satellite-tools-6.2** channel.

Table 7. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|---------------------|------------------|--------------------------------|
| facter | 2.4.6-3.el6sat | RHBA-2016:1503 |
| gofer | 2.7.6-1.el6sat | RHBA-2016:1503 |
| hiera | 1.3.1-2.el6sat | RHBA-2016:1503 |
| katello-agent | 2.5.0-5.el6sat | RHBA-2016:1503 |
| pulp | 2.8.3.3-1.el6sat | RHBA-2016:1503 |
| pulp-puppet | 2.8.3.3-1.el6sat | RHBA-2016:1503 |
| pulp-puppet-tools | 2.8.3.3-1.el6sat | RHBA-2016:1503 |
| pulp-rpm | 2.8.3.5-1.el6sat | RHBA-2016:1503 |
| pulp-rpm-handlers | 2.8.3.5-1.el6sat | RHBA-2016:1503 |
| puppet | 3.8.6-2.el6sat | RHBA-2016:1503 |
| python-gofer | 2.7.6-1.el6sat | RHBA-2016:1503 |
| python-gofer-proton | 2.7.6-1.el6sat | RHBA-2016:1503 |
| python-isodate | 0.5.0-4.el6sat | RHBA-2016:1503 |

| Name | Version | Advisory |
|-----------------------------|-------------------|--------------------------------|
| python-pulp-agent-lib | 2.8.3.3-1.el6sat | RHBA-2016:1503 |
| python-pulp-common | 2.8.3.3-1.el6sat | RHBA-2016:1503 |
| python-pulp-puppet-common | 2.8.3.3-1.el6sat | RHBA-2016:1503 |
| python-pulp-rpm-common | 2.8.3.5-1.el6sat | RHBA-2016:1503 |
| python-qpidd-proton | 0.9-16.el6 | RHBA-2016:1503 |
| qpidd-proton | 0.9-16.el6 | RHBA-2016:1503 |
| qpidd-proton-c | 0.9-16.el6 | RHBA-2016:1503 |
| qpidd-proton-debuginfo | 0.9-16.el6 | RHBA-2016:1503 |
| ruby-augeas | 0.4.1-1.el6_4 | RHBA-2016:1503 |
| ruby-augeas-debuginfo | 0.4.1-1.el6_4 | RHBA-2016:1503 |
| ruby-rgen | 0.6.5-2.el6sat | RHBA-2016:1503 |
| ruby-shadow | 1.4.1-13.el6_4 | RHBA-2016:1503 |
| ruby-shadow-debuginfo | 1.4.1-13.el6_4 | RHBA-2016:1503 |
| rubygem-foreman_scap_client | 0.1.2-1.el6sat | RHBA-2016:1503 |
| rubygem-json | 1.4.6-2.el6 | RHBA-2016:1503 |
| rubygem-json-debuginfo | 1.4.6-2.el6 | RHBA-2016:1503 |
| satellite | 6.2.0-21.1.el6sat | RHBA-2016:1503 |
| satellite-cli | 6.2.0-21.1.el6sat | RHBA-2016:1503 |
| tfm | 2.0-2.el6sat | RHBA-2016:1503 |
| tfm-rubygem-ansi | 1.4.3-6.el6sat | RHBA-2016:1503 |
| tfm-rubygem-apipie-bindings | 0.0.16-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-awesome_print | 1.0.2-13.el6sat | RHBA-2016:1503 |
| tfm-rubygem-clamp | 1.0.0-4.el6sat | RHBA-2016:1503 |

| Name | Version | Advisory |
|---|--------------------|--------------------------------|
| tfm-rubygem-fast_gettext | 0.9.2-3.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli | 0.5.1.11-4.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_csv | 2.0.0.1-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman | 0.5.1.9-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_bootdisk | 0.1.3.3-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_discovery | 0.0.2.3-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_docker | 0.0.6-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_remote_execution | 0.0.5.3-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_foreman_tasks | 0.0.10.3-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_import | 0.11.2-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.23-1.el6sat | RHBA-2016:1503 |
| tfm-rubygem-hashie | 2.0.5-4.el6sat | RHBA-2016:1503 |
| tfm-rubygem-highline | 1.6.21-4.el6sat | RHBA-2016:1503 |
| tfm-rubygem-little-plugger | 1.1.3-20.el6sat | RHBA-2016:1503 |
| tfm-rubygem-locale | 2.0.9-11.el6sat | RHBA-2016:1503 |
| tfm-rubygem-logging | 1.8.2-3.el6sat | RHBA-2016:1503 |
| tfm-rubygem-multi_json | 1.10.1-3.el6sat | RHBA-2016:1503 |
| tfm-rubygem-netrc | 0.7.7-7.el6sat | RHBA-2016:1503 |
| tfm-rubygem-oauth | 0.4.7-8.el6sat | RHBA-2016:1503 |
| tfm-rubygem-powerbar | 1.0.11-11.el6sat | RHBA-2016:1503 |

| Name | Version | Advisory |
|-------------------------|----------------|--------------------------------|
| tfm-rubygem-rest-client | 1.6.7-4.el6sat | RHBA-2016:1503 |
| tfm-rubygem-table_print | 1.5.1-5.el6sat | RHBA-2016:1503 |
| tfm-runtime | 2.0-2.el6sat | RHBA-2016:1503 |

3. RED HAT SATELLITE 6.2.1

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.1.

3.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

3.1.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-7-server-satellite-6** channel.

Table 8. Red Hat Satellite Packages

| Name | Version | Advisory |
|--------------------|--------------------|--------------------------------|
| foreman | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-compute | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-debug | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-ec2 | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-gce | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-installer | 1.11.0.10-1.el7sat | RHBA-2016:1615 |
| foreman-libvirt | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-openstack | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-ovirt | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-postgresql | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-proxy | 1.11.0.5-1.el7sat | RHBA-2016:1615 |
| foreman-rackspace | 1.11.0.51-1.el7sat | RHBA-2016:1615 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| foreman-vmware | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| pulp | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| pulp-admin-client | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| pulp-selinux | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| pulp-server | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-agent-lib | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-bindings | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-client-lib | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-common | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-oid_validation | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-repoauth | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-streamer | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| satellite | 6.2.1-1.2.el7sat | RHBA-2016:1615 |
| satellite-capsule | 6.2.1-1.2.el7sat | RHBA-2016:1615 |
| satellite-cli | 6.2.1-1.2.el7sat | RHBA-2016:1615 |
| satellite-debug-tools | 6.2.1-1.2.el7sat | RHBA-2016:1615 |
| tfm-rubygem-foreman_discovery | 5.0.0.9-1.el7sat | RHBA-2016:1615 |
| tfm-rubygem-hammer_cli_foreman_admin | 0.0.5-1.el7sat | RHBA-2016:1615 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.25-1.el7sat | RHBA-2016:1615 |
| tfm-rubygem-katello | 3.0.0.70-1.el7sat | RHBA-2016:1615 |
| tfm-rubygem-katello_ostree | 3.0.0.70-1.el7sat | RHBA-2016:1615 |
| tfm-rubygem-ovirt_provision_plugin | 1.0.2-1.el7sat | RHBA-2016:1615 |

3.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6** channel.

Table 9. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|----------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-debug | 1.11.0.51-1.el7sat | RHBA-2016:1615 |
| foreman-installer | 1.11.0.10-1.el7sat | RHBA-2016:1615 |
| foreman-proxy | 1.11.0.5-1.el7sat | RHBA-2016:1615 |
| pulp | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| pulp-admin-client | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| pulp-nodes-child | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| pulp-nodes-common | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| pulp-nodes-parent | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| pulp-selinux | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| pulp-server | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-agent-lib | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-bindings | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-client-lib | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-common | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-oid_validation | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-repoauth | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| python-pulp-streamer | 2.8.3.4-1.el7sat | RHBA-2016:1615 |
| satellite | 6.2.1-1.2.el7sat | RHBA-2016:1615 |
| satellite-capsule | 6.2.1-1.2.el7sat | RHBA-2016:1615 |

| Name | Version | Advisory |
|-----------------------|------------------|--------------------------------|
| satellite-debug-tools | 6.2.1-1.2.el7sat | RHBA-2016:1615 |

3.1.3. Red Hat Satellite Tools

The following table outlines the packages included in the **rhel-7-server-satellite-tools-6** channel.

Table 10. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| pulp | 2.8.3.4-1.el7sat | RHBA-2016:1616 |
| python-pulp-agent-lib | 2.8.3.4-1.el7sat | RHBA-2016:1616 |
| python-pulp-common | 2.8.3.4-1.el7sat | RHBA-2016:1616 |
| satellite | 6.2.1-1.2.el7sat | RHBA-2016:1616 |
| satellite-cli | 6.2.1-1.2.el7sat | RHBA-2016:1616 |
| tfm-rubygem-hammer_cli_foreman_admin | 0.0.5-1.el7sat | RHBA-2016:1616 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.25-1.el7sat | RHBA-2016:1616 |
| virt-who | 0.17-9.el7sat | RHBA-2016:1616 |

3.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

3.2.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-6-server-satellite-6** channel.

Table 11. Red Hat Satellite Packages

| Name | Version | Advisory |
|-----------------|--------------------|--------------------------------|
| foreman | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-compute | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-debug | 1.11.0.51-1.el6sat | RHBA-2016:1615 |

| Name | Version | Advisory |
|----------------------------|--------------------|--------------------------------|
| foreman-ec2 | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-gce | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-installer | 1.11.0.10-1.el6sat | RHBA-2016:1615 |
| foreman-libvirt | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-openstack | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-ovirt | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-postgresql | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-proxy | 1.11.0.5-1.el6sat | RHBA-2016:1615 |
| foreman-rackspace | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-vmware | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| pulp | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| pulp-admin-client | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| pulp-selinux | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| pulp-server | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-agent-lib | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-bindings | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-client-lib | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-common | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-oid_validation | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-repoauth | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-streamer | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| satellite | 6.2.1-1.2.el6sat | RHBA-2016:1615 |
| satellite-capsule | 6.2.1-1.2.el6sat | RHBA-2016:1615 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| satellite-cli | 6.2.1-1.2.el6sat | RHBA-2016:1615 |
| satellite-debug-tools | 6.2.1-1.2.el6sat | RHBA-2016:1615 |
| tfm-rubygem-foreman_discovery | 5.0.0.9-1.el6sat | RHBA-2016:1615 |
| tfm-rubygem-hammer_cli_foreman_admin | 0.0.5-1.el6sat | RHBA-2016:1615 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.25-1.el6sat | RHBA-2016:1615 |
| tfm-rubygem-katello | 3.0.0.70-1.el6sat | RHBA-2016:1615 |
| tfm-rubygem-ovirt_provision_plugin | 1.0.2-1.el6sat | RHBA-2016:1615 |

3.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6** channel.

Table 12. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|-------------------|--------------------|--------------------------------|
| foreman | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-debug | 1.11.0.51-1.el6sat | RHBA-2016:1615 |
| foreman-installer | 1.11.0.10-1.el6sat | RHBA-2016:1615 |
| foreman-proxy | 1.11.0.5-1.el6sat | RHBA-2016:1615 |
| pulp | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| pulp-admin-client | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| pulp-nodes-child | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| pulp-nodes-common | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| pulp-nodes-parent | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| pulp-selinux | 2.8.3.4-1.el6sat | RHBA-2016:1615 |

| Name | Version | Advisory |
|----------------------------|------------------|--------------------------------|
| pulp-server | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-agent-lib | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-bindings | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-client-lib | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-common | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-oid_validation | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-repoauth | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| python-pulp-streamer | 2.8.3.4-1.el6sat | RHBA-2016:1615 |
| satellite | 6.2.1-1.2.el6sat | RHBA-2016:1615 |
| satellite-capsule | 6.2.1-1.2.el6sat | RHBA-2016:1615 |
| satellite-debug-tools | 6.2.1-1.2.el6sat | RHBA-2016:1615 |

3.2.3. Red Hat Satellite Tools

The following table outlines the packages included in the **rhel-6-server-satellite-tools-6** channel.

Table 13. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| pulp | 2.8.3.4-1.el6sat | RHBA-2016:1616 |
| python-pulp-agent-lib | 2.8.3.4-1.el6sat | RHBA-2016:1616 |
| python-pulp-common | 2.8.3.4-1.el6sat | RHBA-2016:1616 |
| satellite | 6.2.1-1.2.el6sat | RHBA-2016:1616 |
| satellite-cli | 6.2.1-1.2.el6sat | RHBA-2016:1616 |
| tfm-rubygem-hammer_cli_foreman_admin | 0.0.5-1.el6sat | RHBA-2016:1616 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.25-1.el6sat | RHBA-2016:1616 |

| Name | Version | Advisory |
|----------|---------------|--------------------------------|
| virt-who | 0.17-9.el6sat | RHBA-2016:1616 |

4. RED HAT SATELLITE 6.2.2

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.2.

4.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

4.1.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-7-server-satellite-6** channel.

Table 14. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-compute | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-debug | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-ec2 | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-gce | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-installer-katello | 3.0.0.57-1.el7sat | RHBA-2016:1885 |
| foreman-libvirt | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-openstack | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-ovirt | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-postgresql | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-proxy | 1.11.0.6-1.el7sat | RHBA-2016:1885 |
| foreman-rackspace | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-vmware | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| katello | 3.0.0-12.el7sat | RHBA-2016:1885 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| katello-capsule | 3.0.0-12.el7sat | RHBA-2016:1885 |
| katello-common | 3.0.0-12.el7sat | RHBA-2016:1885 |
| katello-debug | 3.0.0-12.el7sat | RHBA-2016:1885 |
| katello-installer-base | 3.0.0.57-1.el7sat | RHBA-2016:1885 |
| katello-service | 3.0.0-12.el7sat | RHBA-2016:1885 |
| satellite | 6.2.2-1.1.el7sat | RHBA-2016:1885 |
| satellite-capsule | 6.2.2-1.1.el7sat | RHBA-2016:1885 |
| satellite-cli | 6.2.2-1.1.el7sat | RHBA-2016:1885 |
| satellite-debug-tools | 6.2.2-1.1.el7sat | RHBA-2016:1885 |
| satellite-installer | 6.2.0.12-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-bastion | 3.2.0.10-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-foreman-redhat_access | 1.0.13-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-foreman_openscap | 0.5.3.18-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.12-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-foreman_theme_satellite | 0.1.28-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-hammer_cli_csv | 2.1.0-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.26-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-katello | 3.0.0.78-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-katello_ostree | 3.0.0.78-1.el7sat | RHBA-2016:1885 |
| tfm-rubygem-redhat_access_lib | 1.0.4-1.el7sat | RHBA-2016:1885 |

4.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6** channel.

Table 15. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-debug | 1.11.0.53-1.el7sat | RHBA-2016:1885 |
| foreman-installer-katello | 3.0.0.57-1.el7sat | RHBA-2016:1885 |
| foreman-proxy | 1.11.0.6-1.el7sat | RHBA-2016:1885 |
| katello | 3.0.0-12.el7sat | RHBA-2016:1885 |
| katello-capsule | 3.0.0-12.el7sat | RHBA-2016:1885 |
| katello-debug | 3.0.0-12.el7sat | RHBA-2016:1885 |
| katello-installer-base | 3.0.0.57-1.el7sat | RHBA-2016:1885 |
| katello-service | 3.0.0-12.el7sat | RHBA-2016:1885 |
| satellite | 6.2.2-1.1.el7sat | RHBA-2016:1885 |
| satellite-capsule | 6.2.2-1.1.el7sat | RHBA-2016:1885 |
| satellite-debug-tools | 6.2.2-1.1.el7sat | RHBA-2016:1885 |
| satellite-installer | 6.2.0.12-1.el7sat | RHBA-2016:1885 |

4.1.3. Red Hat Satellite Tools

The following table outlines the packages included in the **rhel-7-server-satellite-tools-6** channel.

Table 16. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|----------------------------|------------------|--------------------------------|
| satellite | 6.2.2-1.1.el7sat | RHBA-2016:1886 |
| satellite-cli | 6.2.2-1.1.el7sat | RHBA-2016:1886 |
| tfm-rubygem-hammer_cli_csv | 2.1.0-1.el7sat | RHBA-2016:1886 |

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| tfm-rubygem-hammer_cli_katello | 0.0.22.26-1.el7sat | RHBA-2016:1886 |

4.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

4.2.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-6-server-satellite-6** channel.

Table 17. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-compute | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-debug | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-ec2 | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-gce | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-installer-katello | 3.0.0.57-1.el6sat | RHBA-2016:1885 |
| foreman-libvirt | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-openstack | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-ovirt | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-postgresql | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-proxy | 1.11.0.6-1.el6sat | RHBA-2016:1885 |
| foreman-rackspace | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-vmware | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| katello | 3.0.0-12.el6sat | RHBA-2016:1885 |
| katello-capsule | 3.0.0-12.el6sat | RHBA-2016:1885 |
| katello-common | 3.0.0-12.el6sat | RHBA-2016:1885 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| katello-debug | 3.0.0-12.el6sat | RHBA-2016:1885 |
| katello-installer-base | 3.0.0.57-1.el6sat | RHBA-2016:1885 |
| katello-service | 3.0.0-12.el6sat | RHBA-2016:1885 |
| python-qpid | 0.30-10.el6sat | RHBA-2016:1885 |
| satellite | 6.2.2-1.1.el6sat | RHBA-2016:1885 |
| satellite-capsule | 6.2.2-1.1.el6sat | RHBA-2016:1885 |
| satellite-cli | 6.2.2-1.1.el6sat | RHBA-2016:1885 |
| satellite-debug-tools | 6.2.2-1.1.el6sat | RHBA-2016:1885 |
| satellite-installer | 6.2.0.12-1.el6sat | RHBA-2016:1885 |
| tfm-rubygem-bastion | 3.2.0.10-1.el6sat | RHBA-2016:1885 |
| tfm-rubygem-foreman-redhat_access | 1.0.13-1.el6sat | RHBA-2016:1885 |
| tfm-rubygem-foreman_openscap | 0.5.3.18-1.el6sat | RHBA-2016:1885 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.12-1.el6sat | RHBA-2016:1885 |
| tfm-rubygem-foreman_theme_satellite | 0.1.28-1.el6sat | RHBA-2016:1885 |
| tfm-rubygem-hammer_cli_csv | 2.1.0-1.el6sat | RHBA-2016:1885 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.26-1.el6sat | RHBA-2016:1885 |
| tfm-rubygem-katello | 3.0.0.78-1.el6sat | RHBA-2016:1885 |
| tfm-rubygem-redhat_access_lib | 1.0.4-1.el6sat | RHBA-2016:1885 |

4.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6** channel.

Table 18. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-debug | 1.11.0.53-1.el6sat | RHBA-2016:1885 |
| foreman-installer-katello | 3.0.0.57-1.el6sat | RHBA-2016:1885 |
| foreman-proxy | 1.11.0.6-1.el6sat | RHBA-2016:1885 |
| katello | 3.0.0-12.el6sat | RHBA-2016:1885 |
| katello-capsule | 3.0.0-12.el6sat | RHBA-2016:1885 |
| katello-debug | 3.0.0-12.el6sat | RHBA-2016:1885 |
| katello-installer-base | 3.0.0.57-1.el6sat | RHBA-2016:1885 |
| katello-service | 3.0.0-12.el6sat | RHBA-2016:1885 |
| python-qpid | 0.30-10.el6sat | RHBA-2016:1885 |
| satellite | 6.2.2-1.1.el6sat | RHBA-2016:1885 |
| satellite-capsule | 6.2.2-1.1.el6sat | RHBA-2016:1885 |
| satellite-debug-tools | 6.2.2-1.1.el6sat | RHBA-2016:1885 |
| satellite-installer | 6.2.0.12-1.el6sat | RHBA-2016:1885 |

4.2.3. Red Hat Satellite Tools

The following table outlines the packages included in the `rhel-6-server-satellite-tools-6` channel.

Table 19. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| satellite | 6.2.2-1.1.el6sat | RHBA-2016:1886 |
| satellite-cli | 6.2.2-1.1.el6sat | RHBA-2016:1886 |
| tfm-rubygem-hammer_cli_csv | 2.1.0-1.el6sat | RHBA-2016:1886 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.26-1.el6sat | RHBA-2016:1886 |

5. RED HAT SATELLITE 6.2.3

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.3.

5.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

5.1.1. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6** channel.

Table 20. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|------------------------------|------------------|--------------------------------|
| katello | 3.0.0-14.el7sat | RHBA-2016:2108 |
| katello-capsule | 3.0.0-14.el7sat | RHBA-2016:2108 |
| katello-debug | 3.0.0-14.el7sat | RHBA-2016:2108 |
| katello-service | 3.0.0-14.el7sat | RHBA-2016:2108 |
| pulp | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| pulp-admin-client | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| pulp-docker | 2.0.3-1.el7sat | RHBA-2016:2108 |
| pulp-docker-admin-extensions | 2.0.3-1.el7sat | RHBA-2016:2108 |
| pulp-docker-plugins | 2.0.3-1.el7sat | RHBA-2016:2108 |
| pulp-nodes-child | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| pulp-nodes-common | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| pulp-nodes-parent | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| pulp-ostree | 1.1.3.1-1.el7sat | RHBA-2016:2108 |
| pulp-ostree-admin-extensions | 1.1.3.1-1.el7sat | RHBA-2016:2108 |
| pulp-ostree-plugins | 1.1.3.1-1.el7sat | RHBA-2016:2108 |
| pulp-puppet | 2.8.7.1-1.el7sat | RHBA-2016:2108 |

| Name | Version | Advisory |
|------------------------------|------------------|--------------------------------|
| pulp-puppet-admin-extensions | 2.8.7.1-1.el7sat | RHBA-2016:2108 |
| pulp-puppet-plugins | 2.8.7.1-1.el7sat | RHBA-2016:2108 |
| pulp-rpm | 2.8.7.3-1.el7sat | RHBA-2016:2108 |
| pulp-rpm-admin-extensions | 2.8.7.3-1.el7sat | RHBA-2016:2108 |
| pulp-rpm-handlers | 2.8.7.3-1.el7sat | RHBA-2016:2108 |
| pulp-rpm-plugins | 2.8.7.3-1.el7sat | RHBA-2016:2108 |
| pulp-selinux | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| pulp-server | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| python-crane | 2.0.2.1-1.el7sat | RHBA-2016:2108 |
| python-nectar | 1.5.2-1.el7sat | RHBA-2016:2108 |
| python-pulp-agent-lib | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| python-pulp-bindings | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| python-pulp-client-lib | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| python-pulp-common | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| python-pulp-docker-common | 2.0.3-1.el7sat | RHBA-2016:2108 |
| python-pulp-oid_validation | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| python-pulp-ostree-common | 1.1.3.1-1.el7sat | RHBA-2016:2108 |
| python-pulp-puppet-common | 2.8.7.1-1.el7sat | RHBA-2016:2108 |
| python-pulp-repoauth | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| python-pulp-rpm-common | 2.8.7.3-1.el7sat | RHBA-2016:2108 |
| python-pulp-streamer | 2.8.7.2-1.el7sat | RHBA-2016:2108 |
| python-urllib3 | 1.10.2-3.el7sat | RHBA-2016:2108 |
| satellite | 6.2.3-1.0.el7sat | RHBA-2016:2108 |

| Name | Version | Advisory |
|-----------------------|------------------|--------------------------------|
| satellite-capsule | 6.2.3-1.0.el7sat | RHBA-2016:2108 |
| satellite-debug-tools | 6.2.3-1.0.el7sat | RHBA-2016:2108 |

5.1.2. Red Hat Satellite Tools

The following table outlines the packages included in the **rhel-7-server-satellite-tools-6** channel.

Table 21. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|---------------------------|------------------|--------------------------------|
| pulp | 2.8.7.2-1.el7sat | RHBA-2016:2109 |
| pulp-puppet | 2.8.7.1-1.el7sat | RHBA-2016:2109 |
| pulp-puppet-tools | 2.8.7.1-1.el7sat | RHBA-2016:2109 |
| pulp-rpm | 2.8.7.3-1.el7sat | RHBA-2016:2109 |
| pulp-rpm-handlers | 2.8.7.3-1.el7sat | RHBA-2016:2109 |
| python-pulp-agent-lib | 2.8.7.2-1.el7sat | RHBA-2016:2109 |
| python-pulp-common | 2.8.7.2-1.el7sat | RHBA-2016:2109 |
| python-pulp-puppet-common | 2.8.7.1-1.el7sat | RHBA-2016:2109 |
| python-pulp-rpm-common | 2.8.7.3-1.el7sat | RHBA-2016:2109 |
| satellite | 6.2.3-1.0.el7sat | RHBA-2016:2109 |
| satellite-cli | 6.2.3-1.0.el7sat | RHBA-2016:2109 |

5.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

5.2.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-6-server-satellite-6** channel.

Table 22. Red Hat Satellite Packages

| Name | Version | Advisory |
|------------------------------|------------------|--------------------------------|
| katello | 3.0.0-14.el6sat | RHBA-2016:2108 |
| katello-capsule | 3.0.0-14.el6sat | RHBA-2016:2108 |
| katello-common | 3.0.0-14.el6sat | RHBA-2016:2108 |
| katello-debug | 3.0.0-14.el6sat | RHBA-2016:2108 |
| katello-service | 3.0.0-14.el6sat | RHBA-2016:2108 |
| pulp | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| pulp-admin-client | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| pulp-docker | 2.0.3-1.el6sat | RHBA-2016:2108 |
| pulp-docker-admin-extensions | 2.0.3-1.el6sat | RHBA-2016:2108 |
| pulp-docker-plugins | 2.0.3-1.el6sat | RHBA-2016:2108 |
| pulp-puppet | 2.8.7.1-1.el6sat | RHBA-2016:2108 |
| pulp-puppet-admin-extensions | 2.8.7.1-1.el6sat | RHBA-2016:2108 |
| pulp-puppet-plugins | 2.8.7.1-1.el6sat | RHBA-2016:2108 |
| pulp-puppet-tools | 2.8.7.1-1.el6sat | RHBA-2016:2108 |
| pulp-rpm | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| pulp-rpm-admin-extensions | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| pulp-rpm-handlers | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| pulp-rpm-plugins | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| pulp-selinux | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| pulp-server | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-crane | 2.0.2.1-1.el6sat | RHBA-2016:2108 |
| python-pulp-agent-lib | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-bindings | 2.8.7.2-1.el6sat | RHBA-2016:2108 |

| Name | Version | Advisory |
|-------------------------------------|-------------------|--------------------------------|
| python-pulp-client-lib | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-common | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-docker-common | 2.0.3-1.el6sat | RHBA-2016:2108 |
| python-pulp-oid_validation | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-puppet-common | 2.8.7.1-1.el6sat | RHBA-2016:2108 |
| python-pulp-repoauth | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-rpm-common | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| python-pulp-streamer | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-urllib3 | 1.10.2-3.el6sat | RHBA-2016:2108 |
| satellite | 6.2.3-1.0.el6sat | RHBA-2016:2108 |
| satellite-capsule | 6.2.3-1.0.el6sat | RHBA-2016:2108 |
| satellite-cli | 6.2.3-1.0.el6sat | RHBA-2016:2108 |
| satellite-debug-tools | 6.2.3-1.0.el6sat | RHBA-2016:2108 |
| tfm-rubygem-foreman-tasks | 0.7.14.9-1.el6sat | RHBA-2016:2108 |
| tfm-rubygem-foreman_theme_satellite | 0.1.31-1.el6sat | RHBA-2016:2108 |
| tfm-rubygem-katello | 3.0.0.81-1.el6sat | RHBA-2016:2108 |

5.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6** channel.

Table 23. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|-----------------|-----------------|--------------------------------|
| katello | 3.0.0-14.el6sat | RHBA-2016:2108 |
| katello-capsule | 3.0.0-14.el6sat | RHBA-2016:2108 |

| Name | Version | Advisory |
|------------------------------|------------------|--------------------------------|
| katello-debug | 3.0.0-14.el6sat | RHBA-2016:2108 |
| katello-service | 3.0.0-14.el6sat | RHBA-2016:2108 |
| pulp | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| pulp-admin-client | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| pulp-docker | 2.0.3-1.el6sat | RHBA-2016:2108 |
| pulp-docker-admin-extensions | 2.0.3-1.el6sat | RHBA-2016:2108 |
| pulp-docker-plugins | 2.0.3-1.el6sat | RHBA-2016:2108 |
| pulp-nodes-child | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| pulp-nodes-common | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| pulp-nodes-parent | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| pulp-puppet | 2.8.7.1-1.el6sat | RHBA-2016:2108 |
| pulp-puppet-admin-extensions | 2.8.7.1-1.el6sat | RHBA-2016:2108 |
| pulp-puppet-plugins | 2.8.7.1-1.el6sat | RHBA-2016:2108 |
| pulp-rpm | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| pulp-rpm-admin-extensions | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| pulp-rpm-handlers | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| pulp-rpm-plugins | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| pulp-selinux | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| pulp-server | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-crane | 2.0.2.1-1.el6sat | RHBA-2016:2108 |
| python-pulp-agent-lib | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-bindings | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-client-lib | 2.8.7.2-1.el6sat | RHBA-2016:2108 |

| Name | Version | Advisory |
|----------------------------|------------------|--------------------------------|
| python-pulp-common | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-docker-common | 2.0.3-1.el6sat | RHBA-2016:2108 |
| python-pulp-oid_validation | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-puppet-common | 2.8.7.1-1.el6sat | RHBA-2016:2108 |
| python-pulp-repoauth | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-pulp-rpm-common | 2.8.7.3-1.el6sat | RHBA-2016:2108 |
| python-pulp-streamer | 2.8.7.2-1.el6sat | RHBA-2016:2108 |
| python-urllib3 | 1.10.2-3.el6sat | RHBA-2016:2108 |
| satellite | 6.2.3-1.0.el6sat | RHBA-2016:2108 |
| satellite-capsule | 6.2.3-1.0.el6sat | RHBA-2016:2108 |
| satellite-debug-tools | 6.2.3-1.0.el6sat | RHBA-2016:2108 |

5.2.3. Red Hat Satellite Tools

The following table outlines the packages included in the **rhel-6-server-satellite-tools-6** channel.

Table 24. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|-----------------------|------------------|--------------------------------|
| pulp | 2.8.7.2-1.el6sat | RHBA-2016:2109 |
| pulp-puppet | 2.8.7.1-1.el6sat | RHBA-2016:2109 |
| pulp-puppet-tools | 2.8.7.1-1.el6sat | RHBA-2016:2109 |
| pulp-rpm | 2.8.7.3-1.el6sat | RHBA-2016:2109 |
| pulp-rpm-handlers | 2.8.7.3-1.el6sat | RHBA-2016:2109 |
| python-pulp-agent-lib | 2.8.7.2-1.el6sat | RHBA-2016:2109 |
| python-pulp-common | 2.8.7.2-1.el6sat | RHBA-2016:2109 |

| Name | Version | Advisory |
|---------------------------|------------------|--------------------------------|
| python-pulp-puppet-common | 2.8.7.1-1.el6sat | RHBA-2016:2109 |
| python-pulp-rpm-common | 2.8.7.3-1.el6sat | RHBA-2016:2109 |
| satellite | 6.2.3-1.0.el6sat | RHBA-2016:2109 |
| satellite-cli | 6.2.3-1.0.el6sat | RHBA-2016:2109 |

6. RED HAT SATELLITE 6.2.4

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.4.

6.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

6.1.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-7-server-satellite-6.2-rpms` channel.

Table 25. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|-------------------|--------------------------------|
| candlepin | 0.9.54.14-1.el7 | RHBA-2016:2699 |
| candlepin-selinux | 0.9.54.14-1.el7 | RHBA-2016:2699 |
| foreman-installer-katello | 3.0.0.63-2.el7sat | RHBA-2016:2699 |
| katello-installer-base | 3.0.0.63-2.el7sat | RHBA-2016:2699 |
| libqpid-dispatch | 0.4-19.el7sat | RHBA-2016:2699 |
| pulp-admin-client | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| pulp-rpm-admin-extensions | 2.8.7.4-1.el7sat | RHBA-2016:2699 |
| pulp-rpm-handlers | 2.8.7.4-1.el7sat | RHBA-2016:2699 |
| pulp-rpm-plugins | 2.8.7.4-1.el7sat | RHBA-2016:2699 |
| pulp-selinux | 2.8.7.3-1.el7sat | RHBA-2016:2699 |

| Name | Version | Advisory |
|-------------------------------------|-------------------|--------------------------------|
| pulp-server | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-agent-lib | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-bindings | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-client-lib | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-common | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-oid_validation | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-repoauth | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-rpm-common | 2.8.7.4-1.el7sat | RHBA-2016:2699 |
| python-pulp-streamer | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| qpid-dispatch-router | 0.4-19.el7sat | RHBA-2016:2699 |
| qpid-dispatch-tools | 0.4-19.el7sat | RHBA-2016:2699 |
| satellite | 6.2.4-1.0.el7sat | RHBA-2016:2699 |
| satellite-capsule | 6.2.4-1.0.el7sat | RHBA-2016:2699 |
| satellite-cli | 6.2.4-1.0.el7sat | RHBA-2016:2699 |
| satellite-debug-tools | 6.2.4-1.0.el7sat | RHBA-2016:2699 |
| tfm-rubygem-foreman_theme_satellite | 0.1.33-1.el7sat | RHBA-2016:2699 |
| tfm-rubygem-katello | 3.0.0.82-1.el7sat | RHBA-2016:2699 |
| tfm-rubygem-katello_ostree | 3.0.0.82-1.el7sat | RHBA-2016:2699 |

6.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** channel.

Table 26. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|----------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.63-2.el7sat | RHBA-2016:2699 |
| katello-installer-base | 3.0.0.63-2.el7sat | RHBA-2016:2699 |
| libqpid-dispatch | 0.4-19.el7sat | RHBA-2016:2699 |
| pulp-admin-client | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| pulp-nodes-child | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| pulp-nodes-common | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| pulp-nodes-parent | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| pulp-rpm-admin-extensions | 2.8.7.4-1.el7sat | RHBA-2016:2699 |
| pulp-rpm-handlers | 2.8.7.4-1.el7sat | RHBA-2016:2699 |
| pulp-rpm-plugins | 2.8.7.4-1.el7sat | RHBA-2016:2699 |
| pulp-selinux | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| pulp-server | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-agent-lib | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-bindings | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-client-lib | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-common | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-oid_validation | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-repoauth | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| python-pulp-rpm-common | 2.8.7.4-1.el7sat | RHBA-2016:2699 |
| python-pulp-streamer | 2.8.7.3-1.el7sat | RHBA-2016:2699 |
| qpid-dispatch-router | 0.4-19.el7sat | RHBA-2016:2699 |
| qpid-dispatch-tools | 0.4-19.el7sat | RHBA-2016:2699 |
| satellite-capsule | 6.2.4-1.0.el7sat | RHBA-2016:2699 |

| Name | Version | Advisory |
|-----------------------|------------------|--------------------------------|
| satellite-debug-tools | 6.2.4-1.0.el7sat | RHBA-2016:2699 |

6.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

6.2.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-6-server-satellite-6.2-rpms` channel.

Table 27. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|-------------------|--------------------------------|
| candlepin | 0.9.54.14-1.el6 | RHBA-2016:2699 |
| candlepin-selinux | 0.9.54.14-1.el6 | RHBA-2016:2699 |
| foreman-installer-katello | 3.0.0.63-2.el6sat | RHBA-2016:2699 |
| katello-installer-base | 3.0.0.63-2.el6sat | RHBA-2016:2699 |
| libqpid-dispatch | 0.4-19.el6sat | RHBA-2016:2699 |
| pulp-admin-client | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| pulp-rpm-admin-extensions | 2.8.7.4-1.el6sat | RHBA-2016:2699 |
| pulp-rpm-handlers | 2.8.7.4-1.el6sat | RHBA-2016:2699 |
| pulp-rpm-plugins | 2.8.7.4-1.el6sat | RHBA-2016:2699 |
| pulp-selinux | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| pulp-server | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-agent-lib | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-bindings | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-client-lib | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-common | 2.8.7.3-1.el6sat | RHBA-2016:2699 |

| Name | Version | Advisory |
|-------------------------------------|-------------------|--------------------------------|
| python-pulp-oid_validation | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-repoauth | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-rpm-common | 2.8.7.4-1.el6sat | RHBA-2016:2699 |
| python-pulp-streamer | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| qpid-dispatch-router | 0.4-19.el6sat | RHBA-2016:2699 |
| qpid-dispatch-tools | 0.4-19.el6sat | RHBA-2016:2699 |
| satellite | 6.2.4-1.0.el6sat | RHBA-2016:2699 |
| satellite-capsule | 6.2.4-1.0.el6sat | RHBA-2016:2699 |
| satellite-cli | 6.2.4-1.0.el6sat | RHBA-2016:2699 |
| satellite-debug-tools | 6.2.4-1.0.el6sat | RHBA-2016:2699 |
| tfm-rubygem-foreman_theme_satellite | 0.1.33-1.el6sat | RHBA-2016:2699 |
| tfm-rubygem-katello | 3.0.0.82-1.el6sat | RHBA-2016:2699 |

6.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the `rhel-6-server-satellite-capsule-6.2-rpms` channel.

Table 28. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.63-2.el6sat | RHBA-2016:2699 |
| katello-installer-base | 3.0.0.63-2.el6sat | RHBA-2016:2699 |
| libqpid-dispatch | 0.4-19.el6sat | RHBA-2016:2699 |
| pulp-admin-client | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| pulp-nodes-child | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| pulp-nodes-common | 2.8.7.3-1.el6sat | RHBA-2016:2699 |

| Name | Version | Advisory |
|----------------------------|------------------|--------------------------------|
| pulp-nodes-parent | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| pulp-rpm-admin-extensions | 2.8.7.4-1.el6sat | RHBA-2016:2699 |
| pulp-rpm-handlers | 2.8.7.4-1.el6sat | RHBA-2016:2699 |
| pulp-rpm-plugins | 2.8.7.4-1.el6sat | RHBA-2016:2699 |
| pulp-selinux | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| pulp-server | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-agent-lib | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-bindings | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-client-lib | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-common | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-oid_validation | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-repoauth | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| python-pulp-rpm-common | 2.8.7.4-1.el6sat | RHBA-2016:2699 |
| python-pulp-streamer | 2.8.7.3-1.el6sat | RHBA-2016:2699 |
| qpid-dispatch-router | 0.4-19.el6sat | RHBA-2016:2699 |
| qpid-dispatch-tools | 0.4-19.el6sat | RHBA-2016:2699 |
| satellite-capsule | 6.2.4-1.0.el6sat | RHBA-2016:2699 |
| satellite-debug-tools | 6.2.4-1.0.el6sat | RHBA-2016:2699 |

7. RED HAT SATELLITE 6.2.5

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.5.

7.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

7.1.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-7-server-satellite-6.2-rpms** channel.

Table 29. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-compute | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-debug | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-ec2 | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-gce | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-installer-katello | 3.0.0.65-1.el7sat | RHBA-2016:2940 |
| foreman-libvirt | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-openstack | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-ovirt | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-postgresql | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-proxy | 1.11.0.7-1.el7sat | RHBA-2016:2940 |
| foreman-rackspace | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-vmware | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| katello-client-bootstrap | 1.2.2-1.el7sat | RHBA-2016:2940 |
| katello-installer-base | 3.0.0.65-1.el7sat | RHBA-2016:2940 |
| katello-utils | 3.0.0-1.el7sat | RHBA-2016:2940 |
| pulp-rpm-admin-extensions | 2.8.7.5-1.el7sat | RHBA-2016:2940 |
| pulp-rpm-handlers | 2.8.7.5-1.el7sat | RHBA-2016:2940 |
| pulp-rpm-plugins | 2.8.7.5-1.el7sat | RHBA-2016:2940 |
| python-pulp-rpm-common | 2.8.7.5-1.el7sat | RHBA-2016:2940 |
| satellite | 6.2.5-1.0.el7sat | RHBA-2016:2940 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| satellite-capsule | 6.2.5-1.0.el7sat | RHBA-2016:2940 |
| satellite-cli | 6.2.5-1.0.el7sat | RHBA-2016:2940 |
| satellite-debug-tools | 6.2.5-1.0.el7sat | RHBA-2016:2940 |
| tfm-rubygem-dynflow | 0.8.13.3-2.el7sat | RHBA-2016:2940 |
| tfm-rubygem-foreman-tasks | 0.7.14.11-1.el7sat | RHBA-2016:2940 |
| tfm-rubygem-foreman_theme_satellite | 0.1.35-1.el7sat | RHBA-2016:2940 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.28-1.el7sat | RHBA-2016:2940 |
| tfm-rubygem-katello | 3.0.0.89-1.el7sat | RHBA-2016:2940 |
| tfm-rubygem-katello_ostree | 3.0.0.89-1.el7sat | RHBA-2016:2940 |

7.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** channel.

Table 30. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.59-1.el7sat | RHBA-2016:2940 |
| foreman-installer-katello | 3.0.0.65-1.el7sat | RHBA-2016:2940 |
| foreman-proxy | 1.11.0.7-1.el7sat | RHBA-2016:2940 |
| katello-client-bootstrap | 1.2.2-1.el7sat | RHBA-2016:2940 |
| katello-installer-base | 3.0.0.65-1.el7sat | RHBA-2016:2940 |
| pulp-rpm-admin-extensions | 2.8.7.5-1.el7sat | RHBA-2016:2940 |
| pulp-rpm-handlers | 2.8.7.5-1.el7sat | RHBA-2016:2940 |
| pulp-rpm-plugins | 2.8.7.5-1.el7sat | RHBA-2016:2940 |
| python-pulp-rpm-common | 2.8.7.5-1.el7sat | RHBA-2016:2940 |

| Name | Version | Advisory |
|-----------------------|-------------------|--------------------------------|
| satellite-capsule | 6.2.5-1.0.el7sat | RHBA-2016:2940 |
| satellite-debug-tools | 6.2.5-1.0.el7sat | RHBA-2016:2940 |
| tfm-rubygem-dynflow | 0.8.13.3-2.el7sat | RHBA-2016:2940 |

7.1.3. Red Hat Satellite Tools

The following table outlines the packages included in the `rhel-7-server-satellite-tools-6.2-rpms` channel.

Table 31. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| pulp-rpm-handlers | 2.8.7.5-1.el7sat | RHBA-2016:2939 |
| python-pulp-rpm-common | 2.8.7.5-1.el7sat | RHBA-2016:2939 |
| satellite-cli | 6.2.5-1.0.el7sat | RHBA-2016:2939 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.28-1.el7sat | RHBA-2016:2939 |

7.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

7.2.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-6-server-satellite-6.2-rpms` channel.

Table 32. Red Hat Satellite Packages

| Name | Version | Advisory |
|-----------------|--------------------|--------------------------------|
| foreman | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-compute | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-debug | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-ec2 | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-gce | 1.11.0.59-1.el6sat | RHBA-2016:2940 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.65-1.el6sat | RHBA-2016:2940 |
| foreman-libvirt | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-openstack | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-ovirt | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-postgresql | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-proxy | 1.11.0.7-1.el6sat | RHBA-2016:2940 |
| foreman-rackspace | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-vmware | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| katello-client-bootstrap | 1.2.2-1.el6sat | RHBA-2016:2940 |
| katello-installer-base | 3.0.0.65-1.el6sat | RHBA-2016:2940 |
| katello-utils | 3.0.0-1.el6sat | RHBA-2016:2940 |
| pulp-rpm-admin-extensions | 2.8.7.5-1.el6sat | RHBA-2016:2940 |
| pulp-rpm-handlers | 2.8.7.5-1.el6sat | RHBA-2016:2940 |
| pulp-rpm-plugins | 2.8.7.5-1.el6sat | RHBA-2016:2940 |
| python-pulp-rpm-common | 2.8.7.5-1.el6sat | RHBA-2016:2940 |
| satellite | 6.2.5-1.0.el6sat | RHBA-2016:2940 |
| satellite-capsule | 6.2.5-1.0.el6sat | RHBA-2016:2940 |
| satellite-cli | 6.2.5-1.0.el6sat | RHBA-2016:2940 |
| satellite-debug-tools | 6.2.5-1.0.el6sat | RHBA-2016:2940 |
| tfm-rubygem-dynflow | 0.8.13.3-2.el6sat | RHBA-2016:2940 |
| tfm-rubygem-foreman-tasks | 0.7.14.11-1.el6sat | RHBA-2016:2940 |
| tfm-rubygem-foreman_theme_satellite | 0.1.35-1.el6sat | RHBA-2016:2940 |

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| tfm-rubygem-hammer_cli_katello | 0.0.22.28-1.el6sat | RHBA-2016:2940 |
| tfm-rubygem-katello | 3.0.0.89-1.el6sat | RHBA-2016:2940 |

7.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** channel.

Table 33. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.59-1.el6sat | RHBA-2016:2940 |
| foreman-installer-katello | 3.0.0.65-1.el6sat | RHBA-2016:2940 |
| foreman-proxy | 1.11.0.7-1.el6sat | RHBA-2016:2940 |
| katello-client-bootstrap | 1.2.2-1.el6sat | RHBA-2016:2940 |
| katello-installer-base | 3.0.0.65-1.el6sat | RHBA-2016:2940 |
| pulp-rpm-admin-extensions | 2.8.7.5-1.el6sat | RHBA-2016:2940 |
| pulp-rpm-handlers | 2.8.7.5-1.el6sat | RHBA-2016:2940 |
| pulp-rpm-plugins | 2.8.7.5-1.el6sat | RHBA-2016:2940 |
| python-pulp-rpm-common | 2.8.7.5-1.el6sat | RHBA-2016:2940 |
| satellite-capsule | 6.2.5-1.0.el6sat | RHBA-2016:2940 |
| satellite-debug-tools | 6.2.5-1.0.el6sat | RHBA-2016:2940 |
| tfm-rubygem-dynflow | 0.8.13.3-2.el6sat | RHBA-2016:2940 |

7.2.3. Red Hat Satellite Tools

The following table outlines the packages included in the **rhel-6-server-satellite-tools-6.2-rpms** channel.

Table 34. Red Hat Satellite Tools Packages

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| pulp-rpm-handlers | 2.8.7.5-1.el6sat | RHBA-2016:2939 |
| python-pulp-rpm-common | 2.8.7.5-1.el6sat | RHBA-2016:2939 |
| satellite-cli | 6.2.5-1.0.el6sat | RHBA-2016:2939 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.28-1.el6sat | RHBA-2016:2939 |

8. RED HAT SATELLITE 6.2.6

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.6.

8.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

8.1.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-7-server-satellite-6.2-rpms` channel.

Table 35. Red Hat Satellite Packages

| Name | Version | Advisory |
|--------------------|--------------------|--------------------------------|
| foreman | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| foreman-compute | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| foreman-debug | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| foreman-ec2 | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| foreman-gce | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| foreman-libvirt | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| foreman-openstack | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| foreman-ovirt | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| foreman-postgresql | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| foreman-rackspace | 1.11.0.61-1.el7sat | RHBA-2016:2958 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| foreman-vmware | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| satellite | 6.2.6-2.0.el7sat | RHBA-2016:2958 |
| satellite-capsule | 6.2.6-2.0.el7sat | RHBA-2016:2958 |
| satellite-cli | 6.2.6-2.0.el7sat | RHBA-2016:2958 |
| satellite-debug-tools | 6.2.6-2.0.el7sat | RHBA-2016:2958 |
| tfm-rubygem-foreman_theme_satellite | 0.1.36-1.el7sat | RHBA-2016:2958 |
| tfm-rubygem-katello | 3.0.0.90-1.el7sat | RHBA-2016:2958 |
| tfm-rubygem-katello_ostree | 3.0.0.90-1.el7sat | RHBA-2016:2958 |

8.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** channel.

Table 36. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|-----------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.61-1.el7sat | RHBA-2016:2958 |
| satellite-capsule | 6.2.6-2.0.el7sat | RHBA-2016:2958 |
| satellite-debug-tools | 6.2.6-2.0.el7sat | RHBA-2016:2958 |

8.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

8.2.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-6-server-satellite-6.2-rpms** channel.

Table 37. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------|--------------------|--------------------------------|
| foreman | 1.11.0.61-1.el6sat | RHBA-2016:2958 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| foreman-compute | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| foreman-debug | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| foreman-ec2 | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| foreman-gce | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| foreman-libvirt | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| foreman-openstack | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| foreman-ovirt | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| foreman-postgresql | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| foreman-rackspace | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| foreman-vmware | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| satellite | 6.2.6-2.0.el6sat | RHBA-2016:2958 |
| satellite-capsule | 6.2.6-2.0.el6sat | RHBA-2016:2958 |
| satellite-cli | 6.2.6-2.0.el6sat | RHBA-2016:2958 |
| satellite-debug-tools | 6.2.6-2.0.el6sat | RHBA-2016:2958 |
| tfm-rubygem-foreman_theme_satellite | 0.1.36-1.el6sat | RHBA-2016:2958 |
| tfm-rubygem-katello | 3.0.0.90-1.el6sat | RHBA-2016:2958 |

8.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** channel.

Table 38. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|-------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.61-1.el6sat | RHBA-2016:2958 |
| satellite-capsule | 6.2.6-2.0.el6sat | RHBA-2016:2958 |

| Name | Version | Advisory |
|-----------------------|------------------|--------------------------------|
| satellite-debug-tools | 6.2.6-2.0.el6sat | RHBA-2016:2958 |

9. RED HAT SATELLITE 6.2.7

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.7.

9.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

9.1.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-7-server-satellite-6.2-rpms** channel.

Table 39. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| candlepin | 0.9.54.15-1.el7 | RHBA-2017:0197 |
| candlepin-selinux | 0.9.54.15-1.el7 | RHBA-2017:0197 |
| foreman | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-compute | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-debug | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-ec2 | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-gce | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-installer | 1.11.0.11-1.el7sat | RHBA-2017:0197 |
| foreman-installer-katello | 3.0.0.71-1.el7sat | RHBA-2017:0197 |
| foreman-libvirt | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-openstack | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-ovirt | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-postgresql | 1.11.0.65-1.el7sat | RHBA-2017:0197 |

| Name | Version | Advisory |
|----------------------------|--------------------|--------------------------------|
| foreman-rackspace | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-vmware | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| katello | 3.0.0-15.el7sat | RHBA-2017:0197 |
| katello-capsule | 3.0.0-15.el7sat | RHBA-2017:0197 |
| katello-common | 3.0.0-15.el7sat | RHBA-2017:0197 |
| katello-debug | 3.0.0-15.el7sat | RHBA-2017:0197 |
| katello-installer-base | 3.0.0.71-1.el7sat | RHBA-2017:0197 |
| katello-service | 3.0.0-15.el7sat | RHBA-2017:0197 |
| pulp-admin-client | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| pulp-katello | 1.0.2-1.el7sat | RHBA-2017:0197 |
| pulp-rpm-admin-extensions | 2.8.7.6-1.el7sat | RHBA-2017:0197 |
| pulp-rpm-handlers | 2.8.7.6-1.el7sat | RHBA-2017:0197 |
| pulp-rpm-plugins | 2.8.7.6-1.el7sat | RHBA-2017:0197 |
| pulp-selinux | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| pulp-server | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-agent-lib | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-bindings | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-client-lib | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-common | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-oid_validation | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-repoauth | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-rpm-common | 2.8.7.6-1.el7sat | RHBA-2017:0197 |
| python-pulp-streamer | 2.8.7.5-1.el7sat | RHBA-2017:0197 |

| Name | Version | Advisory |
|--------------------------------------|-------------------|--------------------------------|
| rubygem-foreman_scap_client | 0.1.2-2.el7sat | RHBA-2017:0197 |
| rubygem-kafo | 0.7.6.1-1.el7sat | RHBA-2017:0197 |
| rubygem-openscap | 0.4.3-4.el7sat | RHBA-2017:0197 |
| satellite | 6.2.7-1.0.el7sat | RHBA-2017:0197 |
| satellite-capsule | 6.2.7-1.0.el7sat | RHBA-2017:0197 |
| satellite-cli | 6.2.7-1.0.el7sat | RHBA-2017:0197 |
| satellite-debug-tools | 6.2.7-1.0.el7sat | RHBA-2017:0197 |
| satellite-installer | 6.2.0.13-1.el7sat | RHBA-2017:0197 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.13-1.el7sat | RHBA-2017:0197 |
| tfm-rubygem-foreman_theme_satellite | 0.1.38-1.el7sat | RHBA-2017:0197 |
| tfm-rubygem-hammer_cli | 0.5.1.12-1.el7sat | RHBA-2017:0197 |
| tfm-rubygem-hammer_cli_csv | 2.2.1.1-1.el7sat | RHBA-2017:0197 |
| tfm-rubygem-hammer_cli_foreman | 0.5.1.10-1.el7sat | RHBA-2017:0197 |
| tfm-rubygem-katello | 3.0.0.94-1.el7sat | RHBA-2017:0197 |
| tfm-rubygem-katello_ostree | 3.0.0.94-1.el7sat | RHBA-2017:0197 |

9.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the `rhel-7-server-satellite-capsule-6.2-rpms` channel.

Table 40. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|-------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.65-1.el7sat | RHBA-2017:0197 |
| foreman-installer | 1.11.0.11-1.el7sat | RHBA-2017:0197 |

| Name | Version | Advisory |
|----------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.71-1.el7sat | RHBA-2017:0197 |
| katello-capsule | 3.0.0-15.el7sat | RHBA-2017:0197 |
| katello-debug | 3.0.0-15.el7sat | RHBA-2017:0197 |
| katello-installer-base | 3.0.0.71-1.el7sat | RHBA-2017:0197 |
| katello-service | 3.0.0-15.el7sat | RHBA-2017:0197 |
| pulp-admin-client | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| pulp-katello | 1.0.2-1.el7sat | RHBA-2017:0197 |
| pulp-nodes-child | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| pulp-nodes-common | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| pulp-nodes-parent | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| pulp-rpm-admin-extensions | 2.8.7.6-1.el7sat | RHBA-2017:0197 |
| pulp-rpm-handlers | 2.8.7.6-1.el7sat | RHBA-2017:0197 |
| pulp-rpm-plugins | 2.8.7.6-1.el7sat | RHBA-2017:0197 |
| pulp-selinux | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| pulp-server | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-agent-lib | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-bindings | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-client-lib | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-common | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-oid_validation | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-repoauth | 2.8.7.5-1.el7sat | RHBA-2017:0197 |
| python-pulp-rpm-common | 2.8.7.6-1.el7sat | RHBA-2017:0197 |
| python-pulp-streamer | 2.8.7.5-1.el7sat | RHBA-2017:0197 |

| Name | Version | Advisory |
|-----------------------|-------------------|--------------------------------|
| rubygem-kafo | 0.7.6.1-1.el7sat | RHBA-2017:0197 |
| rubygem-openscap | 0.4.3-4.el7sat | RHBA-2017:0197 |
| satellite-capsule | 6.2.7-1.0.el7sat | RHBA-2017:0197 |
| satellite-debug-tools | 6.2.7-1.0.el7sat | RHBA-2017:0197 |
| satellite-installer | 6.2.0.13-1.el7sat | RHBA-2017:0197 |

9.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

9.2.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-6-server-satellite-6.2-rpms` channel.

Table 41. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| candlepin | 0.9.54.15-1.el6 | RHBA-2017:0197 |
| candlepin-selinux | 0.9.54.15-1.el6 | RHBA-2017:0197 |
| foreman | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| foreman-compute | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| foreman-debug | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| foreman-ec2 | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| foreman-gce | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| foreman-installer | 1.11.0.11-1.el6sat | RHBA-2017:0197 |
| foreman-installer-katello | 3.0.0.71-1.el6sat | RHBA-2017:0197 |
| foreman-libvirt | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| foreman-openstack | 1.11.0.65-1.el6sat | RHBA-2017:0197 |

| Name | Version | Advisory |
|----------------------------|--------------------|--------------------------------|
| foreman-ovirt | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| foreman-postgresql | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| foreman-rackspace | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| foreman-vmware | 1.11.0.65-1.el6sat | RHBA-2017:0197 |
| katello | 3.0.0-15.el6sat | RHBA-2017:0197 |
| katello-capsule | 3.0.0-15.el6sat | RHBA-2017:0197 |
| katello-common | 3.0.0-15.el6sat | RHBA-2017:0197 |
| katello-debug | 3.0.0-15.el6sat | RHBA-2017:0197 |
| katello-installer-base | 3.0.0.71-1.el6sat | RHBA-2017:0197 |
| katello-service | 3.0.0-15.el6sat | RHBA-2017:0197 |
| pulp-admin-client | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| pulp-katello | 1.0.2-1.el6sat | RHBA-2017:0197 |
| pulp-rpm-admin-extensions | 2.8.7.6-1.el6sat | RHBA-2017:0197 |
| pulp-rpm-handlers | 2.8.7.6-1.el6sat | RHBA-2017:0197 |
| pulp-rpm-plugins | 2.8.7.6-1.el6sat | RHBA-2017:0197 |
| pulp-selinux | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| pulp-server | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-agent-lib | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-bindings | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-client-lib | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-common | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-oid_validation | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-repoauth | 2.8.7.5-1.el6sat | RHBA-2017:0197 |

| Name | Version | Advisory |
|--------------------------------------|-------------------|--------------------------------|
| python-pulp-rpm-common | 2.8.7.6-1.el6sat | RHBA-2017:0197 |
| python-pulp-streamer | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| rubygem-foreman_scap_client | 0.1.2-2.el6sat | RHBA-2017:0197 |
| rubygem-kafo | 0.7.6.1-1.el6sat | RHBA-2017:0197 |
| rubygem-openscap | 0.4.3-4.el6sat | RHBA-2017:0197 |
| satellite | 6.2.7-1.0.el6sat | RHBA-2017:0197 |
| satellite-capsule | 6.2.7-1.0.el6sat | RHBA-2017:0197 |
| satellite-cli | 6.2.7-1.0.el6sat | RHBA-2017:0197 |
| satellite-debug-tools | 6.2.7-1.0.el6sat | RHBA-2017:0197 |
| satellite-installer | 6.2.0.13-1.el6sat | RHBA-2017:0197 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.13-1.el6sat | RHBA-2017:0197 |
| tfm-rubygem-foreman_theme_satellite | 0.1.38-1.el6sat | RHBA-2017:0197 |
| tfm-rubygem-hammer_cli | 0.5.1.12-1.el6sat | RHBA-2017:0197 |
| tfm-rubygem-hammer_cli_csv | 2.2.1.1-1.el6sat | RHBA-2017:0197 |
| tfm-rubygem-hammer_cli_foreman | 0.5.1.10-1.el6sat | RHBA-2017:0197 |
| tfm-rubygem-katello | 3.0.0.94-1.el6sat | RHBA-2017:0197 |

9.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** channel.

Table 42. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.65-1.el6sat | RHBA-2017:0197 |

| Name | Version | Advisory |
|----------------------------|--------------------|--------------------------------|
| foreman-installer | 1.11.0.11-1.el6sat | RHBA-2017:0197 |
| foreman-installer-katello | 3.0.0.71-1.el6sat | RHBA-2017:0197 |
| katello-capsule | 3.0.0-15.el6sat | RHBA-2017:0197 |
| katello-debug | 3.0.0-15.el6sat | RHBA-2017:0197 |
| katello-installer-base | 3.0.0.71-1.el6sat | RHBA-2017:0197 |
| katello-service | 3.0.0-15.el6sat | RHBA-2017:0197 |
| pulp-admin-client | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| pulp-katello | 1.0.2-1.el6sat | RHBA-2017:0197 |
| pulp-nodes-child | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| pulp-nodes-common | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| pulp-nodes-parent | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| pulp-rpm-admin-extensions | 2.8.7.6-1.el6sat | RHBA-2017:0197 |
| pulp-rpm-handlers | 2.8.7.6-1.el6sat | RHBA-2017:0197 |
| pulp-rpm-plugins | 2.8.7.6-1.el6sat | RHBA-2017:0197 |
| pulp-selinux | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| pulp-server | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-agent-lib | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-bindings | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-client-lib | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-common | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-oid_validation | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-repoauth | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| python-pulp-rpm-common | 2.8.7.6-1.el6sat | RHBA-2017:0197 |

| Name | Version | Advisory |
|-----------------------|-------------------|--------------------------------|
| python-pulp-streamer | 2.8.7.5-1.el6sat | RHBA-2017:0197 |
| rubygem-kafo | 0.7.6.1-1.el6sat | RHBA-2017:0197 |
| rubygem-openscap | 0.4.3-4.el6sat | RHBA-2017:0197 |
| satellite-capsule | 6.2.7-1.0.el6sat | RHBA-2017:0197 |
| satellite-debug-tools | 6.2.7-1.0.el6sat | RHBA-2017:0197 |
| satellite-installer | 6.2.0.13-1.el6sat | RHBA-2017:0197 |

10. RED HAT SATELLITE 6.2.8

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.8.

10.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

10.1.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-7-server-satellite-6.2-rpms** channel.

Table 43. Red Hat Satellite Packages

| Name | Version | Advisory |
|-------------------|--------------------|--------------------------------|
| candlepin | 0.9.54.17-1.el7 | RHBA-2017:0447 |
| candlepin-selinux | 0.9.54.17-1.el7 | RHBA-2017:0447 |
| foreman | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-compute | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-debug | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-ec2 | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-gce | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-installer | 1.11.0.15-2.el7sat | RHBA-2017:0447 |

| Name | Version | Advisory |
|------------------------------|---------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.77-1.el7sat | RHBA-2017:0447 |
| foreman-libvirt | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-openstack | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-ovirt | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-postgresql | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-rackspace | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-selinux | 1.11.0.4-1.el7sat | RHBA-2017:0447 |
| foreman-vmware | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| katello | 3.0.0-17.el7sat | RHBA-2017:0447 |
| katello-agent | 2.9.0-1.el7sat | RHBA-2017:0447 |
| katello-agent-fact-plugin | 2.9.0-1.el7sat | RHBA-2017:0447 |
| katello-capsule | 3.0.0-17.el7sat | RHBA-2017:0447 |
| katello-common | 3.0.0-17.el7sat | RHBA-2017:0447 |
| katello-debug | 3.0.0-17.el7sat | RHBA-2017:0447 |
| katello-installer-base | 3.0.0.77-1.el7sat | RHBA-2017:0447 |
| katello-service | 3.0.0-17.el7sat | RHBA-2017:0447 |
| ostree | 2017.1-2.atomic.el7 | RHBA-2017:0447 |
| pulp-admin-client | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| pulp-ostree-admin-extensions | 1.1.3.3-1.el7sat | RHBA-2017:0447 |
| pulp-ostree-plugins | 1.1.3.3-1.el7sat | RHBA-2017:0447 |
| pulp-rpm-admin-extensions | 2.8.7.8-1.el7sat | RHBA-2017:0447 |
| pulp-rpm-handlers | 2.8.7.8-1.el7sat | RHBA-2017:0447 |
| pulp-rpm-plugins | 2.8.7.8-1.el7sat | RHBA-2017:0447 |

| Name | Version | Advisory |
|---|--------------------|--------------------------------|
| pulp-selinux | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| pulp-server | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-agent-lib | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-bindings | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-client-lib | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-common | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-oid_validation | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-ostree-common | 1.1.3.3-1.el7sat | RHBA-2017:0447 |
| python-pulp-repoauth | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-rpm-common | 2.8.7.8-1.el7sat | RHBA-2017:0447 |
| python-pulp-streamer | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| rubygem-smart_proxy_remote_execution_sh | 0.1.2.3-2.el7sat | RHBA-2017:0447 |
| satellite | 6.2.8-4.0.el7sat | RHBA-2017:0447 |
| satellite-capsule | 6.2.8-4.0.el7sat | RHBA-2017:0447 |
| satellite-cli | 6.2.8-4.0.el7sat | RHBA-2017:0447 |
| satellite-debug-tools | 6.2.8-4.0.el7sat | RHBA-2017:0447 |
| tfm-rubygem-foreman_bootdisk | 6.1.0.4-1.el7sat | RHBA-2017:0447 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.14-1.el7sat | RHBA-2017:0447 |
| tfm-rubygem-foreman_theme_satellite | 0.1.41-1.el7sat | RHBA-2017:0447 |
| tfm-rubygem-hammer_cli | 0.5.1.13-2.el7sat | RHBA-2017:0447 |
| tfm-rubygem-katello | 3.0.0.105-1.el7sat | RHBA-2017:0447 |

| Name | Version | Advisory |
|--|--------------------|--------------------------------|
| tfm-rubygem-katello_ostree | 3.0.0.105-1.el7sat | RHBA-2017:0447 |
| tfm-rubygem-ldap_fluff | 0.4.5-1.el7sat | RHBA-2017:0447 |
| tfm-rubygem-net-ping | 2.0.1-1.el7sat | RHBA-2017:0447 |
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2.3-1.el7sat | RHBA-2017:0447 |
| tfm-rubygem-unicode-display_width | 1.0.5-2.el7sat | RHBA-2017:0447 |

10.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** channel.

Table 44. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|---------------------|--------------------------------|
| foreman-debug | 1.11.0.66-3.el7sat | RHBA-2017:0447 |
| foreman-installer | 1.11.0.15-2.el7sat | RHBA-2017:0447 |
| foreman-installer-katello | 3.0.0.77-1.el7sat | RHBA-2017:0447 |
| foreman-selinux | 1.11.0.4-1.el7sat | RHBA-2017:0447 |
| katello-agent | 2.9.0-1.el7sat | RHBA-2017:0447 |
| katello-agent-fact-plugin | 2.9.0-1.el7sat | RHBA-2017:0447 |
| katello-capsule | 3.0.0-17.el7sat | RHBA-2017:0447 |
| katello-debug | 3.0.0-17.el7sat | RHBA-2017:0447 |
| katello-installer-base | 3.0.0.77-1.el7sat | RHBA-2017:0447 |
| katello-service | 3.0.0-17.el7sat | RHBA-2017:0447 |
| ostree | 2017.1-2.atomic.el7 | RHBA-2017:0447 |
| pulp-admin-client | 2.8.7.6-1.el7sat | RHBA-2017:0447 |

| Name | Version | Advisory |
|---|------------------|--------------------------------|
| pulp-nodes-child | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| pulp-nodes-common | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| pulp-nodes-parent | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| pulp-ostree-admin-extensions | 1.1.3.3-1.el7sat | RHBA-2017:0447 |
| pulp-ostree-plugins | 1.1.3.3-1.el7sat | RHBA-2017:0447 |
| pulp-rpm-admin-extensions | 2.8.7.8-1.el7sat | RHBA-2017:0447 |
| pulp-rpm-handlers | 2.8.7.8-1.el7sat | RHBA-2017:0447 |
| pulp-rpm-plugins | 2.8.7.8-1.el7sat | RHBA-2017:0447 |
| pulp-selinux | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| pulp-server | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-agent-lib | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-bindings | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-client-lib | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-common | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-oid_validation | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-ostree-common | 1.1.3.3-1.el7sat | RHBA-2017:0447 |
| python-pulp-repoauth | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| python-pulp-rpm-common | 2.8.7.8-1.el7sat | RHBA-2017:0447 |
| python-pulp-streamer | 2.8.7.6-1.el7sat | RHBA-2017:0447 |
| redhat-access-insights-puppet | 0.0.8-1.el7sat | RHBA-2017:0447 |
| rubygem-smart_proxy_remote_execution_sh | 0.1.2.3-2.el7sat | RHBA-2017:0447 |
| satellite-capsule | 6.2.8-4.0.el7sat | RHBA-2017:0447 |

| Name | Version | Advisory |
|--|------------------|--------------------------------|
| satellite-debug-tools | 6.2.8-4.0.el7sat | RHBA-2017:0447 |
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2.3-1.el7sat | RHBA-2017:0447 |

10.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

10.2.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-6-server-satellite-6.2-rpms` channel.

Table 45. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| candlepin | 0.9.54.17-1.el6 | RHBA-2017:0447 |
| candlepin-selinux | 0.9.54.17-1.el6 | RHBA-2017:0447 |
| foreman | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-compute | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-debug | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-ec2 | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-gce | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-installer | 1.11.0.15-2.el6sat | RHBA-2017:0447 |
| foreman-installer-katello | 3.0.0.77-1.el6sat | RHBA-2017:0447 |
| foreman-libvirt | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-openstack | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-ovirt | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-postgresql | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-rackspace | 1.11.0.66-3.el6sat | RHBA-2017:0447 |

| Name | Version | Advisory |
|----------------------------|--------------------|--------------------------------|
| foreman-selinux | 1.11.0.4-1.el6sat | RHBA-2017:0447 |
| foreman-vmware | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| katello | 3.0.0-17.el6sat | RHBA-2017:0447 |
| katello-agent | 2.9.0-1.el6sat | RHBA-2017:0447 |
| katello-agent-fact-plugin | 2.9.0-1.el6sat | RHBA-2017:0447 |
| katello-capsule | 3.0.0-17.el6sat | RHBA-2017:0447 |
| katello-common | 3.0.0-17.el6sat | RHBA-2017:0447 |
| katello-debug | 3.0.0-17.el6sat | RHBA-2017:0447 |
| katello-installer-base | 3.0.0.77-1.el6sat | RHBA-2017:0447 |
| katello-service | 3.0.0-17.el6sat | RHBA-2017:0447 |
| pulp-admin-client | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| pulp-rpm-admin-extensions | 2.8.7.8-1.el6sat | RHBA-2017:0447 |
| pulp-rpm-handlers | 2.8.7.8-1.el6sat | RHBA-2017:0447 |
| pulp-rpm-plugins | 2.8.7.8-1.el6sat | RHBA-2017:0447 |
| pulp-selinux | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| pulp-server | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-agent-lib | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-bindings | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-client-lib | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-common | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-oid_validation | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-repoauth | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-rpm-common | 2.8.7.8-1.el6sat | RHBA-2017:0447 |

| Name | Version | Advisory |
|--|--------------------|--------------------------------|
| python-pulp-streamer | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| rubygem-smart_proxy_remote_execution_sh | 0.1.2.3-2.el6sat | RHBA-2017:0447 |
| satellite | 6.2.8-4.0.el6sat | RHBA-2017:0447 |
| satellite-capsule | 6.2.8-4.0.el6sat | RHBA-2017:0447 |
| satellite-cli | 6.2.8-4.0.el6sat | RHBA-2017:0447 |
| satellite-debug-tools | 6.2.8-4.0.el6sat | RHBA-2017:0447 |
| tfm-rubygem-foreman_bootdisk | 6.1.0.4-1.el6sat | RHBA-2017:0447 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.14-1.el6sat | RHBA-2017:0447 |
| tfm-rubygem-foreman_theme_satellite | 0.1.41-1.el6sat | RHBA-2017:0447 |
| tfm-rubygem-hammer_cli | 0.5.1.13-2.el6sat | RHBA-2017:0447 |
| tfm-rubygem-katello | 3.0.0.105-1.el6sat | RHBA-2017:0447 |
| tfm-rubygem-ldap_fluff | 0.4.5-1.el6sat | RHBA-2017:0447 |
| tfm-rubygem-net_ping | 2.0.1-1.el6sat | RHBA-2017:0447 |
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2.3-1.el6sat | RHBA-2017:0447 |
| tfm-rubygem-unicode-display_width | 1.0.5-2.el6sat | RHBA-2017:0447 |

10.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** channel.

Table 46. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.66-3.el6sat | RHBA-2017:0447 |
| foreman-installer | 1.11.0.15-2.el6sat | RHBA-2017:0447 |
| foreman-installer-katello | 3.0.0.77-1.el6sat | RHBA-2017:0447 |
| foreman-selinux | 1.11.0.4-1.el6sat | RHBA-2017:0447 |
| katello-agent | 2.9.0-1.el6sat | RHBA-2017:0447 |
| katello-agent-fact-plugin | 2.9.0-1.el6sat | RHBA-2017:0447 |
| katello-capsule | 3.0.0-17.el6sat | RHBA-2017:0447 |
| katello-debug | 3.0.0-17.el6sat | RHBA-2017:0447 |
| katello-installer-base | 3.0.0.77-1.el6sat | RHBA-2017:0447 |
| katello-service | 3.0.0-17.el6sat | RHBA-2017:0447 |
| pulp-admin-client | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| pulp-nodes-child | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| pulp-nodes-common | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| pulp-nodes-parent | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| pulp-rpm-admin-extensions | 2.8.7.8-1.el6sat | RHBA-2017:0447 |
| pulp-rpm-handlers | 2.8.7.8-1.el6sat | RHBA-2017:0447 |
| pulp-rpm-plugins | 2.8.7.8-1.el6sat | RHBA-2017:0447 |
| pulp-selinux | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| pulp-server | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-agent-lib | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-bindings | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-client-lib | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-common | 2.8.7.6-1.el6sat | RHBA-2017:0447 |

| Name | Version | Advisory |
|--|------------------|--------------------------------|
| python-pulp-oid_validation | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-repoauth | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| python-pulp-rpm-common | 2.8.7.8-1.el6sat | RHBA-2017:0447 |
| python-pulp-streamer | 2.8.7.6-1.el6sat | RHBA-2017:0447 |
| redhat-access-insights-puppet | 0.0.8-1.el6sat | RHBA-2017:0447 |
| rubygem-smart_proxy_remote_execution_sh | 0.1.2.3-2.el6sat | RHBA-2017:0447 |
| satellite-capsule | 6.2.8-4.0.el6sat | RHBA-2017:0447 |
| satellite-debug-tools | 6.2.8-4.0.el6sat | RHBA-2017:0447 |
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2.3-1.el6sat | RHBA-2017:0447 |

11. RED HAT SATELLITE 6.2.9

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.9.

11.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

11.1.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-7-server-satellite-6.2-rpms** image.

Table 47. Red Hat Satellite Packages

| Name | Version | Advisory |
|-------------------|--------------------|--------------------------------|
| candlepin | 0.9.54.20-1.el7 | RHBA-2017:1191 |
| candlepin-selinux | 0.9.54.20-1.el7 | RHBA-2017:1191 |
| foreman | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-compute | 1.11.0.76-1.el7sat | RHBA-2017:1191 |

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-discovery-image | 3.1.1-22 | RHBA-2017:1191 |
| foreman-ec2 | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-gce | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-installer-katello | 3.0.0.80-2.el7sat | RHBA-2017:1191 |
| foreman-libvirt | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-openstack | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-ovirt | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-postgresql | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-rackspace | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-vmware | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| gofer | 2.7.7-2.el7sat | RHBA-2017:1191 |
| katello | 3.0.0-19.el7sat | RHBA-2017:1191 |
| katello-agent | 2.9.0-2.el7sat | RHBA-2017:1191 |
| katello-agent-fact-plugin | 2.9.0-2.el7sat | RHBA-2017:1191 |
| katello-capsule | 3.0.0-19.el7sat | RHBA-2017:1191 |
| katello-client-bootstrap | 1.3.0-1.el7sat | RHBA-2017:1191 |
| katello-common | 3.0.0-19.el7sat | RHBA-2017:1191 |
| katello-debug | 3.0.0-19.el7sat | RHBA-2017:1191 |
| katello-installer-base | 3.0.0.80-2.el7sat | RHBA-2017:1191 |
| katello-service | 3.0.0-19.el7sat | RHBA-2017:1191 |
| pulp-admin-client | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| pulp-rpm-admin-extensions | 2.8.7.12-1.el7sat | RHBA-2017:1191 |

| Name | Version | Advisory |
|--|-------------------|--------------------------------|
| pulp-rpm-handlers | 2.8.7.12-1.el7sat | RHBA-2017:1191 |
| pulp-rpm-plugins | 2.8.7.12-1.el7sat | RHBA-2017:1191 |
| pulp-selinux | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| pulp-server | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-gofer | 2.7.7-2.el7sat | RHBA-2017:1191 |
| python-gofer-proton | 2.7.7-2.el7sat | RHBA-2017:1191 |
| python-gofer-qpid | 2.7.7-2.el7sat | RHBA-2017:1191 |
| python-pulp-agent-lib | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-bindings | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-client-lib | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-common | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-oid_validation | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-repoauth | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-rpm-common | 2.8.7.12-1.el7sat | RHBA-2017:1191 |
| python-pulp-streamer | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-qpid | 0.30-11.el7sat | RHBA-2017:1191 |
| rubygem-smart_proxy_remote_execution_ssh | 0.1.2.6-1.el7sat | RHBA-2017:1191 |
| satellite | 6.2.9-7.0.el7sat | RHBA-2017:1191 |
| satellite-capsule | 6.2.9-7.0.el7sat | RHBA-2017:1191 |
| satellite-cli | 6.2.9-7.0.el7sat | RHBA-2017:1191 |
| satellite-debug-tools | 6.2.9-7.0.el7sat | RHBA-2017:1191 |
| tfm-rubygem-bastion | 3.2.0.14-1.el7sat | RHBA-2017:1191 |

| Name | Version | Advisory |
|--|--------------------|--------------------------------|
| tfm-rubygem-dynflow | 0.8.13.4-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-foreman-redhat_access | 1.0.15-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-foreman_openscap | 0.5.3.19-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.15-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-foreman_theme_satellite | 0.1.42-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.29-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-katello | 3.0.0.124-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-katello_ostree | 3.0.0.124-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-redhat_access_lib | 1.0.6-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-runcible | 1.9.3-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2.6-1.el7sat | RHBA-2017:1191 |

11.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** image.

Table 48. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.76-1.el7sat | RHBA-2017:1191 |
| foreman-discovery-image | 3.1.1-22 | RHBA-2017:1191 |
| foreman-installer-katello | 3.0.0.80-2.el7sat | RHBA-2017:1191 |
| gofer | 2.7.7-2.el7sat | RHBA-2017:1191 |
| katello-agent | 2.9.0-2.el7sat | RHBA-2017:1191 |

| Name | Version | Advisory |
|----------------------------|-------------------|--------------------------------|
| katello-agent-fact-plugin | 2.9.0-2.el7sat | RHBA-2017:1191 |
| katello-capsule | 3.0.0-19.el7sat | RHBA-2017:1191 |
| katello-client-bootstrap | 1.3.0-1.el7sat | RHBA-2017:1191 |
| katello-debug | 3.0.0-19.el7sat | RHBA-2017:1191 |
| katello-installer-base | 3.0.0.80-2.el7sat | RHBA-2017:1191 |
| katello-service | 3.0.0-19.el7sat | RHBA-2017:1191 |
| pulp-admin-client | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| pulp-nodes-child | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| pulp-nodes-common | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| pulp-nodes-parent | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| pulp-rpm-admin-extensions | 2.8.7.12-1.el7sat | RHBA-2017:1191 |
| pulp-rpm-handlers | 2.8.7.12-1.el7sat | RHBA-2017:1191 |
| pulp-rpm-plugins | 2.8.7.12-1.el7sat | RHBA-2017:1191 |
| pulp-selinux | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| pulp-server | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-gofer | 2.7.7-2.el7sat | RHBA-2017:1191 |
| python-gofer-proton | 2.7.7-2.el7sat | RHBA-2017:1191 |
| python-gofer-qpid | 2.7.7-2.el7sat | RHBA-2017:1191 |
| python-pulp-agent-lib | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-bindings | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-client-lib | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-common | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-oid_validation | 2.8.7.11-1.el7sat | RHBA-2017:1191 |

| Name | Version | Advisory |
|--|-------------------|--------------------------------|
| python-pulp-repoauth | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-pulp-rpm-common | 2.8.7.12-1.el7sat | RHBA-2017:1191 |
| python-pulp-streamer | 2.8.7.11-1.el7sat | RHBA-2017:1191 |
| python-qpid | 0.30-11.el7sat | RHBA-2017:1191 |
| rubygem-smart_proxy_remote_execution_sh | 0.1.2.6-1.el7sat | RHBA-2017:1191 |
| satellite-capsule | 6.2.9-7.0.el7sat | RHBA-2017:1191 |
| satellite-debug-tools | 6.2.9-7.0.el7sat | RHBA-2017:1191 |
| tfm-rubygem-dynflow | 0.8.13.4-1.el7sat | RHBA-2017:1191 |
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2.6-1.el7sat | RHBA-2017:1191 |

11.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

11.2.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-6-server-satellite-6.2-rpms** image.

Table 49. Red Hat Satellite Packages

| Name | Version | Advisory |
|-------------------------|--------------------|--------------------------------|
| candlepin | 0.9.54.20-1.el6 | RHBA-2017:1191 |
| candlepin-selinux | 0.9.54.20-1.el6 | RHBA-2017:1191 |
| foreman | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-compute | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-debug | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-discovery-image | 3.1.1-22 | RHBA-2017:1191 |

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-ec2 | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-gce | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-installer-katello | 3.0.0.80-2.el6sat | RHBA-2017:1191 |
| foreman-libvirt | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-openstack | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-ovirt | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-postgresql | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-rackspace | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-vmware | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| gofer | 2.7.7-2.el6sat | RHBA-2017:1191 |
| katello | 3.0.0-19.el6sat | RHBA-2017:1191 |
| katello-agent | 2.9.0-2.el6sat | RHBA-2017:1191 |
| katello-agent-fact-plugin | 2.9.0-2.el6sat | RHBA-2017:1191 |
| katello-capsule | 3.0.0-19.el6sat | RHBA-2017:1191 |
| katello-client-bootstrap | 1.3.0-1.el6sat | RHBA-2017:1191 |
| katello-common | 3.0.0-19.el6sat | RHBA-2017:1191 |
| katello-debug | 3.0.0-19.el6sat | RHBA-2017:1191 |
| katello-installer-base | 3.0.0.80-2.el6sat | RHBA-2017:1191 |
| katello-service | 3.0.0-19.el6sat | RHBA-2017:1191 |
| pulp-admin-client | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| pulp-rpm-admin-extensions | 2.8.7.12-1.el6sat | RHBA-2017:1191 |
| pulp-rpm-handlers | 2.8.7.12-1.el6sat | RHBA-2017:1191 |
| pulp-rpm-plugins | 2.8.7.12-1.el6sat | RHBA-2017:1191 |

| Name | Version | Advisory |
|---|-------------------|--------------------------------|
| pulp-selinux | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| pulp-server | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-gofer | 2.7.7-2.el6sat | RHBA-2017:1191 |
| python-gofer-proton | 2.7.7-2.el6sat | RHBA-2017:1191 |
| python-gofer-qpid | 2.7.7-2.el6sat | RHBA-2017:1191 |
| python-pulp-agent-lib | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-bindings | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-client-lib | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-common | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-oid_validation | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-repoauth | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-rpm-common | 2.8.7.12-1.el6sat | RHBA-2017:1191 |
| python-pulp-streamer | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-qpid | 0.30-11.el6sat | RHBA-2017:1191 |
| rubygem-smart_proxy_remote_execution_sh | 0.1.2.6-1.el6sat | RHBA-2017:1191 |
| satellite | 6.2.9-7.0.el6sat | RHBA-2017:1191 |
| satellite-capsule | 6.2.9-7.0.el6sat | RHBA-2017:1191 |
| satellite-cli | 6.2.9-7.0.el6sat | RHBA-2017:1191 |
| satellite-debug-tools | 6.2.9-7.0.el6sat | RHBA-2017:1191 |
| tfm-rubygem-bastion | 3.2.0.14-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-dynflow | 0.8.13.4-1.el6sat | RHBA-2017:1191 |

| Name | Version | Advisory |
|--|--------------------|--------------------------------|
| tfm-rubygem-foreman-redhat_access | 1.0.15-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-foreman_openscap | 0.5.3.19-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.15-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-foreman_theme_satellite | 0.1.42-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-hammer_cli_katello | 0.0.22.29-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-katello | 3.0.0.124-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-redhat_access_lib | 1.0.6-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-runcible | 1.9.3-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2.6-1.el6sat | RHBA-2017:1191 |

11.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** image.

Table 50. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.76-1.el6sat | RHBA-2017:1191 |
| foreman-discovery-image | 3.1.1-22 | RHBA-2017:1191 |
| foreman-installer-katello | 3.0.0.80-2.el6sat | RHBA-2017:1191 |
| gofer | 2.7.7-2.el6sat | RHBA-2017:1191 |
| katello-agent | 2.9.0-2.el6sat | RHBA-2017:1191 |
| katello-agent-fact-plugin | 2.9.0-2.el6sat | RHBA-2017:1191 |
| katello-capsule | 3.0.0-19.el6sat | RHBA-2017:1191 |

| Name | Version | Advisory |
|----------------------------|-------------------|--------------------------------|
| katello-client-bootstrap | 1.3.0-1.el6sat | RHBA-2017:1191 |
| katello-debug | 3.0.0-19.el6sat | RHBA-2017:1191 |
| katello-installer-base | 3.0.0.80-2.el6sat | RHBA-2017:1191 |
| katello-service | 3.0.0-19.el6sat | RHBA-2017:1191 |
| pulp-admin-client | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| pulp-nodes-child | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| pulp-nodes-common | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| pulp-nodes-parent | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| pulp-rpm-admin-extensions | 2.8.7.12-1.el6sat | RHBA-2017:1191 |
| pulp-rpm-handlers | 2.8.7.12-1.el6sat | RHBA-2017:1191 |
| pulp-rpm-plugins | 2.8.7.12-1.el6sat | RHBA-2017:1191 |
| pulp-selinux | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| pulp-server | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-gofer | 2.7.7-2.el6sat | RHBA-2017:1191 |
| python-gofer-proton | 2.7.7-2.el6sat | RHBA-2017:1191 |
| python-gofer-qpid | 2.7.7-2.el6sat | RHBA-2017:1191 |
| python-pulp-agent-lib | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-bindings | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-client-lib | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-common | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-oid_validation | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-repoauth | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-pulp-rpm-common | 2.8.7.12-1.el6sat | RHBA-2017:1191 |

| Name | Version | Advisory |
|--|-------------------|--------------------------------|
| python-pulp-streamer | 2.8.7.11-1.el6sat | RHBA-2017:1191 |
| python-qpid | 0.30-11.el6sat | RHBA-2017:1191 |
| rubygem-smart_proxy_remote_execution_sh | 0.1.2.6-1.el6sat | RHBA-2017:1191 |
| satellite-capsule | 6.2.9-7.0.el6sat | RHBA-2017:1191 |
| satellite-debug-tools | 6.2.9-7.0.el6sat | RHBA-2017:1191 |
| tfm-rubygem-dynflow | 0.8.13.4-1.el6sat | RHBA-2017:1191 |
| tfm-rubygem-smart_proxy_remote_execution_sh_core | 0.1.2.6-1.el6sat | RHBA-2017:1191 |

12. RED HAT SATELLITE 6.2.10

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.10.

12.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

12.1.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-7-server-satellite-6.2-rpms` image.

Table 51. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|-------------------|--------------------------------|
| candlepin | 0.9.54.21-1.el7 | RHBA-2017:1553 |
| candlepin-selinux | 0.9.54.21-1.el7 | RHBA-2017:1553 |
| foreman-installer-katello | 3.0.0.88-1.el7sat | RHBA-2017:1553 |
| katello-agent | 2.9.0.1-1.el7sat | RHBA-2017:1553 |
| katello-agent-fact-plugin | 2.9.0.1-1.el7sat | RHBA-2017:1553 |
| katello-installer-base | 3.0.0.88-1.el7sat | RHBA-2017:1553 |

| Name | Version | Advisory |
|------------------------------|-------------------|--------------------------------|
| libqpid-dispatch | 0.4-22.el7sat | RHBA-2017:1553 |
| pulp-admin-client | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| pulp-docker-admin-extensions | 2.0.3.1-1.el7sat | RHBA-2017:1553 |
| pulp-docker-plugins | 2.0.3.1-1.el7sat | RHBA-2017:1553 |
| pulp-rpm-admin-extensions | 2.8.7.14-2.el7sat | RHBA-2017:1553 |
| pulp-rpm-handlers | 2.8.7.14-2.el7sat | RHBA-2017:1553 |
| pulp-rpm-plugins | 2.8.7.14-2.el7sat | RHBA-2017:1553 |
| pulp-selinux | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| pulp-server | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-agent-lib | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-bindings | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-client-lib | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-common | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-docker-common | 2.0.3.1-1.el7sat | RHBA-2017:1553 |
| python-pulp-oid_validation | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-repoauth | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-rpm-common | 2.8.7.14-2.el7sat | RHBA-2017:1553 |
| python-pulp-streamer | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| qpid-dispatch-router | 0.4-22.el7sat | RHBA-2017:1553 |
| qpid-dispatch-tools | 0.4-22.el7sat | RHBA-2017:1553 |
| rubygem-smart_proxy_dynflow | 0.1.3.1-1.el7sat | RHBA-2017:1553 |
| rubygem-smart_proxy_openscap | 0.5.3.8-1.el7sat | RHBA-2017:1553 |
| satellite | 6.2.10-4.0.el7sat | RHBA-2017:1553 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| satellite-capsule | 6.2.10-4.0.el7sat | RHBA-2017:1553 |
| satellite-cli | 6.2.10-4.0.el7sat | RHBA-2017:1553 |
| satellite-debug-tools | 6.2.10-4.0.el7sat | RHBA-2017:1553 |
| tfm-rubygem-dynflow | 0.8.13.6-1.el7sat | RHBA-2017:1553 |
| tfm-rubygem-foreman-tasks | 0.7.14.14-1.el7sat | RHBA-2017:1553 |
| tfm-rubygem-foreman_openscap | 0.5.3.22-1.el7sat | RHBA-2017:1553 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.17-1.el7sat | RHBA-2017:1553 |
| tfm-rubygem-foreman_theme_satellite | 0.1.43-1.el7sat | RHBA-2017:1553 |
| tfm-rubygem-katello | 3.0.0.137-1.el7sat | RHBA-2017:1553 |
| tfm-rubygem-katello_ostree | 3.0.0.137-1.el7sat | RHBA-2017:1553 |
| tfm-rubygem-runcible | 1.11.0-2.el7sat | RHBA-2017:1553 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3.1-1.el7sat | RHBA-2017:1553 |

12.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** image.

Table 52. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.88-1.el7sat | RHBA-2017:1553 |
| katello-agent | 2.9.0.1-1.el7sat | RHBA-2017:1553 |
| katello-agent-fact-plugin | 2.9.0.1-1.el7sat | RHBA-2017:1553 |
| katello-installer-base | 3.0.0.88-1.el7sat | RHBA-2017:1553 |
| libqpid-dispatch | 0.4-22.el7sat | RHBA-2017:1553 |

| Name | Version | Advisory |
|------------------------------|-------------------|--------------------------------|
| pulp-admin-client | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| pulp-docker-admin-extensions | 2.0.3.1-1.el7sat | RHBA-2017:1553 |
| pulp-docker-plugins | 2.0.3.1-1.el7sat | RHBA-2017:1553 |
| pulp-nodes-child | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| pulp-nodes-common | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| pulp-nodes-parent | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| pulp-rpm-admin-extensions | 2.8.7.14-2.el7sat | RHBA-2017:1553 |
| pulp-rpm-handlers | 2.8.7.14-2.el7sat | RHBA-2017:1553 |
| pulp-rpm-plugins | 2.8.7.14-2.el7sat | RHBA-2017:1553 |
| pulp-selinux | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| pulp-server | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-agent-lib | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-bindings | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-client-lib | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-common | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-docker-common | 2.0.3.1-1.el7sat | RHBA-2017:1553 |
| python-pulp-oid_validation | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-repoauth | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| python-pulp-rpm-common | 2.8.7.14-2.el7sat | RHBA-2017:1553 |
| python-pulp-streamer | 2.8.7.12-1.el7sat | RHBA-2017:1553 |
| qpid-dispatch-router | 0.4-22.el7sat | RHBA-2017:1553 |
| qpid-dispatch-tools | 0.4-22.el7sat | RHBA-2017:1553 |
| rubygem-smart_proxy_dynflow | 0.1.3.1-1.el7sat | RHBA-2017:1553 |

| Name | Version | Advisory |
|--------------------------------------|-------------------|--------------------------------|
| rubygem-smart_proxy_openscap | 0.5.3.8-1.el7sat | RHBA-2017:1553 |
| satellite-capsule | 6.2.10-4.0.el7sat | RHBA-2017:1553 |
| satellite-debug-tools | 6.2.10-4.0.el7sat | RHBA-2017:1553 |
| tfm-rubygem-dynflow | 0.8.13.6-1.el7sat | RHBA-2017:1553 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3.1-1.el7sat | RHBA-2017:1553 |

12.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

12.2.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-6-server-satellite-6.2-rpms** image.

Table 53. Red Hat Satellite Packages

| Name | Version | Advisory |
|------------------------------|-------------------|--------------------------------|
| candlepin | 0.9.54.21-1.el6 | RHBA-2017:1553 |
| candlepin-selinux | 0.9.54.21-1.el6 | RHBA-2017:1553 |
| foreman-installer-katello | 3.0.0.88-1.el6sat | RHBA-2017:1553 |
| katello-agent | 2.9.0.1-1.el6sat | RHBA-2017:1553 |
| katello-agent-fact-plugin | 2.9.0.1-1.el6sat | RHBA-2017:1553 |
| katello-installer-base | 3.0.0.88-1.el6sat | RHBA-2017:1553 |
| libqpid-dispatch | 0.4-22.el6sat | RHBA-2017:1553 |
| pulp-admin-client | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| pulp-docker-admin-extensions | 2.0.3.1-1.el6sat | RHBA-2017:1553 |
| pulp-docker-plugins | 2.0.3.1-1.el6sat | RHBA-2017:1553 |
| pulp-rpm-admin-extensions | 2.8.7.14-2.el6sat | RHBA-2017:1553 |

| Name | Version | Advisory |
|------------------------------|--------------------|--------------------------------|
| pulp-rpm-handlers | 2.8.7.14-2.el6sat | RHBA-2017:1553 |
| pulp-rpm-plugins | 2.8.7.14-2.el6sat | RHBA-2017:1553 |
| pulp-selinux | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| pulp-server | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-agent-lib | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-bindings | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-client-lib | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-common | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-docker-common | 2.0.3.1-1.el6sat | RHBA-2017:1553 |
| python-pulp-oid_validation | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-repoauth | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-rpm-common | 2.8.7.14-2.el6sat | RHBA-2017:1553 |
| python-pulp-streamer | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| qpid-dispatch-router | 0.4-22.el6sat | RHBA-2017:1553 |
| qpid-dispatch-tools | 0.4-22.el6sat | RHBA-2017:1553 |
| rubygem-smart_proxy_dynflow | 0.1.3.1-1.el6sat | RHBA-2017:1553 |
| rubygem-smart_proxy_openscap | 0.5.3.8-1.el6sat | RHBA-2017:1553 |
| satellite | 6.2.10-4.0.el6sat | RHBA-2017:1553 |
| satellite-capsule | 6.2.10-4.0.el6sat | RHBA-2017:1553 |
| satellite-cli | 6.2.10-4.0.el6sat | RHBA-2017:1553 |
| satellite-debug-tools | 6.2.10-4.0.el6sat | RHBA-2017:1553 |
| tfm-rubygem-dynflow | 0.8.13.6-1.el6sat | RHBA-2017:1553 |
| tfm-rubygem-foreman-tasks | 0.7.14.14-1.el6sat | RHBA-2017:1553 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| tfm-rubygem-foreman_openscap | 0.5.3.22-1.el6sat | RHBA-2017:1553 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.17-1.el6sat | RHBA-2017:1553 |
| tfm-rubygem-foreman_theme_satellite | 0.1.43-1.el6sat | RHBA-2017:1553 |
| tfm-rubygem-katello | 3.0.0.137-1.el6sat | RHBA-2017:1553 |
| tfm-rubygem-runcible | 1.11.0-2.el6sat | RHBA-2017:1553 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3.1-1.el6sat | RHBA-2017:1553 |

12.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** image.

Table 54. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|------------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.88-1.el6sat | RHBA-2017:1553 |
| katello-agent | 2.9.0.1-1.el6sat | RHBA-2017:1553 |
| katello-agent-fact-plugin | 2.9.0.1-1.el6sat | RHBA-2017:1553 |
| katello-installer-base | 3.0.0.88-1.el6sat | RHBA-2017:1553 |
| libqpid-dispatch | 0.4-22.el6sat | RHBA-2017:1553 |
| pulp-admin-client | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| pulp-docker-admin-extensions | 2.0.3.1-1.el6sat | RHBA-2017:1553 |
| pulp-docker-plugins | 2.0.3.1-1.el6sat | RHBA-2017:1553 |
| pulp-nodes-child | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| pulp-nodes-common | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| pulp-nodes-parent | 2.8.7.12-1.el6sat | RHBA-2017:1553 |

| Name | Version | Advisory |
|--------------------------------------|-------------------|--------------------------------|
| pulp-rpm-admin-extensions | 2.8.7.14-2.el6sat | RHBA-2017:1553 |
| pulp-rpm-handlers | 2.8.7.14-2.el6sat | RHBA-2017:1553 |
| pulp-rpm-plugins | 2.8.7.14-2.el6sat | RHBA-2017:1553 |
| pulp-selinux | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| pulp-server | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-agent-lib | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-bindings | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-client-lib | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-common | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-docker-common | 2.0.3.1-1.el6sat | RHBA-2017:1553 |
| python-pulp-oid_validation | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-repoauth | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| python-pulp-rpm-common | 2.8.7.14-2.el6sat | RHBA-2017:1553 |
| python-pulp-streamer | 2.8.7.12-1.el6sat | RHBA-2017:1553 |
| qpiddispatch-router | 0.4-22.el6sat | RHBA-2017:1553 |
| qpiddispatch-tools | 0.4-22.el6sat | RHBA-2017:1553 |
| rubygem-smart_proxy_dynflow | 0.1.3.1-1.el6sat | RHBA-2017:1553 |
| rubygem-smart_proxy_openscap | 0.5.3.8-1.el6sat | RHBA-2017:1553 |
| satellite-capsule | 6.2.10-4.0.el6sat | RHBA-2017:1553 |
| satellite-debug-tools | 6.2.10-4.0.el6sat | RHBA-2017:1553 |
| tfm-rubygem-dynflow | 0.8.13.6-1.el6sat | RHBA-2017:1553 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3.1-1.el6sat | RHBA-2017:1553 |

13. RED HAT SATELLITE 6.2.11

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.11.

13.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

13.1.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-7-server-satellite-6.2-rpms** repository.

Table 55. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-compute | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-debug | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-ec2 | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-gce | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-installer-katello | 3.0.0.93-1.el7sat | RHBA-2017:2466 |
| foreman-libvirt | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-openstack | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-ovirt | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-postgresql | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-rackspace | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-vmware | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| katello | 3.0.0-21.el7sat | RHBA-2017:2466 |
| katello-agent | 3.0.1-1.el7sat | RHBA-2017:2466 |
| katello-capsule | 3.0.0-21.el7sat | RHBA-2017:2466 |
| katello-common | 3.0.0-21.el7sat | RHBA-2017:2466 |

| Name | Version | Advisory |
|--------------------------------|-------------------|--------------------------------|
| katello-debug | 3.0.0-21.el7sat | RHBA-2017:2466 |
| katello-host-tools | 3.0.1-1.el7sat | RHBA-2017:2466 |
| katello-host-tools-fact-plugin | 3.0.1-1.el7sat | RHBA-2017:2466 |
| katello-installer-base | 3.0.0.93-1.el7sat | RHBA-2017:2466 |
| katello-service | 3.0.0-21.el7sat | RHBA-2017:2466 |
| pulp-admin-client | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| pulp-rpm-admin-extensions | 2.8.7.15-2.el7sat | RHBA-2017:2466 |
| pulp-rpm-handlers | 2.8.7.15-2.el7sat | RHBA-2017:2466 |
| pulp-rpm-plugins | 2.8.7.15-2.el7sat | RHBA-2017:2466 |
| pulp-selinux | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| pulp-server | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-agent-lib | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-bindings | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-client-lib | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-common | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-oid_validation | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-repoauth | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-rpm-common | 2.8.7.15-2.el7sat | RHBA-2017:2466 |
| python-pulp-streamer | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-qpidd | 0.34-4.el7sat | RHBA-2017:2466 |
| python-qpidd-qmf | 0.34-4.el7 | RHBA-2017:2466 |
| qpidd-cpp-client | 0.34-25.el7sat | RHBA-2017:2466 |
| qpidd-cpp-client-devel | 0.34-25.el7sat | RHBA-2017:2466 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| qpid-cpp-server | 0.34-25.el7sat | RHBA-2017:2466 |
| qpid-cpp-server-linearstore | 0.34-25.el7sat | RHBA-2017:2466 |
| qpid-qmf | 0.34-4.el7 | RHBA-2017:2466 |
| qpid-tools | 0.34-2.el7 | RHBA-2017:2466 |
| satellite | 6.2.11-2.0.el7sat | RHBA-2017:2466 |
| satellite-capsule | 6.2.11-2.0.el7sat | RHBA-2017:2466 |
| satellite-cli | 6.2.11-2.0.el7sat | RHBA-2017:2466 |
| satellite-debug-tools | 6.2.11-2.0.el7sat | RHBA-2017:2466 |
| tfm-rubygem-foreman_theme_satellite | 0.1.46-1.el7sat | RHBA-2017:2466 |
| tfm-rubygem-katello | 3.0.0.144-1.el7sat | RHBA-2017:2466 |
| tfm-rubygem-katello_ostree | 3.0.0.144-1.el7sat | RHBA-2017:2466 |
| tfm-rubygem-qpid_messaging | 0.34.1-2.el7sat | RHBA-2017:2466 |

13.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** repository.

Table 56. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.83-1.el7sat | RHBA-2017:2466 |
| foreman-installer-katello | 3.0.0.93-1.el7sat | RHBA-2017:2466 |
| katello-agent | 3.0.1-1.el7sat | RHBA-2017:2466 |
| katello-capsule | 3.0.0-21.el7sat | RHBA-2017:2466 |
| katello-debug | 3.0.0-21.el7sat | RHBA-2017:2466 |
| katello-host-tools | 3.0.1-1.el7sat | RHBA-2017:2466 |

| Name | Version | Advisory |
|--------------------------------|-------------------|--------------------------------|
| katello-host-tools-fact-plugin | 3.0.1-1.el7sat | RHBA-2017:2466 |
| katello-installer-base | 3.0.0.93-1.el7sat | RHBA-2017:2466 |
| katello-service | 3.0.0-21.el7sat | RHBA-2017:2466 |
| pulp-admin-client | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| pulp-nodes-child | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| pulp-nodes-common | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| pulp-nodes-parent | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| pulp-rpm-admin-extensions | 2.8.7.15-2.el7sat | RHBA-2017:2466 |
| pulp-rpm-handlers | 2.8.7.15-2.el7sat | RHBA-2017:2466 |
| pulp-rpm-plugins | 2.8.7.15-2.el7sat | RHBA-2017:2466 |
| pulp-selinux | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| pulp-server | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-agent-lib | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-bindings | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-client-lib | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-common | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-oid_validation | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-repoauth | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-pulp-rpm-common | 2.8.7.15-2.el7sat | RHBA-2017:2466 |
| python-pulp-streamer | 2.8.7.13-1.el7sat | RHBA-2017:2466 |
| python-qpidd | 0.34-4.el7sat | RHBA-2017:2466 |
| python-qpidd-qmf | 0.34-4.el7 | RHBA-2017:2466 |
| qpidd-cpp-client | 0.34-25.el7sat | RHBA-2017:2466 |

| Name | Version | Advisory |
|-----------------------------|-------------------|--------------------------------|
| qpid-cpp-server | 0.34-25.el7sat | RHBA-2017:2466 |
| qpid-cpp-server-linearstore | 0.34-25.el7sat | RHBA-2017:2466 |
| qpid-qmf | 0.34-4.el7 | RHBA-2017:2466 |
| qpid-tools | 0.34-2.el7 | RHBA-2017:2466 |
| satellite-capsule | 6.2.11-2.0.el7sat | RHBA-2017:2466 |
| satellite-debug-tools | 6.2.11-2.0.el7sat | RHBA-2017:2466 |

13.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

13.2.1. Red Hat Satellite

The following table outlines the packages included in the **rhel-6-server-satellite-6.2-rpms** repository.

Table 57. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| foreman-compute | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| foreman-debug | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| foreman-ec2 | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| foreman-gce | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| foreman-installer-katello | 3.0.0.93-1.el6sat | RHBA-2017:2466 |
| foreman-libvirt | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| foreman-openstack | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| foreman-ovirt | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| foreman-postgresql | 1.11.0.83-1.el6sat | RHBA-2017:2466 |

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| foreman-rackspace | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| foreman-vmware | 1.11.0.83-1.el6sat | RHBA-2017:2466 |
| katello | 3.0.0-21.el6sat | RHBA-2017:2466 |
| katello-agent | 3.0.1-1.el6sat | RHBA-2017:2466 |
| katello-capsule | 3.0.0-21.el6sat | RHBA-2017:2466 |
| katello-common | 3.0.0-21.el6sat | RHBA-2017:2466 |
| katello-debug | 3.0.0-21.el6sat | RHBA-2017:2466 |
| katello-host-tools | 3.0.1-1.el6sat | RHBA-2017:2466 |
| katello-host-tools-fact-plugin | 3.0.1-1.el6sat | RHBA-2017:2466 |
| katello-installer-base | 3.0.0.93-1.el6sat | RHBA-2017:2466 |
| katello-service | 3.0.0-21.el6sat | RHBA-2017:2466 |
| pulp-admin-client | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| pulp-rpm-admin-extensions | 2.8.7.15-2.el6sat | RHBA-2017:2466 |
| pulp-rpm-handlers | 2.8.7.15-2.el6sat | RHBA-2017:2466 |
| pulp-rpm-plugins | 2.8.7.15-2.el6sat | RHBA-2017:2466 |
| pulp-selinux | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| pulp-server | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-agent-lib | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-bindings | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-client-lib | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-common | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-oid_validation | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-repoauth | 2.8.7.13-1.el6sat | RHBA-2017:2466 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| python-pulp-rpm-common | 2.8.7.15-2.el6sat | RHBA-2017:2466 |
| python-pulp-streamer | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-qpidd | 0.34-4.el6sat | RHBA-2017:2466 |
| python-qpidd-qmf | 0.34-4.el6 | RHBA-2017:2466 |
| qpidd-cpp-client | 0.34-25.el6sat | RHBA-2017:2466 |
| qpidd-cpp-client-devel | 0.34-25.el6sat | RHBA-2017:2466 |
| qpidd-cpp-server | 0.34-25.el6sat | RHBA-2017:2466 |
| qpidd-cpp-server-linearstore | 0.34-25.el6sat | RHBA-2017:2466 |
| qpidd-qmf | 0.34-4.el6 | RHBA-2017:2466 |
| qpidd-tools | 0.34-2.el6 | RHBA-2017:2466 |
| satellite | 6.2.11-2.0.el6sat | RHBA-2017:2466 |
| satellite-capsule | 6.2.11-2.0.el6sat | RHBA-2017:2466 |
| satellite-cli | 6.2.11-2.0.el6sat | RHBA-2017:2466 |
| satellite-debug-tools | 6.2.11-2.0.el6sat | RHBA-2017:2466 |
| tfm-rubygem-foreman_theme_satellite | 0.1.46-1.el6sat | RHBA-2017:2466 |
| tfm-rubygem-katello | 3.0.0.144-1.el6sat | RHBA-2017:2466 |
| tfm-rubygem-qpidd_messaging | 0.34.1-2.el6sat | RHBA-2017:2466 |

13.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** repository.

Table 58. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.83-1.el6sat | RHBA-2017:2466 |

| Name | Version | Advisory |
|--------------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.93-1.el6sat | RHBA-2017:2466 |
| katello-agent | 3.0.1-1.el6sat | RHBA-2017:2466 |
| katello-capsule | 3.0.0-21.el6sat | RHBA-2017:2466 |
| katello-debug | 3.0.0-21.el6sat | RHBA-2017:2466 |
| katello-host-tools | 3.0.1-1.el6sat | RHBA-2017:2466 |
| katello-host-tools-fact-plugin | 3.0.1-1.el6sat | RHBA-2017:2466 |
| katello-installer-base | 3.0.0.93-1.el6sat | RHBA-2017:2466 |
| katello-service | 3.0.0-21.el6sat | RHBA-2017:2466 |
| pulp-admin-client | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| pulp-nodes-child | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| pulp-nodes-common | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| pulp-nodes-parent | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| pulp-rpm-admin-extensions | 2.8.7.15-2.el6sat | RHBA-2017:2466 |
| pulp-rpm-handlers | 2.8.7.15-2.el6sat | RHBA-2017:2466 |
| pulp-rpm-plugins | 2.8.7.15-2.el6sat | RHBA-2017:2466 |
| pulp-selinux | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| pulp-server | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-agent-lib | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-bindings | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-client-lib | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-common | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-oid_validation | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-pulp-repoauth | 2.8.7.13-1.el6sat | RHBA-2017:2466 |

| Name | Version | Advisory |
|------------------------------|-------------------|--------------------------------|
| python-pulp-rpm-common | 2.8.7.15-2.el6sat | RHBA-2017:2466 |
| python-pulp-streamer | 2.8.7.13-1.el6sat | RHBA-2017:2466 |
| python-qpidd | 0.34-4.el6sat | RHBA-2017:2466 |
| python-qpidd-qmf | 0.34-4.el6 | RHBA-2017:2466 |
| qpidd-cpp-client | 0.34-25.el6sat | RHBA-2017:2466 |
| qpidd-cpp-server | 0.34-25.el6sat | RHBA-2017:2466 |
| qpidd-cpp-server-linearstore | 0.34-25.el6sat | RHBA-2017:2466 |
| qpidd-qmf | 0.34-4.el6 | RHBA-2017:2466 |
| qpidd-tools | 0.34-2.el6 | RHBA-2017:2466 |
| satellite-capsule | 6.2.11-2.0.el6sat | RHBA-2017:2466 |
| satellite-debug-tools | 6.2.11-2.0.el6sat | RHBA-2017:2466 |

14. RED HAT SATELLITE 6.2.12

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.12.

14.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

14.1.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-7-server-satellite-6.2-rpms` repository.

Table 59. Red Hat Satellite Packages

| Name | Version | Advisory |
|-----------------|--------------------|--------------------------------|
| foreman | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-compute | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-debug | 1.11.0.85-1.el7sat | RHBA-2017:2803 |

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| foreman-ec2 | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-gce | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-installer-katello | 3.0.0.96-1.el7sat | RHBA-2017:2803 |
| foreman-libvirt | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-openstack | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-ovirt | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-postgresql | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-rackspace | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-vmware | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| katello | 3.0.0-26.el7sat | RHBA-2017:2803 |
| katello-agent | 3.0.2-1.el7sat | RHBA-2017:2803 |
| katello-capsule | 3.0.0-26.el7sat | RHBA-2017:2803 |
| katello-common | 3.0.0-26.el7sat | RHBA-2017:2803 |
| katello-debug | 3.0.0-26.el7sat | RHBA-2017:2803 |
| katello-host-tools | 3.0.2-1.el7sat | RHBA-2017:2803 |
| katello-host-tools-fact-plugin | 3.0.2-1.el7sat | RHBA-2017:2803 |
| katello-installer-base | 3.0.0.96-1.el7sat | RHBA-2017:2803 |
| katello-service | 3.0.0-26.el7sat | RHBA-2017:2803 |
| pulp-admin-client | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| pulp-rpm-admin-extensions | 2.8.7.16-1.el7sat | RHBA-2017:2803 |
| pulp-rpm-handlers | 2.8.7.16-1.el7sat | RHBA-2017:2803 |
| pulp-rpm-plugins | 2.8.7.16-1.el7sat | RHBA-2017:2803 |
| pulp-selinux | 2.8.7.15-1.el7sat | RHBA-2017:2803 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| pulp-server | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-agent-lib | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-bindings | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-client-lib | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-common | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-oid_validation | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-repoauth | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-rpm-common | 2.8.7.16-1.el7sat | RHBA-2017:2803 |
| python-pulp-streamer | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| satellite | 6.2.12-5.0.el7sat | RHBA-2017:2803 |
| satellite-capsule | 6.2.12-5.0.el7sat | RHBA-2017:2803 |
| satellite-cli | 6.2.12-5.0.el7sat | RHBA-2017:2803 |
| satellite-debug-tools | 6.2.12-5.0.el7sat | RHBA-2017:2803 |
| tfm-rubygem-foreman_openscap | 0.5.3.23-1.el7sat | RHBA-2017:2803 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.19-1.el7sat | RHBA-2017:2803 |
| tfm-rubygem-foreman_theme_satellite | 0.1.47-1.el7sat | RHBA-2017:2803 |
| tfm-rubygem-katello | 3.0.0.154-1.el7sat | RHBA-2017:2803 |
| tfm-rubygem-katello_ostree | 3.0.0.154-1.el7sat | RHBA-2017:2803 |
| tfm-rubygem-rbovirt | 0.0.38.1-1.el7sat | RHBA-2017:2803 |

14.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** repository.

Table 60. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.85-1.el7sat | RHBA-2017:2803 |
| foreman-installer-katello | 3.0.0.96-1.el7sat | RHBA-2017:2803 |
| katello-agent | 3.0.2-1.el7sat | RHBA-2017:2803 |
| katello-capsule | 3.0.0-26.el7sat | RHBA-2017:2803 |
| katello-debug | 3.0.0-26.el7sat | RHBA-2017:2803 |
| katello-host-tools | 3.0.2-1.el7sat | RHBA-2017:2803 |
| katello-host-tools-fact-plugin | 3.0.2-1.el7sat | RHBA-2017:2803 |
| katello-installer-base | 3.0.0.96-1.el7sat | RHBA-2017:2803 |
| katello-service | 3.0.0-26.el7sat | RHBA-2017:2803 |
| pulp-admin-client | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| pulp-nodes-child | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| pulp-nodes-common | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| pulp-nodes-parent | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| pulp-rpm-admin-extensions | 2.8.7.16-1.el7sat | RHBA-2017:2803 |
| pulp-rpm-handlers | 2.8.7.16-1.el7sat | RHBA-2017:2803 |
| pulp-rpm-plugins | 2.8.7.16-1.el7sat | RHBA-2017:2803 |
| pulp-selinux | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| pulp-server | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-agent-lib | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-bindings | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-client-lib | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-common | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-oid_validation | 2.8.7.15-1.el7sat | RHBA-2017:2803 |

| Name | Version | Advisory |
|------------------------|-------------------|--------------------------------|
| python-pulp-repoauth | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| python-pulp-rpm-common | 2.8.7.16-1.el7sat | RHBA-2017:2803 |
| python-pulp-streamer | 2.8.7.15-1.el7sat | RHBA-2017:2803 |
| satellite-capsule | 6.2.12-5.0.el7sat | RHBA-2017:2803 |
| satellite-debug-tools | 6.2.12-5.0.el7sat | RHBA-2017:2803 |

14.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

14.2.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-6-server-satellite-6.2-rpms` repository.

Table 61. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-compute | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-debug | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-ec2 | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-gce | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-installer-katello | 3.0.0.96-1.el6sat | RHBA-2017:2803 |
| foreman-libvirt | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-openstack | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-ovirt | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-postgresql | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-rackspace | 1.11.0.85-1.el6sat | RHBA-2017:2803 |

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| foreman-vmware | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| katello | 3.0.0-26.el6sat | RHBA-2017:2803 |
| katello-agent | 3.0.2-1.el6sat | RHBA-2017:2803 |
| katello-capsule | 3.0.0-26.el6sat | RHBA-2017:2803 |
| katello-common | 3.0.0-26.el6sat | RHBA-2017:2803 |
| katello-debug | 3.0.0-26.el6sat | RHBA-2017:2803 |
| katello-host-tools | 3.0.2-1.el6sat | RHBA-2017:2803 |
| katello-host-tools-fact-plugin | 3.0.2-1.el6sat | RHBA-2017:2803 |
| katello-installer-base | 3.0.0.96-1.el6sat | RHBA-2017:2803 |
| katello-service | 3.0.0-26.el6sat | RHBA-2017:2803 |
| pulp-admin-client | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| pulp-rpm-admin-extensions | 2.8.7.16-1.el6sat | RHBA-2017:2803 |
| pulp-rpm-handlers | 2.8.7.16-1.el6sat | RHBA-2017:2803 |
| pulp-rpm-plugins | 2.8.7.16-1.el6sat | RHBA-2017:2803 |
| pulp-selinux | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| pulp-server | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-agent-lib | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-bindings | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-client-lib | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-common | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-oid_validation | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-repoauth | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-rpm-common | 2.8.7.16-1.el6sat | RHBA-2017:2803 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| python-pulp-streamer | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| satellite | 6.2.12-5.0.el6sat | RHBA-2017:2803 |
| satellite-capsule | 6.2.12-5.0.el6sat | RHBA-2017:2803 |
| satellite-cli | 6.2.12-5.0.el6sat | RHBA-2017:2803 |
| satellite-debug-tools | 6.2.12-5.0.el6sat | RHBA-2017:2803 |
| tfm-rubygem-foreman_openscap | 0.5.3.23-1.el6sat | RHBA-2017:2803 |
| tfm-rubygem-foreman_remote_execution | 0.3.0.19-1.el6sat | RHBA-2017:2803 |
| tfm-rubygem-foreman_theme_satellite | 0.1.47-1.el6sat | RHBA-2017:2803 |
| tfm-rubygem-katello | 3.0.0.154-1.el6sat | RHBA-2017:2803 |
| tfm-rubygem-rbovirt | 0.0.38.1-1.el6sat | RHBA-2017:2803 |

14.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** repository.

Table 62. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|--------------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.85-1.el6sat | RHBA-2017:2803 |
| foreman-installer-katello | 3.0.0.96-1.el6sat | RHBA-2017:2803 |
| katello-agent | 3.0.2-1.el6sat | RHBA-2017:2803 |
| katello-capsule | 3.0.0-26.el6sat | RHBA-2017:2803 |
| katello-debug | 3.0.0-26.el6sat | RHBA-2017:2803 |
| katello-host-tools | 3.0.2-1.el6sat | RHBA-2017:2803 |
| katello-host-tools-fact-plugin | 3.0.2-1.el6sat | RHBA-2017:2803 |

| Name | Version | Advisory |
|----------------------------|-------------------|--------------------------------|
| katello-installer-base | 3.0.0.96-1.el6sat | RHBA-2017:2803 |
| katello-service | 3.0.0-26.el6sat | RHBA-2017:2803 |
| pulp-admin-client | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| pulp-nodes-child | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| pulp-nodes-common | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| pulp-nodes-parent | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| pulp-rpm-admin-extensions | 2.8.7.16-1.el6sat | RHBA-2017:2803 |
| pulp-rpm-handlers | 2.8.7.16-1.el6sat | RHBA-2017:2803 |
| pulp-rpm-plugins | 2.8.7.16-1.el6sat | RHBA-2017:2803 |
| pulp-selinux | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| pulp-server | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-agent-lib | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-bindings | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-client-lib | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-common | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-oid_validation | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-repoauth | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| python-pulp-rpm-common | 2.8.7.16-1.el6sat | RHBA-2017:2803 |
| python-pulp-streamer | 2.8.7.15-1.el6sat | RHBA-2017:2803 |
| satellite-capsule | 6.2.12-5.0.el6sat | RHBA-2017:2803 |
| satellite-debug-tools | 6.2.12-5.0.el6sat | RHBA-2017:2803 |

15. RED HAT SATELLITE 6.2.13

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.13.

15.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

15.1.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-7-server-satellite-6.2-rpms` repository.

Table 63. Red Hat Satellite Packages

| Name | Version | Advisory |
|----------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.97-1.el7sat | RHBA-2017:3492 |
| katello | 3.0.0-31.el7sat | RHBA-2017:3492 |
| katello-capsule | 3.0.0-31.el7sat | RHBA-2017:3492 |
| katello-common | 3.0.0-31.el7sat | RHBA-2017:3492 |
| katello-debug | 3.0.0-31.el7sat | RHBA-2017:3492 |
| katello-installer-base | 3.0.0.97-1.el7sat | RHBA-2017:3492 |
| katello-service | 3.0.0-31.el7sat | RHBA-2017:3492 |
| pulp-admin-client | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| pulp-selinux | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| pulp-server | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-agent-lib | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-bindings | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-client-lib | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-common | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-oid_validation | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-repoauth | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-streamer | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| satellite | 6.2.13-4.0.el7sat | RHBA-2017:3492 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| satellite-capsule | 6.2.13-4.0.el7sat | RHBA-2017:3492 |
| satellite-cli | 6.2.13-4.0.el7sat | RHBA-2017:3492 |
| satellite-debug-tools | 6.2.13-4.0.el7sat | RHBA-2017:3492 |
| tfm-rubygem-foreman-redhat_access | 1.0.18-2.el7sat | RHBA-2017:3492 |
| tfm-rubygem-foreman_theme_satellite | 0.1.47.1-1.el7sat | RHBA-2017:3492 |
| tfm-rubygem-katello | 3.0.0.158-1.el7sat | RHBA-2017:3492 |
| tfm-rubygem-katello_ostree | 3.0.0.158-1.el7sat | RHBA-2017:3492 |
| tfm-rubygem-redhat_access_lib | 1.0.8-2.el7sat | RHBA-2017:3492 |

15.1.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.2-rpms** repository.

Table 64. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|---------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.97-1.el7sat | RHBA-2017:3492 |
| katello-capsule | 3.0.0-31.el7sat | RHBA-2017:3492 |
| katello-debug | 3.0.0-31.el7sat | RHBA-2017:3492 |
| katello-installer-base | 3.0.0.97-1.el7sat | RHBA-2017:3492 |
| katello-service | 3.0.0-31.el7sat | RHBA-2017:3492 |
| pulp-admin-client | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| pulp-nodes-child | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| pulp-nodes-common | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| pulp-nodes-parent | 2.8.7.17-1.el7sat | RHBA-2017:3492 |

| Name | Version | Advisory |
|----------------------------|-------------------|--------------------------------|
| pulp-selinux | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| pulp-server | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-agent-lib | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-bindings | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-client-lib | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-common | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-oid_validation | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-repoauth | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| python-pulp-streamer | 2.8.7.17-1.el7sat | RHBA-2017:3492 |
| satellite-capsule | 6.2.13-4.0.el7sat | RHBA-2017:3492 |
| satellite-debug-tools | 6.2.13-4.0.el7sat | RHBA-2017:3492 |

15.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

15.2.1. Red Hat Satellite

The following table outlines the packages included in the `rhel-6-server-satellite-6.2-rpms` repository.

Table 65. Red Hat Satellite Packages

| Name | Version | Advisory |
|---------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.97-1.el6sat | RHBA-2017:3492 |
| katello | 3.0.0-31.el6sat | RHBA-2017:3492 |
| katello-capsule | 3.0.0-31.el6sat | RHBA-2017:3492 |
| katello-common | 3.0.0-31.el6sat | RHBA-2017:3492 |
| katello-debug | 3.0.0-31.el6sat | RHBA-2017:3492 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| katello-installer-base | 3.0.0.97-1.el6sat | RHBA-2017:3492 |
| katello-service | 3.0.0-31.el6sat | RHBA-2017:3492 |
| pulp-admin-client | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| pulp-selinux | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| pulp-server | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-agent-lib | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-bindings | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-client-lib | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-common | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-oid_validation | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-repoauth | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-streamer | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| satellite | 6.2.13-4.0.el6sat | RHBA-2017:3492 |
| satellite-capsule | 6.2.13-4.0.el6sat | RHBA-2017:3492 |
| satellite-cli | 6.2.13-4.0.el6sat | RHBA-2017:3492 |
| satellite-debug-tools | 6.2.13-4.0.el6sat | RHBA-2017:3492 |
| tfm-rubygem-foreman-redhat_access | 1.0.18-2.el6sat | RHBA-2017:3492 |
| tfm-rubygem-foreman_theme_satellite | 0.1.47.1-1.el6sat | RHBA-2017:3492 |
| tfm-rubygem-katello | 3.0.0.158-1.el6sat | RHBA-2017:3492 |
| tfm-rubygem-redhat_access_lib | 1.0.8-2.el6sat | RHBA-2017:3492 |

15.2.2. Red Hat Satellite Capsule

The following table outlines the packages included in the **rhel-6-server-satellite-capsule-6.2-rpms** repository.

Table 66. Red Hat Satellite Capsule Packages

| Name | Version | Advisory |
|----------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.0.0.97-1.el6sat | RHBA-2017:3492 |
| katello-capsule | 3.0.0-31.el6sat | RHBA-2017:3492 |
| katello-debug | 3.0.0-31.el6sat | RHBA-2017:3492 |
| katello-installer-base | 3.0.0.97-1.el6sat | RHBA-2017:3492 |
| katello-service | 3.0.0-31.el6sat | RHBA-2017:3492 |
| pulp-admin-client | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| pulp-nodes-child | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| pulp-nodes-common | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| pulp-nodes-parent | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| pulp-selinux | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| pulp-server | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-agent-lib | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-bindings | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-client-lib | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-common | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-oid_validation | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-repoauth | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| python-pulp-streamer | 2.8.7.17-1.el6sat | RHBA-2017:3492 |
| satellite-capsule | 6.2.13-4.0.el6sat | RHBA-2017:3492 |
| satellite-debug-tools | 6.2.13-4.0.el6sat | RHBA-2017:3492 |

16. RED HAT SATELLITE 6.2.14

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.14.

16.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

16.1.1. Red Hat Satellite 6.2 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the `rhel-7-server-satellite-6.2-rpms` repository.

Table 67. Red Hat Satellite 6.2 (for RHEL 7 Server) (RPMs) Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| candlepin | 0.9.54.26-1.el7 | RHSA-2018:0273 |
| candlepin-selinux | 0.9.54.26-1.el7 | RHSA-2018:0273 |
| foreman | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-compute | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-debug | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-ec2 | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-gce | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-installer | 1.11.0.18-1.el7sat | RHSA-2018:0273 |
| foreman-installer-katello | 3.0.0.101-1.el7sat | RHSA-2018:0273 |
| foreman-libvirt | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-openstack | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-ovirt | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-postgresql | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-rackspace | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-vmware | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| katello | 3.0.0-33.el7sat | RHSA-2018:0273 |

| Name | Version | Advisory |
|------------------------------|--------------------|--------------------------------|
| katello-capsule | 3.0.0-33.el7sat | RHSA-2018:0273 |
| katello-common | 3.0.0-33.el7sat | RHSA-2018:0273 |
| katello-debug | 3.0.0-33.el7sat | RHSA-2018:0273 |
| katello-installer-base | 3.0.0.101-1.el7sat | RHSA-2018:0273 |
| katello-service | 3.0.0-33.el7sat | RHSA-2018:0273 |
| libqpid-dispatch | 0.4-27.el7sat | RHSA-2018:0273 |
| pulp-admin-client | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| pulp-puppet-admin-extensions | 2.8.7.2-1.el7sat | RHSA-2018:0273 |
| pulp-puppet-plugins | 2.8.7.2-1.el7sat | RHSA-2018:0273 |
| pulp-puppet-tools | 2.8.7.2-1.el7sat | RHSA-2018:0273 |
| pulp-selinux | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| pulp-server | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-agent-lib | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-bindings | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-client-lib | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-common | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-oid_validation | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-puppet-common | 2.8.7.2-1.el7sat | RHSA-2018:0273 |
| python-pulp-repoauth | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-streamer | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-qpid-proton | 0.9-21.el7 | RHSA-2018:0273 |
| python-twisted-web | 12.1.0-5.el7_2 | RHSA-2018:0273 |
| qpid-dispatch-router | 0.4-27.el7sat | RHSA-2018:0273 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| qpid-dispatch-tools | 0.4-27.el7sat | RHSA-2018:0273 |
| qpid-proton-c | 0.9-21.el7 | RHSA-2018:0273 |
| rubygem-smart_proxy_openscap | 0.5.3.9-2.el7sat | RHSA-2018:0273 |
| satellite | 6.2.14-4.0.el7sat | RHSA-2018:0273 |
| satellite-capsule | 6.2.14-4.0.el7sat | RHSA-2018:0273 |
| satellite-cli | 6.2.14-4.0.el7sat | RHSA-2018:0273 |
| satellite-debug-tools | 6.2.14-4.0.el7sat | RHSA-2018:0273 |
| tfm-rubygem-foreman_theme_satellite | 0.1.47.2-1.el7sat | RHSA-2018:0273 |
| tfm-rubygem-katello | 3.0.0.162-1.el7sat | RHSA-2018:0273 |
| tfm-rubygem-katello_ostree | 3.0.0.162-1.el7sat | RHSA-2018:0273 |

16.1.2. Red Hat Satellite Capsule 6.2 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the `rhel-7-server-satellite-capsule-6.2-rpms` repository.

Table 68. Red Hat Satellite Capsule 6.2 (for RHEL 7 Server) (RPMs) Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.86-1.el7sat | RHSA-2018:0273 |
| foreman-installer | 1.11.0.18-1.el7sat | RHSA-2018:0273 |
| foreman-installer-katello | 3.0.0.101-1.el7sat | RHSA-2018:0273 |
| katello-capsule | 3.0.0-33.el7sat | RHSA-2018:0273 |
| katello-debug | 3.0.0-33.el7sat | RHSA-2018:0273 |
| katello-installer-base | 3.0.0.101-1.el7sat | RHSA-2018:0273 |
| katello-service | 3.0.0-33.el7sat | RHSA-2018:0273 |
| libqpid-dispatch | 0.4-27.el7sat | RHSA-2018:0273 |

| Name | Version | Advisory |
|------------------------------|-------------------|--------------------------------|
| pulp-admin-client | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| pulp-nodes-child | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| pulp-nodes-common | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| pulp-nodes-parent | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| pulp-puppet-admin-extensions | 2.8.7.2-1.el7sat | RHSA-2018:0273 |
| pulp-puppet-plugins | 2.8.7.2-1.el7sat | RHSA-2018:0273 |
| pulp-selinux | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| pulp-server | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-agent-lib | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-bindings | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-client-lib | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-common | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-oid_validation | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-puppet-common | 2.8.7.2-1.el7sat | RHSA-2018:0273 |
| python-pulp-repoauth | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-pulp-streamer | 2.8.7.18-1.el7sat | RHSA-2018:0273 |
| python-qpuid-proton | 0.9-21.el7 | RHSA-2018:0273 |
| python-twisted-web | 12.1.0-5.el7_2 | RHSA-2018:0273 |
| qpuid-dispatch-router | 0.4-27.el7sat | RHSA-2018:0273 |
| qpuid-dispatch-tools | 0.4-27.el7sat | RHSA-2018:0273 |
| qpuid-proton-c | 0.9-21.el7 | RHSA-2018:0273 |
| rubygem-smart_proxy_openscap | 0.5.3.9-2.el7sat | RHSA-2018:0273 |
| satellite-capsule | 6.2.14-4.0.el7sat | RHSA-2018:0273 |

| Name | Version | Advisory |
|-----------------------|-------------------|--------------------------------|
| satellite-debug-tools | 6.2.14-4.0.el7sat | RHSA-2018:0273 |

16.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

16.2.1. Red Hat Satellite 6.2 (for RHEL 6 Server) (RPMs)

The following table outlines the packages included in the `rhel-6-server-satellite-6.2-rpms` repository.

Table 69. Red Hat Satellite 6.2 (for RHEL 6 Server) (RPMs) Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| andlepin | 0.9.54.26-1.el6 | RHSA-2018:0273 |
| andlepin-selinux | 0.9.54.26-1.el6 | RHSA-2018:0273 |
| foreman | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-compute | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-debug | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-ec2 | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-gce | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-installer | 1.11.0.18-1.el6sat | RHSA-2018:0273 |
| foreman-installer-katello | 3.0.0.101-1.el6sat | RHSA-2018:0273 |
| foreman-libvirt | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-openstack | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-ovirt | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-postgresql | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-rackspace | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-vmware | 1.11.0.86-1.el6sat | RHSA-2018:0273 |

| Name | Version | Advisory |
|------------------------------|--------------------|--------------------------------|
| katello | 3.0.0-33.el6sat | RHSA-2018:0273 |
| katello-capsule | 3.0.0-33.el6sat | RHSA-2018:0273 |
| katello-common | 3.0.0-33.el6sat | RHSA-2018:0273 |
| katello-debug | 3.0.0-33.el6sat | RHSA-2018:0273 |
| katello-installer-base | 3.0.0.101-1.el6sat | RHSA-2018:0273 |
| katello-service | 3.0.0-33.el6sat | RHSA-2018:0273 |
| libqpid-dispatch | 0.4-27.el6sat | RHSA-2018:0273 |
| pulp-admin-client | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| pulp-puppet-admin-extensions | 2.8.7.2-1.el6sat | RHSA-2018:0273 |
| pulp-puppet-plugins | 2.8.7.2-1.el6sat | RHSA-2018:0273 |
| pulp-puppet-tools | 2.8.7.2-1.el6sat | RHSA-2018:0273 |
| pulp-selinux | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| pulp-server | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-agent-lib | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-bindings | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-client-lib | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-common | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-oid_validation | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-puppet-common | 2.8.7.2-1.el6sat | RHSA-2018:0273 |
| python-pulp-repoauth | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-streamer | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-qpid-proton | 0.9-21.el6 | RHSA-2018:0273 |
| qpid-dispatch-router | 0.4-27.el6sat | RHSA-2018:0273 |

| Name | Version | Advisory |
|-------------------------------------|--------------------|--------------------------------|
| qpid-dispatch-tools | 0.4-27.el6sat | RHSA-2018:0273 |
| qpid-proton-c | 0.9-21.el6 | RHSA-2018:0273 |
| rubygem-smart_proxy_openscap | 0.5.3.9-2.el6sat | RHSA-2018:0273 |
| satellite | 6.2.14-4.0.el6sat | RHSA-2018:0273 |
| satellite-capsule | 6.2.14-4.0.el6sat | RHSA-2018:0273 |
| satellite-cli | 6.2.14-4.0.el6sat | RHSA-2018:0273 |
| satellite-debug-tools | 6.2.14-4.0.el6sat | RHSA-2018:0273 |
| tfm-rubygem-foreman_theme_satellite | 0.1.47.2-1.el6sat | RHSA-2018:0273 |
| tfm-rubygem-katello | 3.0.0.162-1.el6sat | RHSA-2018:0273 |

16.2.2. Red Hat Satellite Capsule 6.2 (for RHEL 6 Server) (RPMs)

The following table outlines the packages included in the `rhel-6-server-satellite-capsule-6.2-rpms` repository.

Table 70. Red Hat Satellite Capsule 6.2 (for RHEL 6 Server) (RPMs) Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.86-1.el6sat | RHSA-2018:0273 |
| foreman-installer | 1.11.0.18-1.el6sat | RHSA-2018:0273 |
| foreman-installer-katello | 3.0.0.101-1.el6sat | RHSA-2018:0273 |
| katello-capsule | 3.0.0-33.el6sat | RHSA-2018:0273 |
| katello-debug | 3.0.0-33.el6sat | RHSA-2018:0273 |
| katello-installer-base | 3.0.0.101-1.el6sat | RHSA-2018:0273 |
| katello-service | 3.0.0-33.el6sat | RHSA-2018:0273 |
| libqpid-dispatch | 0.4-27.el6sat | RHSA-2018:0273 |
| pulp-admin-client | 2.8.7.18-1.el6sat | RHSA-2018:0273 |

| Name | Version | Advisory |
|------------------------------|-------------------|--------------------------------|
| pulp-nodes-child | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| pulp-nodes-common | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| pulp-nodes-parent | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| pulp-puppet-admin-extensions | 2.8.7.2-1.el6sat | RHSA-2018:0273 |
| pulp-puppet-plugins | 2.8.7.2-1.el6sat | RHSA-2018:0273 |
| pulp-selinux | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| pulp-server | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-agent-lib | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-bindings | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-client-lib | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-common | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-oid_validation | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-puppet-common | 2.8.7.2-1.el6sat | RHSA-2018:0273 |
| python-pulp-repoauth | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-pulp-streamer | 2.8.7.18-1.el6sat | RHSA-2018:0273 |
| python-qpuid-proton | 0.9-21.el6 | RHSA-2018:0273 |
| qpuid-dispatch-router | 0.4-27.el6sat | RHSA-2018:0273 |
| qpuid-dispatch-tools | 0.4-27.el6sat | RHSA-2018:0273 |
| qpuid-proton-c | 0.9-21.el6 | RHSA-2018:0273 |
| rubygem-smart_proxy_openscap | 0.5.3.9-2.el6sat | RHSA-2018:0273 |
| satellite-capsule | 6.2.14-4.0.el6sat | RHSA-2018:0273 |
| satellite-debug-tools | 6.2.14-4.0.el6sat | RHSA-2018:0273 |

17. RED HAT SATELLITE 6.2.15

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.2.15.

17.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

17.1.1. Red Hat Satellite 6.2 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the `rhel-7-server-satellite-6.2-rpms` repository.

Table 71. Red Hat Satellite 6.2 (for RHEL 7 Server) (RPMs) Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-compute | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-debug | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-ec2 | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-gce | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-installer | 1.11.0.20-1.el7sat | RHBA-2018:1672 |
| foreman-installer-katello | 3.0.0.103-1.el7sat | RHBA-2018:1672 |
| foreman-libvirt | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-openstack | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-ovirt | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-postgresql | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-proxy | 1.11.0.8-1.el7sat | RHBA-2018:1672 |
| foreman-rackspace | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-vmware | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| katello | 3.0.0-34.el7sat | RHBA-2018:1672 |
| katello-capsule | 3.0.0-34.el7sat | RHBA-2018:1672 |

| Name | Version | Advisory |
|-----------------------------|--------------------|--------------------------------|
| katello-common | 3.0.0-34.el7sat | RHBA-2018:1672 |
| katello-debug | 3.0.0-34.el7sat | RHBA-2018:1672 |
| katello-installer-base | 3.0.0.103-1.el7sat | RHBA-2018:1672 |
| katello-service | 3.0.0-34.el7sat | RHBA-2018:1672 |
| libqpid-dispatch | 0.4-29.el7sat | RHBA-2018:1672 |
| pulp-admin-client | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| pulp-selinux | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| pulp-server | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-agent-lib | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-bindings | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-client-lib | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-common | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-oid_validation | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-repoauth | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-streamer | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| qpid-dispatch-router | 0.4-29.el7sat | RHBA-2018:1672 |
| qpid-dispatch-tools | 0.4-29.el7sat | RHBA-2018:1672 |
| rubygem-smart_proxy_dynflow | 0.1.3.2-1.el7sat | RHBA-2018:1672 |
| satellite | 6.2.15-1.0.el7sat | RHBA-2018:1672 |
| satellite-capsule | 6.2.15-1.0.el7sat | RHBA-2018:1672 |
| satellite-cli | 6.2.15-1.0.el7sat | RHBA-2018:1672 |
| satellite-debug-tools | 6.2.15-1.0.el7sat | RHBA-2018:1672 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| tfm-rubygem-foreman_theme_satellite | 0.1.47.3-1.el7sat | RHBA-2018:1672 |
| tfm-rubygem-katello | 3.0.0.170-1.el7sat | RHBA-2018:1672 |
| tfm-rubygem-katello_ostree | 3.0.0.170-1.el7sat | RHBA-2018:1672 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3.2-1.el7sat | RHBA-2018:1672 |

17.1.2. Red Hat Satellite Capsule 6.2 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the `rhel-7-server-satellite-capsule-6.2-rpms` repository.

Table 72. Red Hat Satellite Capsule 6.2 (for RHEL 7 Server) (RPMs) Packages

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.89-1.el7sat | RHBA-2018:1672 |
| foreman-installer | 1.11.0.20-1.el7sat | RHBA-2018:1672 |
| foreman-installer-katello | 3.0.0.103-1.el7sat | RHBA-2018:1672 |
| foreman-proxy | 1.11.0.8-1.el7sat | RHBA-2018:1672 |
| katello-capsule | 3.0.0-34.el7sat | RHBA-2018:1672 |
| katello-debug | 3.0.0-34.el7sat | RHBA-2018:1672 |
| katello-installer-base | 3.0.0.103-1.el7sat | RHBA-2018:1672 |
| katello-service | 3.0.0-34.el7sat | RHBA-2018:1672 |
| libqpid-dispatch | 0.4-29.el7sat | RHBA-2018:1672 |
| pulp-admin-client | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| pulp-nodes-child | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| pulp-nodes-common | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| pulp-nodes-parent | 2.8.7.20-1.el7sat | RHBA-2018:1672 |

| Name | Version | Advisory |
|--------------------------------------|-------------------|--------------------------------|
| pulp-selinux | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| pulp-server | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-agent-lib | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-bindings | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-client-lib | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-common | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-oid_validation | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-repoauth | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| python-pulp-streamer | 2.8.7.20-1.el7sat | RHBA-2018:1672 |
| qpid-dispatch-router | 0.4-29.el7sat | RHBA-2018:1672 |
| qpid-dispatch-tools | 0.4-29.el7sat | RHBA-2018:1672 |
| rubygem-smart_proxy_dynflow | 0.1.3.2-1.el7sat | RHBA-2018:1672 |
| satellite-capsule | 6.2.15-1.0.el7sat | RHBA-2018:1672 |
| satellite-debug-tools | 6.2.15-1.0.el7sat | RHBA-2018:1672 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3.2-1.el7sat | RHBA-2018:1672 |

17.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

17.2.1. Red Hat Satellite 6.2 (for RHEL 6 Server) (RPMs)

The following table outlines the packages included in the `rhel-6-server-satellite-6.2-rpms` repository.

Table 73. Red Hat Satellite 6.2 (for RHEL 6 Server) (RPMs) Packages

| Name | Version | Advisory |
|---------|--------------------|--------------------------------|
| foreman | 1.11.0.89-1.el6sat | RHBA-2018:1672 |

| Name | Version | Advisory |
|---------------------------|--------------------|--------------------------------|
| foreman-compute | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-debug | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-ec2 | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-gce | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-installer | 1.11.0.20-1.el6sat | RHBA-2018:1672 |
| foreman-installer-katello | 3.0.0.103-1.el6sat | RHBA-2018:1672 |
| foreman-libvirt | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-openstack | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-ovirt | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-postgresql | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-proxy | 1.11.0.8-1.el6sat | RHBA-2018:1672 |
| foreman-rackspace | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-vmware | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| katello | 3.0.0-34.el6sat | RHBA-2018:1672 |
| katello-capsule | 3.0.0-34.el6sat | RHBA-2018:1672 |
| katello-common | 3.0.0-34.el6sat | RHBA-2018:1672 |
| katello-debug | 3.0.0-34.el6sat | RHBA-2018:1672 |
| katello-installer-base | 3.0.0.103-1.el6sat | RHBA-2018:1672 |
| katello-service | 3.0.0-34.el6sat | RHBA-2018:1672 |
| libqpid-dispatch | 0.4-29.el6sat | RHBA-2018:1672 |
| pulp-admin-client | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| pulp-selinux | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| pulp-server | 2.8.7.20-1.el6sat | RHBA-2018:1672 |

| Name | Version | Advisory |
|--------------------------------------|--------------------|--------------------------------|
| python-pulp-agent-lib | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-bindings | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-client-lib | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-common | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-oid_validation | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-repoauth | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-streamer | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| qpid-dispatch-router | 0.4-29.el6sat | RHBA-2018:1672 |
| qpid-dispatch-tools | 0.4-29.el6sat | RHBA-2018:1672 |
| rubygem-smart_proxy_dynflow | 0.1.3.2-1.el6sat | RHBA-2018:1672 |
| satellite | 6.2.15-1.0.el6sat | RHBA-2018:1672 |
| satellite-capsule | 6.2.15-1.0.el6sat | RHBA-2018:1672 |
| satellite-cli | 6.2.15-1.0.el6sat | RHBA-2018:1672 |
| satellite-debug-tools | 6.2.15-1.0.el6sat | RHBA-2018:1672 |
| tfm-rubygem-foreman_theme_satellite | 0.1.47.3-1.el6sat | RHBA-2018:1672 |
| tfm-rubygem-katello | 3.0.0.170-1.el6sat | RHBA-2018:1672 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3.2-1.el6sat | RHBA-2018:1672 |

17.2.2. Red Hat Satellite Capsule 6.2 (for RHEL 6 Server) (RPMs)

The following table outlines the packages included in the `rhel-6-server-satellite-capsule-6.2-rpms` repository.

Table 74. Red Hat Satellite Capsule 6.2 (for RHEL 6 Server) (RPMs) Packages

| Name | Version | Advisory |
|----------------------------|--------------------|--------------------------------|
| foreman-debug | 1.11.0.89-1.el6sat | RHBA-2018:1672 |
| foreman-installer | 1.11.0.20-1.el6sat | RHBA-2018:1672 |
| foreman-installer-katello | 3.0.0.103-1.el6sat | RHBA-2018:1672 |
| foreman-proxy | 1.11.0.8-1.el6sat | RHBA-2018:1672 |
| katello-capsule | 3.0.0-34.el6sat | RHBA-2018:1672 |
| katello-debug | 3.0.0-34.el6sat | RHBA-2018:1672 |
| katello-installer-base | 3.0.0.103-1.el6sat | RHBA-2018:1672 |
| katello-service | 3.0.0-34.el6sat | RHBA-2018:1672 |
| libqpid-dispatch | 0.4-29.el6sat | RHBA-2018:1672 |
| pulp-admin-client | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| pulp-nodes-child | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| pulp-nodes-common | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| pulp-nodes-parent | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| pulp-selinux | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| pulp-server | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-agent-lib | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-bindings | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-client-lib | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-common | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-oid_validation | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-repoauth | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| python-pulp-streamer | 2.8.7.20-1.el6sat | RHBA-2018:1672 |
| qpid-dispatch-router | 0.4-29.el6sat | RHBA-2018:1672 |

| Name | Version | Advisory |
|--------------------------------------|-------------------|--------------------------------|
| qpid-dispatch-tools | 0.4-29.el6sat | RHBA-2018:1672 |
| rubygem-smart_proxy_dynflow | 0.1.3.2-1.el6sat | RHBA-2018:1672 |
| satellite-capsule | 6.2.15-1.0.el6sat | RHBA-2018:1672 |
| satellite-debug-tools | 6.2.15-1.0.el6sat | RHBA-2018:1672 |
| tfm-rubygem-smart_proxy_dynflow_core | 0.1.3.2-1.el6sat | RHBA-2018:1672 |