



OpenShift Container Platform 4.18

Logging

Configuring and using logging in OpenShift Container Platform

OpenShift Container Platform 4.18 Logging

Configuring and using logging in OpenShift Container Platform

Legal Notice

Copyright © Red Hat.

Except as otherwise noted below, the text of and illustrations in this documentation are licensed by Red Hat under the Creative Commons Attribution–Share Alike 3.0 Unported license . If you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, the Red Hat logo, JBoss, Hibernate, and RHCE are trademarks or registered trademarks of Red Hat, LLC. or its subsidiaries in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

XFS is a trademark or registered trademark of Hewlett Packard Enterprise Development LP or its subsidiaries in the United States and other countries.

The OpenStack[®] Word Mark and OpenStack logo are trademarks or registered trademarks of the Linux Foundation, used under license.

All other trademarks are the property of their respective owners.

Abstract

Use logging to collect, visualize, forward, and store log data to troubleshoot issues, identify performance bottlenecks, and detect security threats in OpenShift Container Platform.

Table of Contents

CHAPTER 1. ABOUT LOGGING	3
--------------------------------	---

CHAPTER 1. ABOUT LOGGING

As a cluster administrator, you can deploy logging on an OpenShift Container Platform cluster, and use it to collect and aggregate node system audit logs, application container logs, and infrastructure logs.

You can use logging to perform the following tasks:

- Forward logs to your chosen log outputs, including on-cluster, Red Hat managed log storage.
- Visualize your log data in the OpenShift Container Platform web console.



NOTE

Because logging releases on a different cadence from OpenShift Container Platform, the logging documentation is available as a separate documentation set at [Red Hat OpenShift Logging](#).