



builds for Red Hat OpenShift 1.5

Uninstall

Uninstalling Builds

builds for Red Hat OpenShift 1.5 Uninstall

Uninstalling Builds

Legal Notice

Copyright © Red Hat.

Except as otherwise noted below, the text of and illustrations in this documentation are licensed by Red Hat under the Creative Commons Attribution–Share Alike 3.0 Unported license . If you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, the Red Hat logo, JBoss, Hibernate, and RHCE are trademarks or registered trademarks of Red Hat, LLC. or its subsidiaries in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

XFS is a trademark or registered trademark of Hewlett Packard Enterprise Development LP or its subsidiaries in the United States and other countries.

The OpenStack[®] Word Mark and OpenStack logo are trademarks or registered trademarks of the Linux Foundation, used under license.

All other trademarks are the property of their respective owners.

Abstract

This document provides information about uninstalling Builds.

Table of Contents

CHAPTER 1. UNINSTALLING BUILDS	3
1.1. DELETING THE BUILDS COMPONENTS AND CUSTOM RESOURCES	3
1.2. UNINSTALLING THE BUILDS FOR RED HAT OPENSIFT OPERATOR	3

CHAPTER 1. UNINSTALLING BUILDS

As a cluster administrator, delete the default custom resources (CRs) and then uninstall the Operator to completely remove the Builds for Red Hat OpenShift Operator. This ensures that all associated Builds components are removed from your cluster.

1.1. DELETING THE BUILDS COMPONENTS AND CUSTOM RESOURCES

To uninstall Builds, delete the Builds custom resource definitions (CRDs) and associated components.

Prerequisites

- You are logged in to the OpenShift Container Platform cluster as an administrator.

Procedure

1. In the **Administrator** perspective of the web console, navigate to **Administration** → **Custom Resource Definition**.
2. In the **Filter by name** box, enter **shipwright.io** to search for the Builds for Red Hat OpenShift Operator CRs.
3. Click **CRD Config** to see the **Custom Resource Definition Details** page.
4. Click the **Actions** drop-down list, and select **Delete Custom Resource Definition**



NOTE

Deleting the CRs deletes the Builds controller and all the related components and tasks on the cluster.

5. Click **Delete** to confirm the deletion of the CRs.

Verification

- On the **Custom Resource Definition** page, verify that CRDs related to the Builds for Red Hat OpenShift Operator are not displayed when you filter by **shipwright.io**.

1.2. UNINSTALLING THE BUILDS FOR RED HAT OPENSIFT OPERATOR

You can uninstall the Builds for Red Hat OpenShift Operator by using the **Administrator** perspective in the web console.

Prerequisites

- You are logged in to the OpenShift Container Platform cluster as an administrator.
- You have deleted the Builds components and custom resources.

Procedure

1. Navigate to **Operators** → **OperatorHub**.

2. In the **OperatorHub** page, search for the **Builds for Red Hat OpenShift Operator** by using the **Filter by keyword** box.
3. Click the **Builds for Red Hat OpenShift Operator** tile. The Operator tile indicates that the Operator is installed.
4. In the **Builds for Red Hat OpenShift Operator** description page, click **Uninstall**.

Verification

1. Go to **Operators** → **Installed Operators**.
2. Verify that **Builds for Red Hat OpenShift Operator** is not listed on the **Installed Operators** page.

Additional resources

- [Deleting Operators from a cluster](#)