



OpenShift Container Platform 4.11

Web console

Getting started with the web console in OpenShift Container Platform

OpenShift Container Platform 4.11 Web console

Getting started with the web console in OpenShift Container Platform

Legal Notice

Copyright © 2024 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This document provides instructions for accessing and customizing the OpenShift Container Platform web console.

Table of Contents

CHAPTER 1. WEB CONSOLE OVERVIEW	9
1.1. ABOUT THE ADMINISTRATOR PERSPECTIVE IN THE WEB CONSOLE	9
1.2. ABOUT THE DEVELOPER PERSPECTIVE IN THE WEB CONSOLE	9
1.3. ACCESSING THE PERSPECTIVES	10
CHAPTER 2. ACCESSING THE WEB CONSOLE	12
2.1. PREREQUISITES	12
2.2. UNDERSTANDING AND ACCESSING THE WEB CONSOLE	12
CHAPTER 3. USING THE OPENSIFT CONTAINER PLATFORM DASHBOARD TO GET CLUSTER INFORMATION	13
3.1. ABOUT THE OPENSIFT CONTAINER PLATFORM DASHBOARDS PAGE	13
3.2. RECOGNIZING RESOURCE AND PROJECT LIMITS AND QUOTAS	14
CHAPTER 4. ADDING USER PREFERENCES	15
4.1. SETTING USER PREFERENCES	15
CHAPTER 5. CONFIGURING THE WEB CONSOLE IN OPENSIFT CONTAINER PLATFORM	16
5.1. PREREQUISITES	16
5.2. CONFIGURING THE WEB CONSOLE	16
5.3. DISABLING QUICK STARTS IN THE WEB CONSOLE	16
CHAPTER 6. CUSTOMIZING THE WEB CONSOLE IN OPENSIFT CONTAINER PLATFORM	18
6.1. ADDING A CUSTOM LOGO AND PRODUCT NAME	18
6.2. CREATING CUSTOM LINKS IN THE WEB CONSOLE	19
6.3. CUSTOMIZING CONSOLE ROUTES	20
6.3.1. Customizing the console route	20
6.3.2. Customizing the download route	21
6.4. CUSTOMIZING THE LOGIN PAGE	22
6.5. DEFINING A TEMPLATE FOR AN EXTERNAL LOG LINK	23
6.6. CREATING CUSTOM NOTIFICATION BANNERS	24
6.7. CUSTOMIZING CLI DOWNLOADS	24
6.8. ADDING YAML EXAMPLES TO KUBERNETES RESOURCES	25
CHAPTER 7. DYNAMIC PLUGINS	27
7.1. OVERVIEW OF DYNAMIC PLUGINS	27
7.1.1. About dynamic plugins	27
7.1.2. Key features	27
7.1.3. General guidelines	27
PatternFly 4 guidelines	28
7.2. GETTING STARTED WITH DYNAMIC PLUGINS	28
7.2.1. Dynamic plugin development	28
7.3. DEPLOY YOUR PLUGIN ON A CLUSTER	29
7.3.1. Build an image with Docker	29
7.3.2. Deploy your plugin on a cluster	29
7.3.3. Disabling your plugin in the browser	31
7.4. DYNAMIC PLUGIN EXAMPLE	31
7.4.1. Adding a tab to the pods page	31
7.5. DYNAMIC PLUGIN REFERENCE	33
7.5.1. Dynamic plugin extension types	33
7.5.1.1. console.action/filter	33
7.5.1.1.1. Summary	33
7.5.1.1.2. Properties	34

7.5.1.2. console.action/group	34
7.5.1.2.1. Summary	34
7.5.1.2.2. Properties	34
7.5.1.3. console.action/provider	35
7.5.1.3.1. Summary	35
7.5.1.3.2. Properties	35
7.5.1.4. console.action/resource-provider	35
7.5.1.4.1. Summary	35
7.5.1.4.2. Properties	35
7.5.1.5. console.alert-action	36
7.5.1.5.1. Summary	36
7.5.1.5.2. Properties	36
7.5.1.6. console.catalog/item-filter	36
7.5.1.6.1. Summary	36
7.5.1.6.2. Properties	36
7.5.1.7. console.catalog/item-metadata	37
7.5.1.7.1. Summary	37
7.5.1.7.2. Properties	37
7.5.1.8. console.catalog/item-provider	37
7.5.1.8.1. Summary	37
7.5.1.8.2. Properties	37
7.5.1.9. console.catalog/item-type	38
7.5.1.9.1. Summary	38
7.5.1.9.2. Properties	38
7.5.1.10. console.catalog/item-type-metadata	39
7.5.1.10.1. Summary	39
7.5.1.10.2. Properties	39
7.5.1.11. console.cluster-overview/inventory-item	39
7.5.1.11.1. Summary	39
7.5.1.11.2. Properties	39
7.5.1.12. console.cluster-overview/multiline-utilization-item	39
7.5.1.12.1. Summary	39
7.5.1.12.2. Properties	39
7.5.1.13. console.cluster-overview/utilization-item	40
7.5.1.13.1. Summary	40
7.5.1.13.2. Properties	40
7.5.1.14. console.context-provider	41
7.5.1.14.1. Summary	41
7.5.1.14.2. Properties	41
7.5.1.15. console.dashboards/card	41
7.5.1.15.1. Summary	41
7.5.1.15.2. Properties	41
7.5.1.16. console.dashboards/overview/activity/resource	41
7.5.1.16.1. Summary	41
7.5.1.16.2. Properties	42
7.5.1.17. console.dashboards/overview/detail/item	42
7.5.1.17.1. Summary	42
7.5.1.17.2. Properties	42
7.5.1.18. console.dashboards/overview/health/operator	42
7.5.1.18.1. Summary	42
7.5.1.18.2. Properties	42
7.5.1.19. console.dashboards/overview/health/prometheus	43
7.5.1.19.1. Summary	43

7.5.119.2. Properties	43
7.5.120. console.dashboards/overview/health/resource	44
7.5.120.1. Summary	44
7.5.120.2. Properties	44
7.5.121. console.dashboards/overview/health/url	45
7.5.121.1. Summary	45
7.5.121.2. Properties	45
7.5.122. console.dashboards/overview/inventory/item	45
7.5.122.1. Summary	45
7.5.122.2. Properties	46
7.5.123. console.dashboards/overview/inventory/item/group	46
7.5.123.1. Summary	46
7.5.123.2. Properties	46
7.5.124. console.dashboards/overview/inventory/item/replacement	46
7.5.124.1. Summary	46
7.5.124.2. Properties	46
7.5.125. console.dashboards/overview/prometheus/activity/resource	47
7.5.125.1. Summary	47
7.5.125.2. Properties	47
7.5.126. console.dashboards/project/overview/item	47
7.5.126.1. Summary	47
7.5.126.2. Properties	47
7.5.127. console.dashboards/tab	48
7.5.127.1. Summary	48
7.5.127.2. Properties	48
7.5.128. console.file-upload	48
7.5.128.1. Summary	48
7.5.128.2. Properties	48
7.5.129. console.flag	49
7.5.129.1. Summary	49
7.5.129.2. Properties	49
7.5.130. console.flag/hookProvider	49
7.5.130.1. Summary	49
7.5.130.2. Properties	49
7.5.131. console.flag/model	49
7.5.131.1. Summary	49
7.5.131.2. Properties	49
7.5.132. console.global-config	50
7.5.132.1. Summary	50
7.5.132.2. Properties	50
7.5.133. console.model-metadata	50
7.5.133.1. Summary	50
7.5.133.2. Properties	50
7.5.134. console.navigation/href	51
7.5.134.1. Summary	51
7.5.134.2. Properties	51
7.5.135. console.navigation/resource-cluster	52
7.5.135.1. Summary	52
7.5.135.2. Properties	52
7.5.136. console.navigation/resource-ns	53
7.5.136.1. Summary	53
7.5.136.2. Properties	54
7.5.137. console.navigation/section	54

7.5.1.37.1. Summary	54
7.5.1.37.2. Properties	55
7.5.1.38. console.navigation/separator	55
7.5.1.38.1. Summary	55
7.5.1.38.2. Properties	55
7.5.1.39. console.page/resource/details	56
7.5.1.39.1. Summary	56
7.5.1.39.2. Properties	56
7.5.1.40. console.page/resource/list	57
7.5.1.40.1. Summary	57
7.5.1.40.2. Properties	57
7.5.1.41. console.page/route	57
7.5.1.41.1. Summary	57
7.5.1.41.2. Properties	57
7.5.1.42. console.page/route/standalone	58
7.5.1.42.1. Summary	58
7.5.1.42.2. Properties	58
7.5.1.43. console.perspective	58
7.5.1.43.1. Summary	59
7.5.1.43.2. Properties	59
7.5.1.44. console.project-overview/inventory-item	59
7.5.1.44.1. Summary	59
7.5.1.44.2. Properties	59
7.5.1.45. console.project-overview/utilization-item	60
7.5.1.45.1. Summary	60
7.5.1.45.2. Properties	60
7.5.1.46. console.pvc/alert	60
7.5.1.46.1. Summary	60
7.5.1.46.2. Properties	61
7.5.1.47. console.pvc/create-prop	61
7.5.1.47.1. Summary	61
7.5.1.47.2. Properties	61
7.5.1.48. console.pvc/delete	61
7.5.1.48.1. Summary	61
7.5.1.48.2. Properties	61
7.5.1.49. console.pvc/status	62
7.5.1.49.1. Summary	62
7.5.1.49.2. Properties	62
7.5.1.50. console.redux-reducer	62
7.5.1.50.1. Summary	62
7.5.1.50.2. Properties	62
7.5.1.51. console.resource/create	62
7.5.1.51.1. Summary	62
7.5.1.51.2. Properties	63
7.5.1.52. console.storage-provider	63
7.5.1.52.1. Summary	63
7.5.1.52.2. Properties	63
7.5.1.53. console.tab/horizontalNav	63
7.5.1.53.1. Summary	63
7.5.1.53.2. Properties	63
7.5.1.54. console.telemetry/listener	64
7.5.1.54.1. Summary	64
7.5.1.54.2. Properties	64

7.5.155. console.topology/adapter/build	64
7.5.155.1. Summary	64
7.5.155.2. Properties	64
7.5.156. console.topology/adapter/network	64
7.5.156.1. Summary	64
7.5.156.2. Properties	65
7.5.157. console.topology/adapter/pod	65
7.5.157.1. Summary	65
7.5.157.2. Properties	65
7.5.158. console.topology/component/factory	65
7.5.158.1. Summary	65
7.5.158.2. Properties	65
7.5.159. console.topology/create/connector	65
7.5.159.1. Summary	65
7.5.159.2. Properties	65
7.5.160. console.topology/data/factory	66
7.5.160.1. Summary	66
7.5.160.2. Properties	66
7.5.161. console.topology/decorator/provider	66
7.5.161.1. Summary	66
7.5.161.2. Properties	66
7.5.162. console.topology/details/resource-alert	67
7.5.162.1. Summary	67
7.5.162.2. Properties	67
7.5.163. console.topology/details/resource-link	67
7.5.163.1. Summary	67
7.5.163.2. Properties	67
7.5.164. console.topology/details/tab	68
7.5.164.1. Summary	68
7.5.164.2. Properties	68
7.5.165. console.topology/details/tab-section	68
7.5.165.1. Summary	68
7.5.165.2. Properties	68
7.5.166. console.topology/display/filters	69
7.5.166.1. Summary	69
7.5.166.2. Properties	69
7.5.167. console.topology/relationship/provider	70
7.5.167.1. Summary	70
7.5.167.2. Properties	70
7.5.168. console.user-preference/group	70
7.5.168.1. Summary	70
7.5.168.2. Properties	70
7.5.169. console.user-preference/item	70
7.5.169.1. Summary	70
7.5.169.2. Properties	71
7.5.170. console.yaml-template	71
7.5.170.1. Summary	71
7.5.170.2. Properties	71
7.5.171. dev-console.add/action	72
7.5.171.1. Summary	72
7.5.171.2. Properties	72
7.5.172. dev-console.add/action-group	72
7.5.172.1. Summary	72

7.5.1.72.2. Properties	73
7.5.1.73. dev-console.import/environment	73
7.5.1.73.1. Summary	73
7.5.1.73.2. Properties	73
7.5.1.74. console.page/resource/tab	73
7.5.1.74.1. Summary [DEPRECATED]	73
7.5.1.74.2. Properties	73
7.5.2. Troubleshooting your dynamic plugin	74
CHAPTER 8. WEB TERMINAL	76
8.1. INSTALLING THE WEB TERMINAL	76
Prerequisites	76
Procedure	76
8.2. USING THE WEB TERMINAL	76
8.2.1. Accessing the web terminal	77
8.3. TROUBLESHOOTING THE WEB TERMINAL	78
8.3.1. Web terminal and network policies	78
8.4. UNINSTALLING THE WEB TERMINAL	78
8.4.1. Removing the Web Terminal Operator	78
8.4.2. Removing the DevWorkspace Operator	79
CHAPTER 9. DISABLING THE WEB CONSOLE IN OPENSIFT CONTAINER PLATFORM	82
9.1. PREREQUISITES	82
9.2. DISABLING THE WEB CONSOLE	82
CHAPTER 10. CREATING QUICK START TUTORIALS IN THE WEB CONSOLE	83
10.1. UNDERSTANDING QUICK STARTS	83
10.2. QUICK START USER WORKFLOW	83
10.3. QUICK START COMPONENTS	84
10.4. CONTRIBUTING QUICK STARTS	84
10.4.1. Viewing the quick start API documentation	85
10.4.2. Mapping the elements in the quick start to the quick start CR	85
10.4.2.1. conclusion element	85
10.4.2.2. description element	86
10.4.2.3. displayName element	87
10.4.2.4. durationMinutes element	88
10.4.2.5. icon element	89
10.4.2.6. introduction element	90
10.4.3. Adding a custom icon to a quick start	93
10.4.4. Limiting access to a quick start	93
10.4.5. Linking to other quick starts	93
10.4.6. Supported tags for quick starts	94
10.4.7. Quick start highlighting markdown reference	94
10.4.7.1. Perspective switcher	95
10.4.7.2. Administrator perspective navigation links	95
10.4.7.3. Developer perspective navigation links	95
10.4.7.4. Common navigation links	95
10.4.7.5. Masthead links	95
10.4.8. Code snippet markdown reference	95
10.4.8.1. Syntax for inline code snippets	96
10.4.8.2. Syntax for multi-line code snippets	96
10.5. QUICK START CONTENT GUIDELINES	96
10.5.1. Card copy	96
10.5.2. Introduction	96

10.5.3. Task steps	97
10.5.4. Check your work module	99
10.5.5. Formatting UI elements	99
10.6. ADDITIONAL RESOURCES	99

CHAPTER 1. WEB CONSOLE OVERVIEW

The Red Hat OpenShift Container Platform web console provides a graphical user interface to visualize your project data and perform administrative, management, and troubleshooting tasks. The web console runs as pods on the control plane nodes in the openshift-console project. It is managed by a **console-operator** pod. Both **Administrator** and **Developer** perspectives are supported.

Both **Administrator** and **Developer** perspectives enable you to create quick start tutorials for OpenShift Container Platform. A quick start is a guided tutorial with user tasks and is useful for getting oriented with an application, Operator, or other product offering.

1.1. ABOUT THE ADMINISTRATOR PERSPECTIVE IN THE WEB CONSOLE

The **Administrator** perspective enables you to view the cluster inventory, capacity, general and specific utilization information, and the stream of important events, all of which help you to simplify planning and troubleshooting tasks. Both project administrators and cluster administrators can view the **Administrator** perspective.

Cluster administrators can also open an embedded command line terminal instance with the web terminal Operator in OpenShift Container Platform 4.7 and later.



NOTE

The default web console perspective that is shown depends on the role of the user. The **Administrator** perspective is displayed by default if the user is recognized as an administrator.

The **Administrator** perspective provides workflows specific to administrator use cases, such as the ability to:

- Manage workload, storage, networking, and cluster settings.
- Install and manage Operators using the Operator Hub.
- Add identity providers that allow users to log in and manage user access through roles and role bindings.
- View and manage a variety of advanced settings such as cluster updates, partial cluster updates, cluster Operators, custom resource definitions (CRDs), role bindings, and resource quotas.
- Access and manage monitoring features such as metrics, alerts, and monitoring dashboards.
- View and manage logging, metrics, and high-status information about the cluster.
- Visually interact with applications, components, and services associated with the **Administrator** perspective in OpenShift Container Platform.

1.2. ABOUT THE DEVELOPER PERSPECTIVE IN THE WEB CONSOLE

The **Developer** perspective offers several built-in ways to deploy applications, services, and databases. In the **Developer** perspective, you can:

- View real-time visualization of rolling and recreating rollouts on the component.

- View the application status, resource utilization, project event streaming, and quota consumption.
- Share your project with others.
- Troubleshoot problems with your applications by running Prometheus Query Language (PromQL) queries on your project and examining the metrics visualized on a plot. The metrics provide information about the state of a cluster and any user-defined workloads that you are monitoring.

Cluster administrators can also open an embedded command line terminal instance in the web console in OpenShift Container Platform 4.7 and later.



NOTE

The default web console perspective that is shown depends on the role of the user. The **Developer** perspective is displayed by default if the user is recognised as a developer.

The **Developer** perspective provides workflows specific to developer use cases, such as the ability to:

- Create and deploy applications on OpenShift Container Platform by importing existing codebases, images, and container files.
- Visually interact with applications, components, and services associated with them within a project and monitor their deployment and build status.
- Group components within an application and connect the components within and across applications.
- Integrate serverless capabilities (Technology Preview).
- Create workspaces to edit your application code using Eclipse Che.

You can use the **Topology** view to display applications, components, and workloads of your project. If you have no workloads in the project, the **Topology** view will show some links to create or import them. You can also use the **Quick Search** to import components directly.

Additional Resources

See [Viewing application composition using the Topology](#) view for more information on using the **Topology** view in **Developer** perspective.

1.3. ACCESSING THE PERSPECTIVES

You can access the **Administrator** and **Developer** perspective from the web console as follows:

Prerequisites


To access a perspective, ensure that you have logged in to the web console. Your default perspective is automatically determined by the permission of the users. The **Administrator** perspective is selected for users with access to all projects, while the **Developer** perspective is selected for users with limited access to their own projects

Additional Resources

See [Adding User Preferences](#) for more information on changing perspectives.

Procedure

1. Use the perspective switcher to switch to the **Administrator** or **Developer** perspective.
2. Select an existing project from the **Project** drop-down list. You can also create a new project from this dropdown.



NOTE

You can use the perspective switcher only as **cluster-admin**.

Additional resources

- [Learn more about Cluster Administrator](#)
- [Overview of the **Administrator** perspective](#)
- [Creating and deploying applications on OpenShift Container Platform using the **Developer** perspective](#)
- [Viewing the applications in your project, verifying their deployment status, and interacting with them in the **Topology** view](#)
- [Viewing cluster information](#)
- [Configuring the web console](#)
- [Customizing the web console](#)
- [Using the web terminal](#)
- [Creating quick start tutorials](#)
- [Disabling the web console](#)

CHAPTER 2. ACCESSING THE WEB CONSOLE

The OpenShift Container Platform web console is a user interface accessible from a web browser. Developers can use the web console to visualize, browse, and manage the contents of projects.

2.1. PREREQUISITES

- JavaScript must be enabled to use the web console. For the best experience, use a web browser that supports [WebSockets](#).
- Review the [OpenShift Container Platform 4.x Tested Integrations](#) page before you create the supporting infrastructure for your cluster.

2.2. UNDERSTANDING AND ACCESSING THE WEB CONSOLE

The web console runs as a pod on the master. The static assets required to run the web console are served by the pod. After OpenShift Container Platform is successfully installed using **openshift-install create cluster**, find the URL for the web console and login credentials for your installed cluster in the CLI output of the installation program. For example:

Example output

```
INFO Install complete!
INFO Run 'export KUBECONFIG=<your working directory>/auth/kubeconfig' to manage the cluster
with 'oc', the OpenShift CLI.
INFO The cluster is ready when 'oc login -u kubeadmin -p <provided>' succeeds (wait a few minutes).
INFO Access the OpenShift web-console here: https://console-openshift-
console.apps.demo1.openshift4-beta-abcorp.com
INFO Login to the console with user: kubeadmin, password: <provided>
```

Use those details to log in and access the web console.

For existing clusters that you did not install, you can use **oc whoami --show-console** to see the web console URL.

Additional resources

- [Enabling feature sets using the web console](#)

CHAPTER 3. USING THE OPENSIFT CONTAINER PLATFORM DASHBOARD TO GET CLUSTER INFORMATION

The OpenShift Container Platform web console captures high-level information about the cluster.

3.1. ABOUT THE OPENSIFT CONTAINER PLATFORM DASHBOARDS PAGE

Access the OpenShift Container Platform dashboard, which captures high-level information about the cluster, by navigating to **Home** → **Overview** from the OpenShift Container Platform web console.

The OpenShift Container Platform dashboard provides various cluster information, captured in individual dashboard cards.

The OpenShift Container Platform dashboard consists of the following cards:

- **Details** provides a brief overview of informational cluster details. Status include **ok**, **error**, **warning**, **in progress**, and **unknown**. Resources can add custom status names.
 - Cluster ID
 - Provider
 - Version
- **Cluster Inventory** details number of resources and associated statuses. It is helpful when intervention is required to resolve problems, including information about:
 - Number of nodes
 - Number of pods
 - Persistent storage volume claims
 - Bare metal hosts in the cluster, listed according to their state (only available in **metal3** environment).
 - Bare metal hosts in the cluster, listed according to their state (only available in **metal3** environment)
- **Status** helps administrators understand how cluster resources are consumed. Click on a resource to jump to a detailed page listing pods and nodes that consume the largest amount of the specified cluster resource (CPU, memory, or storage).
- **Cluster Utilization** shows the capacity of various resources over a specified period of time, to help administrators understand the scale and frequency of high resource consumption, including information about:
 - CPU time
 - Memory allocation
 - Storage consumed
 - Network resources consumed

- Pod count
- **Activity** lists messages related to recent activity in the cluster, such as pod creation or virtual machine migration to another host.

3.2. RECOGNIZING RESOURCE AND PROJECT LIMITS AND QUOTAS

You can view a graphical representation of available resources in the **Topology** view of the web console **Developer** perspective.

If a resource has a message about resource limitations or quotas being reached, a yellow border appears around the resource name. Click the resource to open a side panel to see the message. If the **Topology** view has been zoomed out, a yellow dot indicates that a message is available.

If you are using **List View** from the **View Shortcuts** menu, resources appear as a list. The **Alerts** column indicates if a message is available.

CHAPTER 4. ADDING USER PREFERENCES

You can change the default preferences for your profile to meet your requirements. You can set your default project, topology view (graph/list), editing medium (form or YAML), and language preferences.

The changes made to the user preferences are automatically saved.

4.1. SETTING USER PREFERENCES

You can set the default user preferences for your cluster.

Procedure

1. Log in to the OpenShift Container Platform web console using your login credentials.
2. Use the masthead to access the user preferences under the user profile.
3. In the **General** section:
 - a. In the **Theme** field, you can set the theme that you want to work in. The console defaults to the selected theme each time you log in.
 - b. In the **Perspective** field, you can set the default perspective you want to be logged in to. You can select the **Administrator** or the **Developer** perspective as required. If a perspective is not selected, you are logged into the perspective you last visited.
 - c. In the **Project** field, select a project you want to work in. The console defaults to the project every time you log in.
 - d. In the **Topology** field, you can set the topology view to default to the graph or list view. If not selected, the console defaults to the last view you used.
 - e. In the **Create/Edit resource method** field, you can set a preference for creating or editing a resource. If both the form and YAML options are available, the console defaults to your selection.
4. In the **Language** section, select **Default browser language** to use the default browser language settings. Otherwise, select the language that you want to use for the console.
5. In the **Notifications** section, you can toggle display notifications created by users for specific projects on the **Overview** page or notification drawer.
6. In the **Applications** section:
 - a. You can view the default **Resource type**. For example, if the OpenShift Serverless Operator is installed, the default resource type is **Serverless Deployment**. Otherwise, the default resource type is **Deployment**.
 - b. You can select another resource type to be the default resource type from the **Resource Type** field.

CHAPTER 5. CONFIGURING THE WEB CONSOLE IN OPENSHIFT CONTAINER PLATFORM

You can modify the OpenShift Container Platform web console to set a logout redirect URL or disable the quick start tutorials.

5.1. PREREQUISITES

- Deploy an OpenShift Container Platform cluster.

5.2. CONFIGURING THE WEB CONSOLE

You can configure the web console settings by editing the **console.config.openshift.io** resource.

- Edit the **console.config.openshift.io** resource:

```
$ oc edit console.config.openshift.io cluster
```

The following example displays the sample resource definition for the console:

```
apiVersion: config.openshift.io/v1
kind: Console
metadata:
  name: cluster
spec:
  authentication:
    logoutRedirect: "" 1
status:
  consoleURL: "" 2
```

- 1** Specify the URL of the page to load when a user logs out of the web console. If you do not specify a value, the user returns to the login page for the web console. Specifying a **logoutRedirect** URL allows your users to perform single logout (SLO) through the identity provider to destroy their single sign-on session.
- 2** The web console URL. To update this to a custom value, see **Customizing the web console URL**.

5.3. DISABLING QUICK STARTS IN THE WEB CONSOLE

You can use the **Administrator** perspective of the web console to disable one or more quick starts.

Prerequisites

- You have cluster administrator permissions and are logged in to the web console.

Procedure

1. In the **Administrator** perspective, navigate to **Administration → Cluster Settings**.
2. On the **Cluster Settings** page, click the **Configuration** tab.

- On the **Configuration** page, click the **Console** configuration resource with the description **operator.opensift.io**.

Cluster Settings

Details ClusterOperators **Configuration**

Edit the following resources to manage the configuration of your cluster.

console /

Configuration resource	Description
Console config.openshift.io	Console holds cluster-wide configuration for the web console, including the logout URL, and reports the public URL of the console. The canonical name is "cluster". Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).
Console operator.opensift.io	Console provides a means to configure an operator to manage the console. Compatibility level 1: Stable within a major release for a minimum of 12 months or 3 minor releases (whichever is longer).

- From the **Action** drop-down list, select **Customize**, which opens the **Cluster configuration** page.
- On the **General** tab, in the **Quick starts** section, you can select items in either the **Enabled** or **Disabled** list, and move them from one list to the other by using the arrow buttons.
 - To enable or disable a single quick start, click the quick start, then use the single arrow buttons to move the quick start to the appropriate list.
 - To enable or disable multiple quick starts at once, press Ctrl and click the quick starts you want to move. Then, use the single arrow buttons to move the quick starts to the appropriate list.
 - To enable or disable all quick starts at once, click the double arrow buttons to move all of the quick starts to the appropriate list.

CHAPTER 6. CUSTOMIZING THE WEB CONSOLE IN OPENSHIFT CONTAINER PLATFORM

You can customize the OpenShift Container Platform web console to set a custom logo, product name, links, notifications, and command line downloads. This is especially helpful if you need to tailor the web console to meet specific corporate or government requirements.

6.1. ADDING A CUSTOM LOGO AND PRODUCT NAME

You can create custom branding by adding a custom logo or custom product name. You can set both or one without the other, as these settings are independent of each other.

Prerequisites

- You must have administrator privileges.
- Create a file of the logo that you want to use. The logo can be a file in any common image format, including GIF, JPG, PNG, or SVG, and is constrained to a **max-height** of **60px**.

Procedure

1. Import your logo file into a config map in the **openshift-config** namespace:

```
$ oc create configmap console-custom-logo --from-file /path/to/console-custom-logo.png -n openshift-config
```

TIP

You can alternatively apply the following YAML to create the config map:

```
apiVersion: v1
kind: ConfigMap
metadata:
  name: console-custom-logo
  namespace: openshift-config
binaryData:
  console-custom-logo.png: <base64-encoded_logo> ... 1
```

- 1 Provide a valid base64-encoded logo.

2. Edit the web console's Operator configuration to include **customLogoFile** and **customProductName**:

```
$ oc edit consoles.operator.openshift.io cluster
```

```
apiVersion: operator.openshift.io/v1
kind: Console
metadata:
  name: cluster
spec:
  customization:
    customLogoFile:
```

```
key: console-custom-logo.png
name: console-custom-logo
customProductName: My Console
```

Once the Operator configuration is updated, it will sync the custom logo config map into the console namespace, mount it to the console pod, and redeploy.

3. Check for success. If there are any issues, the console cluster Operator will report a **Degraded** status, and the console Operator configuration will also report a **CustomLogoDegraded** status, but with reasons like **KeyOrFilenameInvalid** or **NoImageProvided**.

To check the **clusteroperator**, run:

```
$ oc get clusteroperator console -o yaml
```

To check the console Operator configuration, run:

```
$ oc get consoles.operator.openshift.io -o yaml
```

6.2. CREATING CUSTOM LINKS IN THE WEB CONSOLE

Prerequisites

- You must have administrator privileges.

Procedure

1. From **Administration** → **Custom Resource Definitions**, click on **ConsoleLink**.
2. Select **Instances** tab
3. Click **Create Console Link** and edit the file:

```
apiVersion: console.openshift.io/v1
kind: ConsoleLink
metadata:
  name: example
spec:
  href: 'https://www.example.com'
  location: HelpMenu 1
  text: Link 1
```

- 1 Valid location settings are **HelpMenu**, **UserMenu**, **ApplicationMenu**, and **NamespaceDashboard**.

To make the custom link appear in all namespaces, follow this example:

```
apiVersion: console.openshift.io/v1
kind: ConsoleLink
metadata:
  name: namespaced-dashboard-link-for-all-namespaces
spec:
```

```
href: 'https://www.example.com'
location: NamespaceDashboard
text: This appears in all namespaces
```

To make the custom link appear in only some namespaces, follow this example:

```
apiVersion: console.openshift.io/v1
kind: ConsoleLink
metadata:
  name: namespaced-dashboard-for-some-namespaces
spec:
  href: 'https://www.example.com'
  location: NamespaceDashboard
  # This text will appear in a box called "Launcher" under "namespace" or "project" in the web
  console
  text: Custom Link Text
  namespaceDashboard:
    namespaces:
      # for these specific namespaces
      - my-namespace
      - your-namespace
      - other-namespace
```

To make the custom link appear in the application menu, follow this example:

```
apiVersion: console.openshift.io/v1
kind: ConsoleLink
metadata:
  name: application-menu-link-1
spec:
  href: 'https://www.example.com'
  location: ApplicationMenu
  text: Link 1
  applicationMenu:
    section: My New Section
    # image that is 24x24 in size
    imageURL: https://via.placeholder.com/24
```

4. Click **Save** to apply your changes.

6.3. CUSTOMIZING CONSOLE ROUTES

For **console** and **downloads** routes, custom routes functionality uses the **ingress** config route configuration API. If the **console** custom route is set up in both the **ingress** config and **console-operator** config, then the new **ingress** config custom route configuration takes precedent. The route configuration with the **console-operator** config is deprecated.

6.3.1. Customizing the console route

You can customize the console route by setting the custom hostname and TLS certificate in the **spec.componentRoutes** field of the cluster **Ingress** configuration.

Prerequisites

- You have logged in to the cluster as a user with administrative privileges.
- You have created a secret in the **openshift-config** namespace containing the TLS certificate and key. This is required if the domain for the custom hostname suffix does not match the cluster domain suffix. The secret is optional if the suffix matches.

TIP

You can create a TLS secret by using the **oc create secret tls** command.

Procedure

1. Edit the cluster **Ingress** configuration:

```
$ oc edit ingress.config.openshift.io cluster
```

2. Set the custom hostname and optionally the serving certificate and key:

```
apiVersion: config.openshift.io/v1
kind: Ingress
metadata:
  name: cluster
spec:
  componentRoutes:
    - name: console
      namespace: openshift-console
      hostname: <custom_hostname> 1
      servingCertKeyPairSecret:
        name: <secret_name> 2
```

1

The custom hostname.

2

Reference to a secret in the **openshift-config** namespace that contains a TLS certificate (**tls.crt**) and key (**tls.key**). This is required if the domain for the custom hostname suffix does not match the cluster domain suffix. The secret is optional if the suffix matches.

3. Save the file to apply the changes.

6.3.2. Customizing the download route

You can customize the download route by setting the custom hostname and TLS certificate in the **spec.componentRoutes** field of the cluster **Ingress** configuration.

Prerequisites

- You have logged in to the cluster as a user with administrative privileges.
- You have created a secret in the **openshift-config** namespace containing the TLS certificate and key. This is required if the domain for the custom hostname suffix does not match the cluster domain suffix. The secret is optional if the suffix matches.

TIP

You can create a TLS secret by using the **oc create secret tls** command.

Procedure

1. Edit the cluster **Ingress** configuration:

```
$ oc edit ingress.config.openshift.io cluster
```

2. Set the custom hostname and optionally the serving certificate and key:

```
apiVersion: config.openshift.io/v1
kind: Ingress
metadata:
  name: cluster
spec:
  componentRoutes:
    - name: downloads
      namespace: openshift-console
      hostname: <custom_hostname> 1
  servingCertKeyPairSecret:
    name: <secret_name> 2
```

1

The custom hostname.

2

Reference to a secret in the **openshift-config** namespace that contains a TLS certificate (**tls.crt**) and key (**tls.key**). This is required if the domain for the custom hostname suffix does not match the cluster domain suffix. The secret is optional if the suffix matches.

3. Save the file to apply the changes.

6.4. CUSTOMIZING THE LOGIN PAGE

Create Terms of Service information with custom login pages. Custom login pages can also be helpful if you use a third-party login provider, such as GitHub or Google, to show users a branded page that they trust and expect before being redirected to the authentication provider. You can also render custom error pages during the authentication process.

**NOTE**

Customizing the error template is limited to identity providers (IDPs) that use redirects, such as request header and OIDC-based IDPs. It does not have an effect on IDPs that use direct password authentication, such as LDAP and htpasswd.

Prerequisites

- You must have administrator privileges.

Procedure

1. Run the following commands to create templates you can modify:

```
$ oc adm create-login-template > login.html
```

```
$ oc adm create-provider-selection-template > providers.html
```

```
$ oc adm create-error-template > errors.html
```

2. Create the secrets:

```
$ oc create secret generic login-template --from-file=login.html -n openshift-config
```

```
$ oc create secret generic providers-template --from-file=providers.html -n openshift-config
```

```
$ oc create secret generic error-template --from-file=errors.html -n openshift-config
```

3. Run:

```
$ oc edit oauths cluster
```

4. Update the specification:

```
apiVersion: config.openshift.io/v1
kind: OAuth
metadata:
  name: cluster
# ...
spec:
  templates:
    error:
      name: error-template
    login:
      name: login-template
    providerSelection:
      name: providers-template
```

Run **oc explain oauths.spec.templates** to understand the options.

6.5. DEFINING A TEMPLATE FOR AN EXTERNAL LOG LINK

If you are connected to a service that helps you browse your logs, but you need to generate URLs in a particular way, then you can define a template for your link.

Prerequisites

- You must have administrator privileges.

Procedure

1. From **Administration** → **Custom Resource Definitions** click on **ConsoleExternalLogLink**.
2. Select **Instances** tab
3. Click **Create Console External Log Link** and edit the file:

```

apiVersion: console.openshift.io/v1
kind: ConsoleExternalLogLink
metadata:
  name: example
spec:
  hrefTemplate: >-
    https://example.com/logs?
resourceName=${resourceName}&containerName=${containerName}&resourceNamespace=${
resourceNamespace}&podLabels=${podLabels}
text: Example Logs

```

6.6. CREATING CUSTOM NOTIFICATION BANNERS

Prerequisites

- You must have administrator privileges.

Procedure

1. From **Administration** → **Custom Resource Definitions** click on **ConsoleNotification**.
2. Select **Instances** tab
3. Click **Create Console Notification** and edit the file:

```

apiVersion: console.openshift.io/v1
kind: ConsoleNotification
metadata:
  name: example
spec:
  text: This is an example notification message with an optional link.
  location: BannerTop 1
  link:
    href: 'https://www.example.com'
    text: Optional link text
    color: '#fff'
    backgroundColor: '#0088ce'

```

- 1** Valid location settings are **BannerTop**, **BannerBottom**, and **BannerTopBottom**.

4. Click **Create** to apply your changes.

6.7. CUSTOMIZING CLI DOWNLOADS

You can configure links for downloading the CLI with custom link text and URLs, which can point directly to file packages or to an external page that provides the packages.

Prerequisites

- You must have administrator privileges.

Procedure

1. Navigate to **Administration** → **Custom Resource Definitions**
2. Select **ConsoleCLIDownload** from the list of Custom Resource Definitions (CRDs).
3. Click the **YAML** tab, and then make your edits:

```
apiVersion: console.openshift.io/v1
kind: ConsoleCLIDownload
metadata:
  name: example-cli-download-links
spec:
  description: |
    This is an example of download links
  displayName: example
  links:
    - href: 'https://www.example.com/public/example.tar'
      text: example for linux
    - href: 'https://www.example.com/public/example.mac.zip'
      text: example for mac
    - href: 'https://www.example.com/public/example.win.zip'
      text: example for windows
```

4. Click the **Save** button.

6.8. ADDING YAML EXAMPLES TO KUBERNETES RESOURCES

You can dynamically add YAML examples to any Kubernetes resources at any time.

Prerequisites

- You must have cluster administrator privileges.

Procedure

1. From **Administration** → **Custom Resource Definitions**, click on **ConsoleYAMLSample**.
2. Click **YAML** and edit the file:

```
apiVersion: console.openshift.io/v1
kind: ConsoleYAMLSample
metadata:
  name: example
spec:
  targetResource:
    apiVersion: batch/v1
    kind: Job
  title: Example Job
  description: An example Job YAML sample
  yaml: |
    apiVersion: batch/v1
    kind: Job
    metadata:
      name: countdown
    spec:
      template:
```

```
metadata:
  name: countdown
spec:
  containers:
  - name: counter
    image: centos:7
    command:
    - "bin/bash"
    - "-c"
    - "for i in 9 8 7 6 5 4 3 2 1 ; do echo $i ; done"
  restartPolicy: Never
```

Use **spec.snippet** to indicate that the YAML sample is not the full YAML resource definition, but a fragment that can be inserted into the existing YAML document at the user's cursor.

3. Click **Save**.

CHAPTER 7. DYNAMIC PLUGINS

7.1. OVERVIEW OF DYNAMIC PLUGINS

7.1.1. About dynamic plugins

A dynamic plugin allows you to add custom pages and other extensions to your interface at runtime. The **ConsolePlugin** custom resource registers plugins with the console, and a cluster administrator enables plugins in the **console-operator** configuration.



IMPORTANT

Creating a dynamic plugin is a Technology Preview feature only. Technology Preview features are not supported with Red Hat production service level agreements (SLAs) and might not be functionally complete. Red Hat does not recommend using them in production. These features provide early access to upcoming product features, enabling customers to test functionality and provide feedback during the development process.

For more information about the support scope of Red Hat Technology Preview features, see [Technology Preview Features Support Scope](#).

7.1.2. Key features

A dynamic plugin allows you to make the following customizations to the OpenShift Container Platform experience:

- Add custom pages.
- Add perspectives beyond administrator and developer.
- Add navigation items.
- Add tabs and actions to resource pages.

7.1.3. General guidelines

When creating your plugin, follow these general guidelines:

- **Node.js** and **yarn** are required to build and run your plugin.
- Prefix your CSS class names with your plugin name to avoid collisions. For example, **my-plugin__heading** and **my-plugin__icon**.
- Maintain a consistent look, feel, and behavior with other console pages.
- Follow [react-i18next](#) localization guidelines when creating your plugin. You can use the **useTranslation** hook like the one in the following example:

```
const Header: React.FC = () => {
  const { t } = useTranslation('plugin__console-demo-plugin');
  return <h1>{t('Hello, World!')}</h1>;
};
```

- Avoid selectors that could affect markup outside of your plugin's components, such as element selectors. These are not APIs and are subject to change. Using them might break your plugin.

PatternFly 4 guidelines

When creating your plugin, follow these guidelines for using PatternFly:

- Use [PatternFly4](#) components and PatternFly CSS variables. Core PatternFly components are available through the SDK. Using PatternFly components and variables help your plugin look consistent in future console versions.
- Make your plugin accessible by following [PatternFly's accessibility fundamentals](#).
- Avoid using other CSS libraries such as Bootstrap or Tailwind. They can conflict with PatternFly and will not match the console look and feel.

7.2. GETTING STARTED WITH DYNAMIC PLUGINS

To get started using the dynamic plugin, you must set up your environment to write a new OpenShift Container Platform dynamic plugin. For an example of how to write a new plugin, see [Adding a tab to the pods page](#).

7.2.1. Dynamic plugin development

You can run the plugin using a local development environment. The OpenShift Container Platform web console runs in a container connected to the cluster you have logged into.

Prerequisites

- You must have an OpenShift cluster running.
- You must have the OpenShift CLI (**oc**) installed.
- You must have [yarn](#) installed.
- You must have [Docker](#) v3.2.0 or newer or [Podman](#) installed and running.

Procedure

1. In your terminal, run the following command to install the dependencies for your plugin using Yarn.

```
$ yarn install
```

2. After installing, run the following command to start Yarn.

```
$ yarn run start
```

3. In another terminal window, login to the OpenShift Container Platform through the CLI.

```
$ oc login
```

4. Run the OpenShift Container Platform web console in a container connected to the cluster you have logged into by running the following command:

```
$ yarn run start-console
```

Verification

- Visit localhost:9000 to view the running plugin. Inspect the value of **window.SERVER_FLAGS.consolePlugins** to see the list of plugins that load at runtime.

7.3. DEPLOY YOUR PLUGIN ON A CLUSTER

You can deploy the plugin to a OpenShift Container Platform cluster.

7.3.1. Build an image with Docker

To deploy your plugin on a cluster, you need to build an image and push it to an image registry.

Procedure

1. Build the image with the following command:

```
$ docker build -t quay.io/my-repositroy/my-plugin:latest .
```

2. Optional: If you want to test your image, run the following command:

```
$ docker run -it --rm -d -p 9001:80 quay.io/my-repository/my-plugin:latest
```

3. Push the image by running the following command:

```
$ docker push quay.io/my-repository/my-plugin:latest
```

7.3.2. Deploy your plugin on a cluster

After pushing an image with your changes to a registry, you can deploy the plugin to a cluster.

Procedure

1. Install a Helm chart with the name of the plugin as the Helm release name into a new namespace or an existing namespace as specified by the **-n** command-line option. Provide the location of the image within the **plugin.image** parameter by using the following command:

```
$ helm upgrade -i my-plugin charts/openshift-console-plugin -n my-plugin-namespace --create-namespace --set plugin.image=my-plugin-image-location
```

Where:

n <my-plugin-namespace>

Specifies an existing namespace to deploy your plugin into.

--create-namespace

Optional: If deploying to a new namespace, use this parameter.

--set plugin.image=my-plugin-image-location

Specifies the location of the image within the **plugin.image** parameter.

- Optional: You can specify any additional parameters by using the set of supported parameters in the **charts/openshift-console-plugin/values.yaml** file.

```

plugin:
  name: ""
  description: ""
  image: ""
  imagePullPolicy: IfNotPresent
  replicas: 2
  port: 9443
  securityContext:
    enabled: true
  podSecurityContext:
    enabled: true
    runAsNonRoot: true
    seccompProfile:
      type: RuntimeDefault
  containerSecurityContext:
    enabled: true
    allowPrivilegeEscalation: false
    capabilities:
      drop:
        - ALL
  resources:
    requests:
      cpu: 10m
      memory: 50Mi
  basePath: /
  certificateSecretName: ""
  serviceAccount:
    create: true
    annotations: {}
    name: ""
  patcherServiceAccount:
    create: true
    annotations: {}
    name: ""
  jobs:
    patchConsoles:
      enabled: true
      image: "registry.redhat.io/openshift4/ose-tools-
rhel8@sha256:e44074f21e0cca6464e50cb6ff934747e0bd11162ea01d522433a1a1ae116103"
    podSecurityContext:
      enabled: true
      runAsNonRoot: true
      seccompProfile:
        type: RuntimeDefault
    containerSecurityContext:
      enabled: true
      allowPrivilegeEscalation: false
      capabilities:
        drop:
          - ALL
    resources:

```

```
requests:
  cpu: 10m
  memory: 50Mi
```

Verification

You can see the list of the enabled plugins on the **Overview** page or by navigating from **Administration** → **Cluster Settings** → **Configuration** → **Console operator.openshift.io** → **Console plugins**.



NOTE

It can take a few minutes for the new plugin configuration to appear. If you do not see your plugin, you might need to refresh your browser if the plugin was recently enabled. If you receive any errors at runtime, check the JS console in browser developer tools to look for any errors in your plugin code.

7.3.3. Disabling your plugin in the browser

Console users can use the **disable-plugins** query parameter to disable specific or all dynamic plugins that would normally get loaded at run-time.

Procedure

- To disable a specific plugin(s), remove the plugin you want to disable from the comma-separated list of plugin names.
- To disable all plugins, leave an empty string in the **disable-plugins** query parameter.



NOTE

Cluster administrators can disable plugins in the **Cluster Settings** page of the web console

7.4. DYNAMIC PLUGIN EXAMPLE

Before working through the example, verify that the plugin is working by following the steps in [Dynamic plugin development](#).

7.4.1. Adding a tab to the pods page

There are different customizations you can make to the OpenShift Container Platform web console. Set up your environment to write a new OpenShift Console dynamic plugin, and add a tab to the **Pod details** page as an example extension to your plugin.



NOTE

The OpenShift Container Platform web console runs in a container connected to the cluster you have logged into. See "Dynamic plugin development" for information to test the plugin before creating your own.


Prerequisites

- Ensure you have [Node.js](#) installed.

- Ensure you have [yarn](#) installed.

Procedure

1. In a new tab, open the [console-plugin-template](#) repository, which contains a template for creating plugins in a new tab.



IMPORTANT

Custom plugin code is not supported by Red Hat. Only [Cooperative community support](#) is available for your plugin.

2. Create a GitHub repository for the template by clicking **Use this template → Create new repository**.
3. Rename the new repository with the name of your plugin.
4. Clone the new repository to your local machine so you can edit the code.
5. Edit the **package.json** file by adding your plugin's metadata to the **consolePlugin** declaration. For example:

```
"consolePlugin": {
  "name": "my-plugin", 1
  "version": "0.0.1", 2
  "displayName": "My Plugin", 3
  "description": "Enjoy this shiny, new console plugin!", 4
  "exposedModules": {
    "ExamplePage": "./components/ExamplePage"
  },
  "dependencies": {
    "@console/pluginAPI": "*"
  }
}
```

- 1 Update the name of your plugin.
- 2 Update the version.
- 3 Update the display name for your plugin.
- 4 Update the description with a synopsis about your plugin.

6. Add the following to the **console-extensions.json** file:

```
{
  "type": "console.tab/horizontalNav",
  "properties": {
    "page": {
      "name": "Example Tab",
      "href": "example"
    },
    "model": {
      "group": "core",

```

```

    "version": "v1",
    "kind": "Pod"
  },
  "component": { "$codeRef": "ExampleTab" }
}

```

7. Edit the **package.json** file to include the following changes:

```

"exposedModules": {
  "ExamplePage": "./components/ExamplePage",
  "ExampleTab": "./components/ExampleTab"
}

```

8. Write a message to display on a new custom tab on the **Pods** page by creating a new file **src/components/ExampleTab.tsx** and adding the following script:

```

import * as React from 'react';

export default function ExampleTab() {
  return (
    <p>This is a custom tab added to a resource using a dynamic plugin.</p>
  );
}

```

9. Install a Helm chart with the name of the plugin as the Helm release name into a new namespace or an existing namespace as specified by the **-n** command-line option and provide the location of the image within the **plugin.image** parameter to deploy your plugin on a cluster by using the following command:

```

$ helm upgrade -i my-plugin charts/openshift-console-plugin -n my-plugin-namespace --create-namespace --set plugin.image=my-plugin-image-location

```



NOTE

For more information on deploying your plugin on a cluster, see "Deploy your plugin on a cluster".

Verification

- Visit the **Pod** page to view the added tab.

7.5. DYNAMIC PLUGIN REFERENCE

You can add extensions that allow you to customize your plugin. Those extensions are then loaded to the console at runtime.

7.5.1. Dynamic plugin extension types

7.5.1.1. console.action/filter

7.5.1.1.1. Summary

ActionFilter can be used to filter an action.

7.5.1.1.2. Properties

Name	Value Type	Optional	Description
contextId	string	no	The context ID helps to narrow the scope of contributed actions to a particular area of the application. Examples include topology and helm .
filter	CodeRef<(scope: any, action: Action) ⇒ boolean>	no	A function that will filter actions based on some conditions. scope : The scope in which actions should be provided for. A hook might be required if you want to remove the ModifyCount action from a deployment with a horizontal pod autoscaler (HPA).

7.5.1.2. console.action/group

7.5.1.2.1. Summary

ActionGroup contributes an action group that can also be a submenu.

7.5.1.2.2. Properties

Name	Value Type	Optional	Description
id	string	no	ID used to identify the action section.
label	string	yes	The label to display in the UI. Required for submenus.
submenu	boolean	yes	Whether this group should be displayed as submenu.

Name	Value Type	Optional	Description
insertBefore	string string[]	yes	Insert this item before the item referenced here. For arrays, the first one found in order is used.
insertAfter	string string[]	yes	Insert this item after the item referenced here. For arrays, the first one found in order is used. The insertBefore value takes precedence.

7.5.1.3. console.action/provider

7.5.1.3.1. Summary

ActionProvider contributes a hook that returns list of actions for specific context.

7.5.1.3.2. Properties

Name	Value Type	Optional	Description
contextId	string	no	The context ID helps to narrow the scope of contributed actions to a particular area of the application. Examples include topology and helm .
provider	CodeRef<Extension Hook<Action[], any>>	no	A React hook that returns actions for the given scope. If contextId = resource , then the scope will always be a Kubernetes resource object.

7.5.1.4. console.action/resource-provider

7.5.1.4.1. Summary

ResourceActionProvider contributes a hook that returns list of actions for specific resource model.

7.5.1.4.2. Properties

Name	Value Type	Optional	Description
model	ExtensionK8sKindVersionModel	no	The model for which this provider provides actions for.
provider	CodeRef<ExtensionHook<Action[], any>>	no	A react hook which returns actions for the given resource model

7.5.1.5. console.alert-action

7.5.1.5.1. Summary

(not available)

7.5.1.5.2. Properties

Name	Value Type	Optional	Description
alert	string	no	
text	string	no	
action	CodeRef<(alert: any) ⇒ void>	no	

7.5.1.6. console.catalog/item-filter

7.5.1.6.1. Summary

(not available)

7.5.1.6.2. Properties

Name	Value Type	Optional	Description
catalogId	string string[]	no	The unique identifier for the catalog this provider contributes to.
type	string	no	Type ID for the catalog item type.

Name	Value Type	Optional	Description
filter	CodeRef<(item: CatalogItem) ⇒ boolean>	no	Filters items of a specific type. Value is a function that takes CatalogItem[] and returns a subset based on the filter criteria.

7.5.1.7. console.catalog/item-metadata

7.5.1.7.1. Summary

(not available)

7.5.1.7.2. Properties

Name	Value Type	Optional	Description
catalogId	string string[]	no	The unique identifier for the catalog this provider contributes to.
type	string	no	Type ID for the catalog item type.
provider	CodeRef<Extension Hook<CatalogItemMetadataProviderFunction, CatalogExtensionHookOptions>>	no	A hook which returns a function that will be used to provide metadata to catalog items of a specific type.

7.5.1.8. console.catalog/item-provider

7.5.1.8.1. Summary

(not available)

7.5.1.8.2. Properties

Name	Value Type	Optional	Description
catalogId	string string[]	no	The unique identifier for the catalog this provider contributes to.

Name	Value Type	Optional	Description
type	string	no	Type ID for the catalog item type.
title	string	no	Title for the catalog item provider
provider	CodeRef<Extension Hook<CatalogItem<any>[], CatalogExtensionHookOptions>>	no	Fetch items and normalize it for the catalog. Value is a react effect hook.
priority	number	yes	Priority for this provider. Defaults to 0 . Higher priority providers may override catalog items provided by other providers.

7.5.1.9. console.catalog/item-type

7.5.1.9.1. Summary

(not available)

7.5.1.9.2. Properties

Name	Value Type	Optional	Description
type	string	no	Type for the catalog item.
title	string	no	Title for the catalog item.
catalogDescription	string CodeRef<React.ReactNode>	yes	Description for the type specific catalog.
typeDescription	string	yes	Description for the catalog item type.
filters	CatalogItemAttribute []	yes	Custom filters specific to the catalog item.

Name	Value Type	Optional	Description
groupings	CatalogItemAttribute []	yes	Custom groupings specific to the catalog item.

7.5.1.10. console.catalog/item-type-metadata

7.5.1.10.1. Summary

(not available)

7.5.1.10.2. Properties

Name	Value Type	Optional	Description
type	string	no	Type for the catalog item.
filters	CatalogItemAttribute []	yes	Custom filters specific to the catalog item.
groupings	CatalogItemAttribute []	yes	Custom groupings specific to the catalog item.

7.5.1.11. console.cluster-overview/inventory-item

7.5.1.11.1. Summary

Adds a new inventory item into cluster overview page.

7.5.1.11.2. Properties

Name	Value Type	Optional	Description
component	CodeRef<React.ComponentType<{}>>	no	The component to be rendered.

7.5.1.12. console.cluster-overview/multiline-utilization-item

7.5.1.12.1. Summary

Adds a new cluster overview multi-line utilization item.

7.5.1.12.2. Properties

Name	Value Type	Optional	Description
title	string	no	The title of the utilization item.
getUtilizationQueries	CodeRef<GetMultilineQueries>	no	Prometheus utilization query.
humanize	CodeRef<Humanize>	no	Convert Prometheus data to human-readable form.
TopConsumerPopovers	CodeRef<React.ComponentType<TopConsumerPopoverProps>[]>	yes	Shows Top consumer popover instead of plain value

7.5.1.13. console.cluster-overview/utilization-item

7.5.1.13.1. Summary

Adds a new cluster overview utilization item.

7.5.1.13.2. Properties

Name	Value Type	Optional	Description
title	string	no	The title of the utilization item.
getUtilizationQuery	CodeRef<GetQuery>	no	Prometheus utilization query.
humanize	CodeRef<Humanize>	no	Convert Prometheus data to human-readable form.
getTotalQuery	CodeRef<GetQuery>	yes	Prometheus total query.
getRequestQuery	CodeRef<GetQuery>	yes	Prometheus request query.
getLimitQuery	CodeRef<GetQuery>	yes	Prometheus limit query.
TopConsumerPopover	CodeRef<React.ComponentType<TopConsumerPopoverProps>>	yes	Shows Top consumer popover instead of plain value

7.5.1.14. console.context-provider

7.5.1.14.1. Summary

Adds a new React context provider to the web console application root.

7.5.1.14.2. Properties

Name	Value Type	Optional	Description
provider	CodeRef<Provider<T>>	no	Context Provider component.
useValueHook	CodeRef<() ⇒ T>	no	Hook for the Context value.

7.5.1.15. console.dashboards/card

7.5.1.15.1. Summary

Adds a new dashboard card.

7.5.1.15.2. Properties

Name	Value Type	Optional	Description
tab	string	no	The ID of the dashboard tab to which the card will be added.
position	'LEFT' 'RIGHT' 'MAIN'	no	The grid position of the card on the dashboard.
component	CodeRef<React.ComponentType<{}>>	no	Dashboard card component.
span	OverviewCardSpan	yes	Card's vertical span in the column. Ignored for small screens; defaults to 12 .

7.5.1.16. console.dashboards/overview/activity/resource

7.5.1.16.1. Summary

Adds an activity to the Activity Card of Overview Dashboard where the triggering of activity is based on watching a Kubernetes resource.

7.5.1.16.2. Properties

Name	Value Type	Optional	Description
k8sResource	CodeRef<FirehoseResource & { isList: true; }>	no	The utilization item to be replaced.
component	CodeRef<React.ComponentType<K8sActivityProps<T>>>	no	The action component.
isActivity	CodeRef<(resource: T) ⇒ boolean>	yes	Function which determines if the given resource represents the action. If not defined, every resource represents activity.
getTimestamp	CodeRef<(resource: T) ⇒ Date>	yes	Time stamp for the given action, which will be used for ordering.

7.5.1.17. console.dashboards/overview/detail/item

7.5.1.17.1. Summary

Adds an item to the **Details** card of **Overview** dashboard

7.5.1.17.2. Properties

Name	Value Type	Optional	Description
component	CodeRef<React.ComponentType<{}>>	no	The value, based on the DetailItem component

7.5.1.18. console.dashboards/overview/health/operator

7.5.1.18.1. Summary

Adds a health subsystem to the status card of the **Overview** dashboard, where the source of status is a Kubernetes REST API.

7.5.1.18.2. Properties

Name	Value Type	Optional	Description
------	------------	----------	-------------

Name	Value Type	Optional	Description
title	string	no	Title of Operators section in the pop-up menu.
resources	CodeRef<FirehoseResource[]>	no	Kubernetes resources which will be fetched and passed to healthHandler .
getOperatorsWithStatuses	CodeRef<GetOperatorsWithStatuses<T>>	yes	Resolves status for the Operators.
operatorRowLoader	CodeRef<React.ComponentType<OperatorRowProps<T>>>	yes	Loader for pop-up row component.
viewAllLink	string	yes	Links to all resources page. If not provided, then a list page of the first resource from resources prop is used.

7.5.1.19. console.dashboards/overview/health/prometheus

7.5.1.19.1. Summary

Adds a health subsystem to the status card of Overview dashboard where the source of status is Prometheus.

7.5.1.19.2. Properties

Name	Value Type	Optional	Description
title	string	no	The display name of the subsystem.
queries	string[]	no	The Prometheus queries
healthHandler	CodeRef<PrometheusHealthHandler>	no	Resolve the subsystem's health.

Name	Value Type	Optional	Description
additionalResource	CodeRef<FirehoseResource>	yes	Additional resource which will be fetched and passed to healthHandler .
popupComponent	CodeRef<React.ComponentType<PrometheusHealthPopupProps>>	yes	Loader for pop-up menu content. If defined, a health item is represented as a link, which opens a pop-up menu with the given content.
popupTitle	string	yes	The title of the popover.
disallowedControlPlaneTopology	string[]	yes	Control plane topology for which the subsystem should be hidden.

7.5.1.20. console.dashboards/overview/health/resource

7.5.1.20.1. Summary

Adds a health subsystem to the status card of Overview dashboard where the source of status is a Kubernetes Resource.

7.5.1.20.2. Properties

Name	Value Type	Optional	Description
title	string	no	The display name of the subsystem.
resources	CodeRef<WatchK8sResources<T>>	no	Kubernetes resources that will be fetched and passed to healthHandler .
healthHandler	CodeRef<ResourceHealthHandler<T>>	no	Resolve the subsystem's health.
popupComponent	CodeRef<WatchK8sResults<T>>	yes	Loader for pop-up menu content. If defined, a health item is represented as a link, which opens a pop-up menu with the given content.

Name	Value Type	Optional	Description
popupTitle	string	yes	The title of the popover.

7.5.1.21. console.dashboards/overview/health/url

7.5.1.21.1. Summary

Adds a health subsystem to the status card of Overview dashboard where the source of status is a Kubernetes REST API.

7.5.1.21.2. Properties

Name	Value Type	Optional	Description
title	string	no	The display name of the subsystem.
url	string	no	The URL to fetch data from. It will be prefixed with base Kubernetes URL.
healthHandler	<code>`CodeRef<URLHealthHandler<T, K8sResourceCommon>`</code>	<code>K8sResourceCommon[] >>`</code>	no
Resolve the subsystem's health.	additionalResource	CodeRef<FirehoseResource>	yes
Additional resource which will be fetched and passed to healthHandler .	popupComponent	CodeRef<React.ComponentType<{ healthResult?: T; healthResultError?: any; k8sResult?: FirehoseResult<R>; }>>	yes
Loader for popup content. If defined, a health item will be represented as a link which opens popup with given content.	popupTitle	string	yes

7.5.1.22. console.dashboards/overview/inventory/item

7.5.1.22.1. Summary

Adds a resource tile to the overview inventory card.

7.5.1.22.2. Properties

Name	Value Type	Optional	Description
model	CodeRef<T>	no	The model for resource which will be fetched. Used to get the model's label or abbr .
mapper	CodeRef<StatusGroupMapper<T, R>>	yes	Function which maps various statuses to groups.
additionalResources	CodeRef<WatchK8sResources<R>>	yes	Additional resources which will be fetched and passed to the mapper function.

7.5.1.23. console.dashboards/overview/inventory/item/group

7.5.1.23.1. Summary

Adds an inventory status group.

7.5.1.23.2. Properties

Name	Value Type	Optional	Description
id	string	no	The id of the status group.
icon	CodeRef<React.ReactElement<any, string React.JSXElementConstructor<any>>>	no	React component representing the status group icon.

7.5.1.24. console.dashboards/overview/inventory/item/replacement

7.5.1.24.1. Summary

Replaces an overview inventory card.

7.5.1.24.2. Properties

Name	Value Type	Optional	Description
model	CodeRef<T>	no	The model for resource which will be fetched. Used to get the model's label or abbr .
mapper	CodeRef<StatusGroupMapper<T, R>>	yes	Function which maps various statuses to groups.
additionalResources	CodeRef<WatchK8sResources<R>>	yes	Additional resources which will be fetched and passed to the mapper function.

7.5.1.25. console.dashboards/overview/prometheus/activity/resource

7.5.1.25.1. Summary

Adds an activity to the Activity Card of Prometheus Overview Dashboard where the triggering of activity is based on watching a Kubernetes resource.

7.5.1.25.2. Properties

Name	Value Type	Optional	Description
queries	string[]	no	Queries to watch
component	CodeRef<React.ComponentType<PrometheusActivityProps>>	no	The action component.
isActivity	CodeRef<(results: PrometheusResponse[]) ⇒ boolean>	yes	Function which determines if the given resource represents the action. If not defined, every resource represents activity.

7.5.1.26. console.dashboards/project/overview/item

7.5.1.26.1. Summary

Adds a resource tile to the project overview inventory card.

7.5.1.26.2. Properties

Name	Value Type	Optional	Description
model	CodeRef<T>	no	The model for resource which will be fetched. Used to get the model's label or abbr .
mapper	CodeRef<StatusGroupMapper<T, R>>	yes	Function which maps various statuses to groups.
additionalResources	CodeRef<WatchK8sResources<R>>	yes	Additional resources which will be fetched and passed to the mapper function.

7.5.1.27. console.dashboards/tab

7.5.1.27.1. Summary

Adds a new dashboard tab, placed after the **Overview** tab.

7.5.1.27.2. Properties

Name	Value Type	Optional	Description
id	string	no	A unique tab identifier, used as tab link href and when adding cards to this tab.
navSection	'home' 'storage'	no	Navigation section to which the tab belongs to.
title	string	no	The title of the tab.

7.5.1.28. console.file-upload

7.5.1.28.1. Summary

(not available)

7.5.1.28.2. Properties

Name	Value Type	Optional	Description
------	------------	----------	-------------

Name	Value Type	Optional	Description
fileExtensions	string[]	no	Supported file extensions.
handler	CodeRef<FileUpload Handler>	no	Function which handles the file drop action.

7.5.1.29. console.flag

7.5.1.29.1. Summary

Gives full control over the web console feature flags.

7.5.1.29.2. Properties

Name	Value Type	Optional	Description
handler	CodeRef<FeatureFlagHandler>	no	Used to set or unset arbitrary feature flags.

7.5.1.30. console.flag/hookProvider

7.5.1.30.1. Summary

Gives full control over the web console feature flags with hook handlers.

7.5.1.30.2. Properties

Name	Value Type	Optional	Description
handler	CodeRef<FeatureFlagHandler>	no	Used to set or unset arbitrary feature flags.

7.5.1.31. console.flag/model

7.5.1.31.1. Summary

Adds a new web console feature flag driven by the presence of a CRD on the cluster.

7.5.1.31.2. Properties

Name	Value Type	Optional	Description
------	------------	----------	-------------

Name	Value Type	Optional	Description
flag	string	no	The name of the flag to set once the CRD is detected.
model	ExtensionK8sModel	no	The model which refers to a CustomResourceDefinition .

7.5.1.32. console.global-config

7.5.1.32.1. Summary

(not available)

7.5.1.32.2. Properties

Name	Value Type	Optional	Description
id	string	no	Unique identifier for the cluster config resource instance.
name	string	no	The name of the cluster config resource instance.
model	ExtensionK8sModel	no	The model which refers to a cluster config resource.
namespace	string	no	The namespace of the cluster config resource instance.

7.5.1.33. console.model-metadata

7.5.1.33.1. Summary

Customize the display of models by overriding values retrieved and generated through API discovery.

7.5.1.33.2. Properties

Name	Value Type	Optional	Description
------	------------	----------	-------------

Name	Value Type	Optional	Description
model	ExtensionK8sGroup Model	no	The model to customize. May specify only a group, or optional version and kind.
badge	ModelBadge	yes	Whether to consider this model reference as Technology Preview or Developer Preview.
color	string	yes	The color to associate to this model.
label	string	yes	Override the label. Requires kind be provided.
labelPlural	string	yes	Override the plural label. Requires kind be provided.
abbr	string	yes	Customize the abbreviation. Defaults to all uppercase characters in kind , up to 4 characters long. Requires that kind is provided.

7.5.1.34. console.navigation/href

7.5.1.34.1. Summary

(not available)

7.5.1.34.2. Properties

Name	Value Type	Optional	Description
id	string	no	A unique identifier for this item.
name	string	no	The name of this item.
href	string	no	The link href value.

Name	Value Type	Optional	Description
perspective	string	yes	The perspective ID to which this item belongs to. If not specified, contributes to the default perspective.
section	string	yes	Navigation section to which this item belongs to. If not specified, render this item as a top level link.
dataAttributes	{ [key: string]: string; }	yes	Adds data attributes to the DOM.
startsWith	string[]	yes	Mark this item as active when the URL starts with one of these paths.
insertBefore	string string[]	yes	Insert this item before the item referenced here. For arrays, the first one found in order is used.
insertAfter	string string[]	yes	Insert this item after the item referenced here. For arrays, the first one found in order is used. insertBefore takes precedence.
namespaced	boolean	yes	If true , adds /ns/active-namespace to the end.
prefixNamespaced	boolean	yes	If true , adds /k8s/ns/active-namespace to the beginning

7.5.1.35. console.navigation/resource-cluster

7.5.1.35.1. Summary

(not available)

7.5.1.35.2. Properties

Name	Value Type	Optional	Description
id	string	no	A unique identifier for this item.
model	ExtensionK8sModel	no	The model for which this navigation item links to.
perspective	string	yes	The perspective ID to which this item belongs to. If not specified, contributes to the default perspective.
section	string	yes	Navigation section to which this item belongs to. If not specified, render this item as a top-level link.
dataAttributes	{ [key: string]: string; }	yes	Adds data attributes to the DOM.
startsWith	string[]	yes	Mark this item as active when the URL starts with one of these paths.
insertBefore	string string[]	yes	Insert this item before the item referenced here. For arrays, the first one found in order is used.
insertAfter	string string[]	yes	Insert this item after the item referenced here. For arrays, the first one found in order is used. insertBefore takes precedence.
name	string	yes	Overrides the default name. If not supplied the name of the link will equal the plural value of the model.

7.5.1.36. console.navigation/resource-ns

7.5.1.36.1. Summary

(not available)

7.5.1.36.2. Properties

Name	Value Type	Optional	Description
id	string	no	A unique identifier for this item.
model	ExtensionK8sModel	no	The model for which this navigation item links to.
perspective	string	yes	The perspective ID to which this item belongs to. If not specified, contributes to the default perspective.
section	string	yes	Navigation section to which this item belongs to. If not specified, render this item as a top-level link.
dataAttributes	{ [key: string]: string; }	yes	Adds data attributes to the DOM.
startsWith	string[]	yes	Mark this item as active when the URL starts with one of these paths.
insertBefore	string string[]	yes	Insert this item before the item referenced here. For arrays, the first one found in order is used.
insertAfter	string string[]	yes	Insert this item after the item referenced here. For arrays, the first one found in order is used. insertBefore takes precedence.
name	string	yes	Overrides the default name. If not supplied the name of the link will equal the plural value of the model.

7.5.1.37. console.navigation/section

7.5.1.37.1. Summary

(not available)

7.5.1.37.2. Properties

Name	Value Type	Optional	Description
id	string	no	A unique identifier for this item.
perspective	string	yes	The perspective ID to which this item belongs to. If not specified, contributes to the default perspective.
dataAttributes	{ [key: string]: string; }	yes	Adds data attributes to the DOM.
insertBefore	string string[]	yes	Insert this item before the item referenced here. For arrays, the first one found in order is used.
insertAfter	string string[]	yes	Insert this item after the item referenced here. For arrays, the first one found in order is used. insertBefore takes precedence.
name	string	yes	Name of this section. If not supplied, only a separator will be shown above the section.

7.5.1.38. console.navigation/separator

7.5.1.38.1. Summary

(not available)

7.5.1.38.2. Properties

Name	Value Type	Optional	Description
id	string	no	A unique identifier for this item.

Name	Value Type	Optional	Description
perspective	string	yes	The perspective ID to which this item belongs to. If not specified, contributes to the default perspective.
section	string	yes	Navigation section to which this item belongs to. If not specified, render this item as a top level link.
dataAttributes	{ [key: string]: string; }	yes	Adds data attributes to the DOM.
insertBefore	string string[]	yes	Insert this item before the item referenced here. For arrays, the first one found in order is used.
insertAfter	string string[]	yes	Insert this item after the item referenced here. For arrays, the first one found in order is used. insertBefore takes precedence.

7.5.1.39. console.page/resource/details

7.5.1.39.1. Summary

Adds a new resource details page to the web console router.

7.5.1.39.2. Properties

Name	Value Type	Optional	Description
model	ExtensionK8sGroupKindModel	no	The model for which this resource page links to.

Name	Value Type	Optional	Description
component	CodeRef<React.ComponentType<{ match: match<{}>; namespace: string; model: ExtensionK8sModel; }>>	no	The component to be rendered when the route matches.

7.5.1.40. console.page/resource/list

7.5.1.40.1. Summary

Adds new resource list page to Console router.

7.5.1.40.2. Properties

Name	Value Type	Optional	Description
model	ExtensionK8sGroup KindModel	no	The model for which this resource page links to.
component	CodeRef<React.ComponentType<{ match: match<{}>; namespace: string; model: ExtensionK8sModel; }>>	no	The component to be rendered when the route matches.

7.5.1.41. console.page/route

7.5.1.41.1. Summary

Adds a new page to the web console router. See [React Router](#).

7.5.1.41.2. Properties

Name	Value Type	Optional	Description
component	CodeRef<React.ComponentType<RouteComponentProps<{}>, StaticContext, any>>>	no	The component to be rendered when the route matches.

Name	Value Type	Optional	Description
path	string string[]	no	Valid URL path or array of paths that path-to-regexp@^1.7.0 understands.
perspective	string	yes	The perspective to which this page belongs to. If not specified, contributes to all perspectives.
exact	boolean	yes	When true, will only match if the path matches the location.pathname exactly.

7.5.1.42. console.page/route/standalone

7.5.1.42.1. Summary

Adds a new standalone page, rendered outside the common page layout, to the web console router. See [React Router](#).

7.5.1.42.2. Properties

Name	Value Type	Optional	Description
component	CodeRef<React.ComponentType<RouteComponentProps<{}>, StaticContext, any>>>	no	The component to be rendered when the route matches.
path	string string[]	no	Valid URL path or array of paths that path-to-regexp@^1.7.0 understands.
exact	boolean	yes	When true, will only match if the path matches the location.pathname exactly.

7.5.1.43. console.perspective

7.5.1.43.1. Summary

(not available)

7.5.1.43.2. Properties

Name	Value Type	Optional	Description
id	string	no	The perspective identifier.
name	string	no	The perspective display name.
icon	CodeRef<LazyComponent>	no	The perspective display icon.
landingPageURL	CodeRef<(flags: { [key: string]: boolean; }, isFirstVisit: boolean) ⇒ string>	no	The function to get perspective landing page URL.
importRedirectURL	CodeRef<(namespace: string) ⇒ string>	no	The function to get redirect URL for import flow.
default	boolean	yes	Whether the perspective is the default. There can only be one default.
defaultPins	ExtensionK8sModel[]	yes	Default pinned resources on the nav
usePerspectiveDetection	CodeRef<() ⇒ [boolean, boolean]>	yes	The hook to detect default perspective

7.5.1.44. console.project-overview/inventory-item

7.5.1.44.1. Summary

Adds a new inventory item into the **Project Overview** page.

7.5.1.44.2. Properties

Name	Value Type	Optional	Description
------	------------	----------	-------------

Name	Value Type	Optional	Description
component	CodeRef<React.ComponentType<{ projectId: string; }>>	no	The component to be rendered.

7.5.1.45. console.project-overview/utilization-item

7.5.1.45.1. Summary

Adds a new project overview utilization item.

7.5.1.45.2. Properties

Name	Value Type	Optional	Description
title	string	no	The title of the utilization item.
getUtilizationQuery	CodeRef<GetProjectQuery>	no	Prometheus utilization query.
humanize	CodeRef<Humanize>	no	Convert Prometheus data to human-readable form.
getTotalQuery	CodeRef<GetProjectQuery>	yes	Prometheus total query.
getRequestQuery	CodeRef<GetProjectQuery>	yes	Prometheus request query.
getLimitQuery	CodeRef<GetProjectQuery>	yes	Prometheus limit query.
TopConsumerPopover	CodeRef<React.ComponentType<TopConsumerPopoverProps>>	yes	Shows the top consumer popover instead of plain value.

7.5.1.46. console.pvc/alert

7.5.1.46.1. Summary

(not available)

7.5.1.46.2. Properties

Name	Value Type	Optional	Description
alert	CodeRef<React.ComponentType<{ pvc: K8sResourceComm on; }>>	no	The alert component.

7.5.1.47. console.pvc/create-prop

7.5.1.47.1. Summary

(not available)

7.5.1.47.2. Properties

Name	Value Type	Optional	Description
label	string	no	Label for the create prop action.
path	string	no	Path for the create prop action.

7.5.1.48. console.pvc/delete

7.5.1.48.1. Summary

(not available)

7.5.1.48.2. Properties

Name	Value Type	Optional	Description
predicate	CodeRef<(pvc: K8sResourceComm on) ⇒ boolean>	no	Predicate that tells whether to use the extension or not.
onPVCKill	CodeRef<(pvc: K8sResourceComm on) ⇒ Promise<void>>	no	Method for the PVC delete operation.
alert	CodeRef<React.ComponentType<{ pvc: K8sResourceComm on; }>>	no	Alert component to show additional information.

7.5.1.49. console.pvc/status

7.5.1.49.1. Summary

(not available)

7.5.1.49.2. Properties

Name	Value Type	Optional	Description
priority	number	no	Priority for the status component. A larger value means higher priority.
status	CodeRef<React.ComponentType<{ pvc: K8sResourceCommon; }>>	no	The status component.
predicate	CodeRef<(pvc: K8sResourceCommon) ⇒ boolean>	no	Predicate that tells whether to render the status component or not.

7.5.1.50. console.redux-reducer

7.5.1.50.1. Summary

Adds new reducer to Console Redux store which operates on **plugins.<scope>** substate.

7.5.1.50.2. Properties

Name	Value Type	Optional	Description
scope	string	no	The key to represent the reducer-managed substate within the Redux state object.
reducer	CodeRef<Reducer<any, AnyAction>>	no	The reducer function, operating on the reducer-managed substate.

7.5.1.51. console.resource/create

7.5.1.51.1. Summary

(not available)

7.5.151.2. Properties

Name	Value Type	Optional	Description
model	ExtensionK8sModel	no	The model for which this create resource page will be rendered.
component	CodeRef<React.ComponentType<CreateResourceComponentProps>>	no	The component to be rendered when the model matches

7.5.152. console.storage-provider

7.5.152.1. Summary

(not available)

7.5.152.2. Properties

Name	Value Type	Optional	Description
name	string	no	
Component	CodeRef<React.ComponentType<Partial<RouteComponentProps<{}>, StaticContext, any>>>>	no	

7.5.153. console.tab/horizontalNav

7.5.153.1. Summary

(not available)

7.5.153.2. Properties

Name	Value Type	Optional	Description
model	ExtensionK8sKindVersionModel	no	The model for which this provider show tab.

Name	Value Type	Optional	Description
page	{ name: string; href: string; }	no	The page to be show in horizontal tab. It takes tab name as name and href of the tab
component	CodeRef<React.ComponentType<PageComponentProps<K8sResourceCommon>>	no	The component to be rendered when the route matches.

7.5.1.54. console.telemetry/listener

7.5.1.54.1. Summary

(not available)

7.5.1.54.2. Properties

Name	Value Type	Optional	Description
listener	CodeRef<Telemetry EventListener>	no	Listen for telemetry events

7.5.1.55. console.topology/adapters/build

7.5.1.55.1. Summary

BuildAdapter contributes an adapter to adapt element to data that can be used by the **Build** component.

7.5.1.55.2. Properties

Name	Value Type	Optional	Description
adapt	`CodeRef<(element: GraphElement) => AdapterDataType<Build ConfigData>	undefined`	no

7.5.1.56. console.topology/adapters/network

7.5.1.56.1. Summary

NetworkAdapater contributes an adapter to adapt element to data that can be used by the **Networking** component.

7.5.156.2. Properties

Name	Value Type	Optional	Description
adapt	<code>`CodeRef<(element: GraphElement) => NetworkAdapterType`</code>	undefined	no

7.5.157. console.topology/adapter/pod

7.5.157.1. Summary

PodAdapter contributes an adapter to adapt element to data that can be used by the **Pod** component.

7.5.157.2. Properties

Name	Value Type	Optional	Description
adapt	<code>`CodeRef<(element: GraphElement) => AdapterDataType<Pods AdapterDataType>`</code>	undefined	no

7.5.158. console.topology/component/factory

7.5.158.1. Summary

Getter for a **ViewComponentFactory**.

7.5.158.2. Properties

Name	Value Type	Optional	Description
getFactory	<code>CodeRef<ViewComponentFactory></code>	no	Getter for a ViewComponentFactory .

7.5.159. console.topology/create/connector

7.5.159.1. Summary

Getter for the create connector function.

7.5.159.2. Properties

Name	Value Type	Optional	Description
getCreateConnector	CodeRef<CreateConnectionGetter>	no	Getter for the create connector function.

7.5.1.60. console.topology/data/factory

7.5.1.60.1. Summary

Topology Data Model Factory Extension

7.5.1.60.2. Properties

Name	Value Type	Optional	Description
id	string	no	Unique ID for the factory.
priority	number	no	Priority for the factory
resources	WatchK8sResources Generic	yes	Resources to be fetched from useK8sWatchResources hook.
workloadKeys	string[]	yes	Keys in resources containing workloads.
getDataModel	CodeRef<TopologyDataModelGetter>	yes	Getter for the data model factory.
isResourceDepicted	CodeRef<TopologyDataModelDepicted>	yes	Getter for function to determine if a resource is depicted by this model factory.
getDataModelReconciler	CodeRef<TopologyDataModelReconciler>	yes	Getter for function to reconcile data model after all extensions' models have loaded.

7.5.1.61. console.topology/decorator/provider

7.5.1.61.1. Summary

Topology Decorator Provider Extension

7.5.1.61.2. Properties

Name	Value Type	Optional	Description
id	string	no	
priority	number	no	
quadrant	TopologyQuadrant	no	
decorator	CodeRef<TopologyDecoratorGetter>	no	

7.5.1.62. console.topology/details/resource-alert

7.5.1.62.1. Summary

DetailsResourceAlert contributes an alert for specific topology context or graph element.

7.5.1.62.2. Properties

Name	Value Type	Optional	Description
id	string	no	The ID of this alert. Used to save state if the alert should not be shown after dismissed.
contentProvider	<code>`CodeRef<(element: GraphElement) ⇒ DetailsResourceAlertContent`</code>	no	

7.5.1.63. console.topology/details/resource-link

7.5.1.63.1. Summary

DetailsResourceLink contributes a link for specific topology context or graph element.

7.5.1.63.2. Properties

Name	Value Type	Optional	Description
link	<code>`CodeRef<(element: GraphElement) ⇒ React.Component`</code>	no	

Name	Value Type	Optional	Description
Return the resource link if provided, otherwise undefined. Use the ResourceIcon and ResourceLink properties for styles.	priority	number	yes

7.5.1.64. console.topology/details/tab

7.5.1.64.1. Summary

DetailsTab contributes a tab for the topology details panel.

7.5.1.64.2. Properties

Name	Value Type	Optional	Description
id	string	no	A unique identifier for this details tab.
label	string	no	The tab label to display in the UI.
insertBefore	string string[]	yes	Insert this item before the item referenced here. For arrays, the first one found in order is used.
insertAfter	string string[]	yes	Insert this item after the item referenced here. For arrays, the first one found in order is used. The insertBefore value takes precedence.

7.5.1.65. console.topology/details/tab-section

7.5.1.65.1. Summary

DetailsTabSection contributes a section for a specific tab in the topology details panel.

7.5.1.65.2. Properties

Name	Value Type	Optional	Description
id	string	no	A unique identifier for this details tab section.
tab	string	no	The parent tab ID that this section should contribute to.
provider	CodeRef<DetailsTabSectionExtensionHook>	no	A hook that returns a component, or if null or undefined renders in the topology sidebar.SDK component: <Section title=\{\}>... padded area
section	<code>`CodeRef<(element: GraphElement, renderNull?: () => null) => React.Component`</code>	undefined>	no
@deprecated Fallback if no provider is defined. renderNull is a no-op already.	insertBefore	string string[]	yes
Insert this item before the item referenced here.For arrays, the first one found in order is used.	insertAfter	string string[]	yes

7.5.1.66. console.topology/display/filters

7.5.1.66.1. Summary

Topology Display Filters Extension

7.5.1.66.2. Properties

Name	Value Type	Optional	Description
getTopologyFilters	CodeRef<() => TopologyDisplayOption[]>	no	
applyDisplayOptions	CodeRef<TopologyApplyDisplayOptions>	no	

7.5.1.67. console.topology/relationship/provider

7.5.1.67.1. Summary

Topology relationship provider connector extension

7.5.1.67.2. Properties

Name	Value Type	Optional	Description
provides	CodeRef<RelationshipProviderProvides>	no	
tooltip	string	no	
create	CodeRef<RelationshipProviderCreate>	no	
priority	number	no	

7.5.1.68. console.user-preference/group

7.5.1.68.1. Summary

(not available)

7.5.1.68.2. Properties

Name	Value Type	Optional	Description
id	string	no	ID used to identify the user preference group.
label	string	no	The label of the user preference group
insertBefore	string	yes	ID of user preference group before which this group should be placed
insertAfter	string	yes	ID of user preference group after which this group should be placed

7.5.1.69. console.user-preference/item

7.5.1.69.1. Summary

(not available)

7.5.1.69.2. Properties

Name	Value Type	Optional	Description
id	string	no	ID used to identify the user preference item and referenced in insertAfter and insertBefore to define the item order.
label	string	no	The label of the user preference
description	string	no	The description of the user preference.
field	UserPreferenceField	no	The input field options used to render the values to set the user preference.
groupId	string	yes	IDs used to identify the user preference groups the item would belong to.
insertBefore	string	yes	ID of user preference item before which this item should be placed
insertAfter	string	yes	ID of user preference item after which this item should be placed

7.5.1.70. console.yaml-template

7.5.1.70.1. Summary

YAML templates for editing resources via the yaml editor.

7.5.1.70.2. Properties

Name	Value Type	Optional	Description
model	ExtensionK8sModel	no	Model associated with the template.

Name	Value Type	Optional	Description
template	CodeRef<string>	no	The YAML template.
name	string	no	The name of the template. Use the name default to mark this as the default template.

7.5.1.71. dev-console.add/action

7.5.1.71.1. Summary

(not available)

7.5.1.71.2. Properties

Name	Value Type	Optional	Description
id	string	no	ID used to identify the action.
label	string	no	The label of the action
description	string	no	The description of the action.
href	string	no	The href to navigate to.
groupId	string	yes	IDs used to identify the action groups the action would belong to.
icon	CodeRef<React.ReactNode>	yes	The perspective display icon.
accessReview	AccessReviewResourceAttributes[]	yes	Optional access review to control the visibility or enablement of the action.

7.5.1.72. dev-console.add/action-group

7.5.1.72.1. Summary

(not available)

7.5.1.72.2. Properties

Name	Value Type	Optional	Description
id	string	no	ID used to identify the action group.
name	string	no	The title of the action group
insertBefore	string	yes	ID of action group before which this group should be placed
insertAfter	string	yes	ID of action group after which this group should be placed

7.5.1.73. dev-console.import/environment

7.5.1.73.1. Summary

(not available)

7.5.1.73.2. Properties

Name	Value Type	Optional	Description
imageStreamName	string	no	Name of the image stream to provide custom environment variables for
imageStreamTags	string[]	no	List of supported image stream tags
environments	ImageEnvironment[]	no	List of environment variables

7.5.1.74. console.page/resource/tab

7.5.1.74.1. Summary [DEPRECATED]

Deprecated. Use **console.tab/horizontalNav** instead. Adds a new resource tab page to Console router.

7.5.1.74.2. Properties

Name	Value Type	Optional	Description
model	ExtensionK8sGroupKindModel	no	The model for which this resource page links to.
component	CodeRef<React.ComponentType<RouteComponentProps<{}, StaticContext, any>>>	no	The component to be rendered when the route matches.
name	string	no	The name of the tab.
href	string	yes	The optional href for the tab link. If not provided, the first path is used.
exact	boolean	yes	When true, will only match if the path matches the location.pathname exactly.

7.5.2. Troubleshooting your dynamic plugin

Refer to this list of troubleshooting tips if you run into issues loading your plugin.

- Verify that you have enabled your plugin in the console Operator configuration and your plugin name is the output by running the following command:


```
$ oc get console.operator.openshift.io cluster -o jsonpath='{.spec.plugins}'
```

 - Verify the enabled plugins on the status card of the **Overview** page in the **Administrator** perspective. You must refresh your browser if the plugin was recently enabled.
- Verify your plugin service is healthy by:
 - Verifying your plugin pod status is running and your containers are ready.
 - Verifying the service label selector matches the pod and the target port is correct.
 - Using the curl command with the **plugin-manifest.json** from the service in a terminal on the console pod or another pod on the cluster.
- Verify your **ConsolePlugin** resource name (**consolePlugin.name**) matches the plugin name used in **package.json**.
- Verify your service name, namespace, port, and path are declared correctly in the **ConsolePlugin** resource.
- Verify your plugin service uses HTTPS and service serving certificates.
- Verify any certificates or connection errors in the console pod logs.

- Verify the feature flag your plugin relies on is not disabled.
- Verify your plugin does not have any **consolePlugin.dependencies** in **package.json** that are not met.
 - This can include console version dependencies or dependencies on other plugins. Filter the JS console in your browser for your plugin's name to see messages that are logged.
- Verify there are no typographical errors in the navigation extension perspective or section IDs.
 - Your plugin might be loaded, but navigation items can be missing if IDs are incorrect. Try navigating to a plugin page directly by editing the URL.
- Verify there are no network policies that are blocking traffic from the console pod to your plugin service.
 - If necessary, adjust network policies to allow console pods in the **openshift-console** namespace to make requests to your service.
- Verify the list of dynamic plugins to be loaded in your browser in the **Console** tab of the developer tools browser.
 - Evaluate **window.SERVER_FLAGS.consolePlugins** to see the dynamic plugin on the Console front end.

Additional resources

- [Understanding service serving certificates](#)

CHAPTER 8. WEB TERMINAL

8.1. INSTALLING THE WEB TERMINAL

You can install the web terminal by using the Web Terminal Operator listed in the OpenShift Container Platform OperatorHub. When you install the Web Terminal Operator, the custom resource definitions (CRDs) that are required for the command line configuration, such as the **DevWorkspace** CRD, are automatically installed. The web console creates the required resources when you open the web terminal.

Prerequisites

- You are logged into the OpenShift Container Platform web console.
- You have cluster administrator permissions.

Procedure

1. In the **Administrator** perspective of the web console, navigate to **Operators → OperatorHub**.
2. Use the **Filter by keyword** box to search for the Web Terminal Operator in the catalog, and then click the **Web Terminal** tile.
3. Read the brief description about the Operator on the **Web Terminal** page, and then click **Install**.
4. On the **Install Operator** page, retain the default values for all fields.
 - The **fast** option in the **Update Channel** menu enables installation of the latest release of the Web Terminal Operator.
 - The **All namespaces on the cluster** option in the **Installation Mode** menu enables the Operator to watch and be available to all namespaces in the cluster.
 - The **openshift-operators** option in the **Installed Namespace** menu installs the Operator in the default **openshift-operators** namespace.
 - The **Automatic** option in the **Approval Strategy** menu ensures that the future upgrades to the Operator are handled automatically by the Operator Lifecycle Manager.
5. Click **Install**.
6. In the **Installed Operators** page, click the **View Operator** to verify that the Operator is listed on the **Installed Operators** page.



NOTE

The Web Terminal Operator installs the DevWorkspace Operator as a dependency.

7. After the Operator is installed, refresh your page to see the command line terminal icon () in the masthead of the console.

8.2. USING THE WEB TERMINAL

You can launch an embedded command line terminal instance in the web console. This terminal instance is preinstalled with common CLI tools for interacting with the cluster, such as **oc**, **kubect****l**, **odo**, **kn**, **tkn**, **helm**, and **subctl**. It also has the context of the project you are working on and automatically logs you in using your credentials.

8.2.1. Accessing the web terminal

After the Web Terminal Operator is installed, you can access the web terminal. After the web terminal is initialized, you can use the preinstalled CLI tools like **oc**, **kubect****l**, **odo**, **kn**, **tkn**, **helm**, and **subctl** in the web terminal. You can re-run commands by selecting them from the list of commands you have run in the terminal. These commands persist across multiple terminal sessions. The web terminal remains open until you close it or until you close the browser window or tab.

Prerequisites

- You have access to an OpenShift Container Platform cluster and are logged into the web console.
- The Web Terminal Operator is installed on your cluster.

Procedure

1. To launch the web terminal, click the command line terminal icon () in the masthead of the console. A web terminal instance is displayed in the **Command line terminal** pane. This instance is automatically logged in with your credentials.
2. If a project has not been selected in the current session, select the project where the **DevWorkspace** CR must be created from the **Project** drop-down list. By default, the current project is selected.



NOTE

- The **DevWorkspace** CR is created only if it does not already exist.
- The **openshift-terminal** project is the default project used for cluster administrators. They do not have the option to choose another project. The Web Terminal Operator installs the DevWorkspace Operator as a dependency.

3. Optional: Set the web terminal timeout for the current session:
 - a. Click Timeout.
 - b. In the field that appears, enter the timeout value.
 - c. From the drop-down list, select a timeout interval of **Seconds**, **Minutes**, **Hours**, or **Milliseconds**.
4. Optional: Select a custom image for the web terminal to use.
 - a. Click Image.
 - b. In the field that appears, enter the URL of the image that you want to use.

5. Click **Start** to initialize the web terminal using the selected project.
6. Click **+** to open multiple tabs within the web terminal in the console.

8.3. TROUBLESHOOTING THE WEB TERMINAL

8.3.1. Web terminal and network policies

The web terminal might fail to launch if the cluster has network policies configured. To initialize a web terminal instance, the Web Terminal Operator must communicate with the web terminal's pod to verify it is running, and the OpenShift Container Platform web console needs to send information to automatically log in to the cluster within the terminal. If either step fails, the web terminal fails to initialize and the terminal panel appears to be in a loading state.

To avoid this issue, ensure that the network policies for namespaces that are used for terminals allow ingress from the **openshift-console** and **openshift-operators** namespaces.

8.4. UNINSTALLING THE WEB TERMINAL

Uninstalling the Web Terminal Operator does not remove any of the custom resource definitions (CRDs) or managed resources that are created when the Operator is installed. For security purposes, you must manually uninstall these components. By removing these components, you save cluster resources because terminals do not idle when the Operator is uninstalled.

Uninstalling the web terminal is a two-step process:

1. Uninstall the Web Terminal Operator and related custom resources (CRs) that were added when you installed the Operator.
2. Uninstall the DevWorkspace Operator and its related custom resources that were added as a dependency of the Web Terminal Operator.

8.4.1. Removing the Web Terminal Operator

You can uninstall the web terminal by removing the Web Terminal Operator and custom resources used by the Operator.

Prerequisites

- You have access to an OpenShift Container Platform cluster with cluster administrator permissions.
- You have installed the **oc** CLI.


Procedure

1. In the **Administrator** perspective of the web console, navigate to **Operators → Installed Operators**.
2. Scroll the filter list or type a keyword into the **Filter by name** box to find the Web Terminal Operator.

3. Click the Options menu  for the Web Terminal Operator, and then select **Uninstall Operator**.
4. In the **Uninstall Operator** confirmation dialog box, click **Uninstall** to remove the Operator, Operator deployments, and pods from the cluster. The Operator stops running and no longer receives updates.

8.4.2. Removing the DevWorkspace Operator

To completely uninstall the web terminal, you must also remove the DevWorkspace Operator and custom resources used by the Operator.



IMPORTANT

The DevWorkspace Operator is a standalone Operator and may be required as a dependency for other Operators installed in the cluster. Follow the steps below only if you are sure that the DevWorkspace Operator is no longer needed.

Prerequisites

- You have access to an OpenShift Container Platform cluster with cluster administrator permissions.
- You have installed the **oc** CLI.

Procedure

1. Remove the **DevWorkspace** custom resources used by the Operator, along with any related Kubernetes objects:

```
$ oc delete devworkspaces.workspace.devfile.io --all-namespaces --all --wait
```

```
$ oc delete devworkspaceroutings.controller.devfile.io --all-namespaces --all --wait
```



WARNING

If this step is not complete, finalizers make it difficult to fully uninstall the Operator.

2. Remove the CRDs used by the Operator:

**WARNING**

The DevWorkspace Operator provides custom resource definitions (CRDs) that use conversion webhooks. Failing to remove these CRDs can cause issues in the cluster.

```
$ oc delete customresourcedefinitions.apiextensions.k8s.io
devworkspaceroutings.controller.devfile.io
```

```
$ oc delete customresourcedefinitions.apiextensions.k8s.io
devworkspaces.workspace.devfile.io
```

```
$ oc delete customresourcedefinitions.apiextensions.k8s.io
devworkspacetemplates.workspace.devfile.io
```

```
$ oc delete customresourcedefinitions.apiextensions.k8s.io
devworkspaceoperatorconfigs.controller.devfile.io
```

3. Verify that all involved custom resource definitions are removed. The following command should not display any output:

```
$ oc get customresourcedefinitions.apiextensions.k8s.io | grep "devfile.io"
```

4. Remove the **devworkspace-webhook-server** deployment, mutating, and validating webhooks:

```
$ oc delete deployment/devworkspace-webhook-server -n openshift-operators
```

```
$ oc delete mutatingwebhookconfigurations controller.devfile.io
```

```
$ oc delete validatingwebhookconfigurations controller.devfile.io
```

**NOTE**

If you remove the **devworkspace-webhook-server** deployment without removing the mutating and validating webhooks, you can not use **oc exec** commands to run commands in a container in the cluster. After you remove the webhooks you can use the **oc exec** commands again.

5. Remove any remaining services, secrets, and config maps. Depending on the installation, some resources included in the following commands may not exist in the cluster.

```
$ oc delete all --selector app.kubernetes.io/part-of=devworkspace-
operator,app.kubernetes.io/name=devworkspace-webhook-server -n openshift-operators
```

```
$ oc delete serviceaccounts devworkspace-webhook-server -n openshift-operators
```

```
$ oc delete clusterrole devworkspace-webhook-server
```

```
$ oc delete clusterrolebinding devworkspace-webhook-server
```

6. Uninstall the DevWorkspace Operator:

- a. In the **Administrator** perspective of the web console, navigate to **Operators → Installed Operators**.
- b. Scroll the filter list or type a keyword into the **Filter by name** box to find the DevWorkspace Operator.
- c. Click the Options menu  for the Operator, and then select **Uninstall Operator**.
- d. In the **Uninstall Operator** confirmation dialog box, click **Uninstall** to remove the Operator, Operator deployments, and pods from the cluster. The Operator stops running and no longer receives updates.

CHAPTER 9. DISABLING THE WEB CONSOLE IN OPENSHIFT CONTAINER PLATFORM

You can disable the OpenShift Container Platform web console.

9.1. PREREQUISITES

- Deploy an OpenShift Container Platform cluster.

9.2. DISABLING THE WEB CONSOLE

You can disable the web console by editing the **consoles.operator.openshift.io** resource.

- Edit the **consoles.operator.openshift.io** resource:

```
$ oc edit consoles.operator.openshift.io cluster
```

The following example displays the parameters from this resource that you can modify:

```
apiVersion: operator.openshift.io/v1
kind: Console
metadata:
  name: cluster
spec:
  managementState: Removed 1
```

- 1** Set the **managementState** parameter value to **Removed** to disable the web console. The other valid values for this parameter are **Managed**, which enables the console under the cluster's control, and **Unmanaged**, which means that you are taking control of web console management.

CHAPTER 10. CREATING QUICK START TUTORIALS IN THE WEB CONSOLE

If you are creating quick start tutorials for the OpenShift Container Platform web console, follow these guidelines to maintain a consistent user experience across all quick starts.

10.1. UNDERSTANDING QUICK STARTS

A quick start is a guided tutorial with user tasks. In the web console, you can access quick starts under the **Help** menu. They are especially useful for getting oriented with an application, Operator, or other product offering.

A quick start primarily consists of tasks and steps. Each task has multiple steps, and each quick start has multiple tasks. For example:

- Task 1
 - Step 1
 - Step 2
 - Step 3
- Task 2
 - Step 1
 - Step 2
 - Step 3
- Task 3
 - Step 1
 - Step 2
 - Step 3

10.2. QUICK START USER WORKFLOW

When you interact with an existing quick start tutorial, this is the expected workflow experience:

1. In the **Administrator** or **Developer** perspective, click the **Help icon** and select **Quick Starts**.
2. Click a quick start card.
3. In the panel that appears, click **Start**.
4. Complete the on-screen instructions, then click **Next**.
5. In the **Check your work** module that appears, answer the question to confirm that you successfully completed the task.
 - a. If you select **Yes**, click **Next** to continue to the next task.

- b. If you select **No**, repeat the task instructions and check your work again.
6. Repeat steps 1 through 6 above to complete the remaining tasks in the quick start.
7. After completing the final task, click **Close** to close the quick start.

10.3. QUICK START COMPONENTS

A quick start consists of the following sections:

- **Card:** The catalog tile that provides the basic information of the quick start, including title, description, time commitment, and completion status
- **Introduction:** A brief overview of the goal and tasks of the quick start
- **Task headings:** Hyper-linked titles for each task in the quick start
- **Check your work module** A module for a user to confirm that they completed a task successfully before advancing to the next task in the quick start
- **Hints:** An animation to help users identify specific areas of the product
- **Buttons**
 - **Next and back buttons** Buttons for navigating the steps and modules within each task of a quick start
 - **Final screen buttons** Buttons for closing the quick start, going back to previous tasks within the quick start, and viewing all quick starts

The main content area of a quick start includes the following sections:

- **Card copy**
- **Introduction**
- **Task steps**
- **Modals and in-app messaging**
- **Check your work module**

10.4. CONTRIBUTING QUICK STARTS

OpenShift Container Platform introduces the quick start custom resource, which is defined by a **ConsoleQuickStart** object. Operators and administrators can use this resource to contribute quick starts to the cluster.

Prerequisites

- You must have cluster administrator privileges.

Procedure

1. To create a new quick start, run:

```
$ oc get -o yaml consolequickstart spring-with-s2i > my-quick-start.yaml
```

2. Run:

```
$ oc create -f my-quick-start.yaml
```

3. Update the YAML file using the guidance outlined in this documentation.

4. Save your edits.

10.4.1. Viewing the quick start API documentation

Procedure

- To see the quick start API documentation, run:

```
$ oc explain consolequickstarts
```

Run **oc explain -h** for more information about **oc explain** usage.

10.4.2. Mapping the elements in the quick start to the quick start CR

This section helps you visually map parts of the quick start custom resource (CR) with where they appear in the quick start within the web console.

10.4.2.1. conclusion element

Viewing the conclusion element in the YAML file

```
...
summary:
  failed: Try the steps again.
  success: Your Spring application is running.
title: Run the Spring application
conclusion: >-
  Your Spring application is deployed and ready. 1
```

1 conclusion text

Viewing the conclusion element in the web console

The conclusion appears in the last section of the quick start.

Get started with Spring 10 minutes



- 1 Create a Spring application
- 2 View the build status
- 3 View the associated Git repository
- 4 View the pod status
- 5 Change the deployment icon to Spring
- 6 Run the Spring application

Your Spring application is deployed and ready.

10.4.2.2. description element

Viewing the description element in the YAML file

```
apiVersion: console.openshift.io/v1
kind: ConsoleQuickStart
metadata:
  name: spring-with-s2i
spec:
  description: 'Import a Spring Application from git, build, and deploy it onto OpenShift.' 1
  ...
```

1 description text

Viewing the description element in the web console

The description appears on the introductory tile of the quick start on the **Quick Starts** page.



Get started with Spring

⌚ 10 minutes

Import a Spring Application from git, build, and deploy it onto OpenShift.

10.4.2.3. displayName element

Viewing the displayName element in the YAML file

```
apiVersion: console.openshift.io/v1
kind: ConsoleQuickStart
metadata:
  name: spring-with-s2i
spec:
  description: 'Import a Spring Application from git, build, and deploy it onto OpenShift.'
  displayName: Get started with Spring 1
  durationMinutes: 10
```

1 **displayName** text.

Viewing the displayName element in the web console

The display name appears on the introductory tile of the quick start on the **Quick Starts** page.



Get started with Spring

🕒 10 minutes

Import a Spring Application from git, build, and deploy it onto OpenShift.

10.4.2.4. durationMinutes element

Viewing the durationMinutes element in the YAML file

```
apiVersion: console.openshift.io/v1
kind: ConsoleQuickStart
metadata:
  name: spring-with-s2i
spec:
  description: 'Import a Spring Application from git, build, and deploy it onto OpenShift.'
  displayName: Get started with Spring
  durationMinutes: 10 1
```

- 1** **durationMinutes** value, in minutes. This value defines how long the quick start should take to complete.

Viewing the durationMinutes element in the web console

The duration minutes element appears on the introductory tile of the quick start on the **Quick Starts** page.

⌚ 10 minutes

89

```

0LjctMzAuMTUsNDkuNzctNDAuMTFhMjEyLDIxMiwwLDAsMSw2NS45My0yNS43M0ExOTgsMTk4LDA
sMCwxLDUxMiwxMTYuMjdHMTk2LjExLDE5Ni4xMSwwLDAsMSwzMiwwLjFjNC41LjKxLDkuMzYsMi4wN
wxNC41MywzLjUyLDYwLjQxLDIwLjQ4LDg0LjkyLDkxLjA1LTQ3LjQ0LDI0OC4wNi0yOC43NSwzNC4x
Mi0xNDAuNywxOTQuODQtMTg0LjY2LDI2OC40MmE2MzAuODYsNjMwLjg2LDAsMCwwLTMzLjlyLD
U4LjMyQzI3NiwwNTUuMzQsMjY1LjQsNTk4LDI2NS40LDUyMC4yOSwyNjUuNCwzNDAuNjEsMzExLjY
5LDI0MC43NCwzNjQuMTUsMTg1LjIzWiIvPjxwYXRoIGNsYXNzPSJjbHMtMyIgZD0iTTUyNy41NCwzO
DQuODNjODQuMDYtOTkuNywxMTYuMDYtMTc3LjI4LDk1LjlyLTlzMCA3NCwzMS42MiwwLjY5LDI0LD
E5LjIsMzcuMDYsMzEuMTMsNTluNDgsNTUuNSw5OC43OCwwNTUuMzgsOTguNzgsMzM1LjA3LDAs
NzcuNzEtMTAuNiwwMzUuMDUtMjcuNzcsMTc3LjRhNjI4LjczLDYyOC43MywwLDAsMC0zMy4yMy01OC
4zMmMtMzktNjUuMjYtMTMxLjQ1LTE5OS0xNzEuOTMtMjUyLjI3QzUyNi4zMzYwODYuMjksNTI3LDM4
NS41MiwwMjcuNTQsMzg0LjgzWiIvPjxwYXRoIGNsYXNzPSJjbHMtNCIgZD0iTTEzNC41OCw5MDguM
DdoLS4wNmEuMzkuMzksMCwwLDEtLjI3LS4xMWMtMTE5LjUyLTEyMS4wNy0xNTUtMjg3LjQtNDcuN
TQtNDA0LjU4LDM0LjYzLTQxLjE0LDEyMC0xNTEuNiwyMDluNzUtMjYyLjE5LTMuMTMsNy02LjEyLDE
0LjI1LTguOTIsMjEuNjktMjQuMzQsNjQuNDUtMzYuNjcsMTQ0LjMyLTM2LjY3LDIzNy40MSwwLDU2LjU
zLDUuNTgsMTA2LDE2LjU5LDE0Ny4xNEEzMDCuNDksMzA3LjQ5LDAsMCwwLDI4MC45MSwzMjND
MjM3LDgxNi44OCwyMTYuOTMsODkzLjKzLDEzNC41OCw5MDguMDdali8+PHBhdGggY2xhc3M9ImN
scy01liBkPSJNNTgzLjQzLDgxMy43OUm1NjAuMTgsNzI3LjcyLDUxMiwwNjQuMTUsNTEyLDY2NC4xN
XMtNDguMTcsNjMuNTctNzEuNDMsMTQ5LjY0Yy00OC40NS02Ljc0LTEwMC45MS0yNy41Mi0xMzUu
NjYtOTEuMThhNjQ1LjY4LDY0NS42OCwwLDAsMSwzOS41Ny03MS41NGwuMjEtLjMyLjE5LS4zM2M
zOC02My42MywzMjYuNC0xOTEuMzcsMTY3LjEyLTI0NS42NiwwMC43MSw1NC4yOCwwMjkuMSwzO
DIsMTY3LjEyLDE0NS42NmwwMTkuMzMuMjEuMzJhNjQ1LjY4LDY0NS42OCwwLDAsMSwzOS41Nyw
3MS41NEM2ODQuMzQsNzg2LjI3LDYzMS44OCw4MDCuMDUsNTgzLjQzLDgxMy43OVoiLz48cGF0a
CBjbGFzc20iY2xzLTQiIGQ9Ik04ODkuNzUsOTA4YS4zOS4zOSwwLDAsMS0uMjcuMTFoLS4wNkM4M
DCuMDcsODkzLjKzLDE4NywwMTYuODgsNzQzLjA5LDEyMzEuMDcuNDksMzA3LjQ5LDAsMCwwLDIwL
jQ1LTU1LjU0YzExLTQxLjExLDE2LjU5LTkwLjYxLDE2LjU5LTE0Ny4xNCwwLTkzLjA4LTEyLjMzLDE3M
y0zNi42Ni0yMzcuNHETNC4yMi0xMS4xNi04LjKzLTlxdjODluNzUsOTAuNTksMTY4LjEyLDEwMS4wNS
wyMDluNzUsMjYyLjE5QzEwNDQuNzksNjIwLjU2LDEwMDkuMjcsNzg2Ljg5LDg4OS43NSw5MDhali8+
PC9zdmccCg==

```

...

- 1 The icon defined as a base64 value.

Viewing the icon element in the web console

The icon appears on the introductory tile of the quick start on the **Quick Starts** page.



Get started with Spring

🕒 10 minutes

Import a Spring Application from git,
build, and deploy it onto OpenShift.

Viewing the introduction element in the YAML file

```
...
introduction: >- 1
  **Spring** is a Java framework for building applications based on a distributed microservices
  architecture.

  - Spring enables easy packaging and configuration of Spring applications into a self-contained
  executable application which can be easily deployed as a container to OpenShift.

  - Spring applications can integrate OpenShift capabilities to provide a natural "Spring on
  OpenShift" developer experience for both existing and net-new Spring applications. For example:

  - Externalized configuration using Kubernetes ConfigMaps and integration with Spring Cloud
  Kubernetes

  - Service discovery using Kubernetes Services

  - Load balancing with Replication Controllers

  - Kubernetes health probes and integration with Spring Actuator

  - Metrics: Prometheus, Grafana, and integration with Spring Cloud Sleuth

  - Distributed tracing with Istio & Jaeger tracing

  - Developer tooling through Red Hat OpenShift and Red Hat CodeReady developer tooling to
  quickly scaffold new Spring projects, gain access to familiar Spring APIs in your favorite IDE, and
  deploy to Red Hat OpenShift
...
```

1 The introduction introduces the quick start and lists the tasks within it.

Viewing the introduction element in the web console

After clicking a quick start card, a side panel slides in that introduces the quick start and lists the tasks within it.

Get started with Spring 10 minutes



Spring is a Java framework for building applications based on a distributed microservices architecture.

- Spring enables easy packaging and configuration of Spring applications into a self-contained executable application which can be easily deployed as a container to OpenShift.
- Spring applications can integrate OpenShift capabilities to provide a natural "Spring on OpenShift" developer experience for both existing and net-new Spring applications. For example:
 - Externalized configuration using Kubernetes ConfigMaps and integration with Spring Cloud Kubernetes
 - Service discovery using Kubernetes Services
 - Load balancing with Replication Controllers
 - Kubernetes health probes and integration with Spring Actuator
 - Metrics: Prometheus, Grafana, and integration with Spring Cloud Sleuth
 - Distributed tracing with Istio & Jaeger tracing
- Developer tooling through Red Hat OpenShift and Red Hat CodeReady developer tooling to quickly scaffold new Spring projects, gain access to familiar Spring APIs in your favorite IDE, and deploy to Red Hat OpenShift

In this quick start, you will complete 6 tasks:

- 1 [Create a Spring application](#)
- 2 [View the build status](#)
- 3 [View the associated Git repository](#)
- 4 [View the pod status](#)
- 5 [Change the deployment icon to Spring](#)
- 6 [Run the Spring application](#)

Start

10.4.3. Adding a custom icon to a quick start

A default icon is provided for all quick starts. You can provide your own custom icon.

Procedure

1. Find the **.svg** file that you want to use as your custom icon.
2. Use an [online tool to convert the text to base64](#) .
3. In the YAML file, add **icon: >-**, then on the next line include **data:image/svg+xml;base64** followed by the output from the base64 conversion. For example:

```
icon: >-
data:image/svg+xml;base64,PHN2ZyB4bWxucz0iaHR0cDovL3d3dy53My5vcmcvMjAwMC9zdmcilHJvbGU9ImltZylddmld.
```

10.4.4. Limiting access to a quick start

Not all quick starts should be available for everyone. The **accessReviewResources** section of the YAML file provides the ability to limit access to the quick start.

To only allow the user to access the quick start if they have the ability to create **HelmChartRepository** resources, use the following configuration:

```
accessReviewResources:
- group: helm.openshift.io
  resource: helmchartrepositories
  verb: create
```

To only allow the user to access the quick start if they have the ability to list Operator groups and package manifests, thus ability to install Operators, use the following configuration:

```
accessReviewResources:
- group: operators.coreos.com
  resource: operatorgroups
  verb: list
- group: packages.operators.coreos.com
  resource: packagemanifests
  verb: list
```

10.4.5. Linking to other quick starts

Procedure

- In the **nextQuickStart** section of the YAML file, provide the **name**, not the **displayName**, of the quick start to which you want to link. For example:

```
nextQuickStart:
- add-healthchecks
```

10.4.6. Supported tags for quick starts

Write your quick start content in markdown using these tags. The markdown is converted to HTML.

Tag	Description
'b',	Defines bold text.
'img',	Embeds an image.
'i',	Defines italic text.
'strike',	Defines strike-through text.
's',	Defines smaller text
'del',	Defines smaller text.
'em',	Defines emphasized text.
'strong',	Defines important text.
'a',	Defines an anchor tag.
'p',	Defines paragraph text.
'h1',	Defines a level 1 heading.
'h2',	Defines a level 2 heading.
'h3',	Defines a level 3 heading.
'h4',	Defines a level 4 heading.
'ul',	Defines an unordered list.
'ol',	Defines an ordered list.
'li',	Defines a list item.
'code',	Defines a text as code.
'pre',	Defines a block of preformatted text.
'button',	Defines a button in text.

10.4.7. Quick start highlighting markdown reference

The highlighting, or hint, feature enables Quick Starts to contain a link that can highlight and animate a component of the web console.

The markdown syntax contains:

- Bracketed link text
- The **highlight** keyword, followed by the ID of the element that you want to animate

10.4.7.1. Perspective switcher

```
[Perspective switcher]{{highlight qs-perspective-switcher}}
```

10.4.7.2. Administrator perspective navigation links

```
[Home]{{highlight qs-nav-home}}
[Operators]{{highlight qs-nav-operators}}
[Workloads]{{highlight qs-nav-workloads}}
[Serverless]{{highlight qs-nav-serverless}}
[Networking]{{highlight qs-nav-networking}}
[Storage]{{highlight qs-nav-storage}}
[Service catalog]{{highlight qs-nav-servicecatalog}}
[Compute]{{highlight qs-nav-compute}}
[User management]{{highlight qs-nav-usermanagement}}
[Administration]{{highlight qs-nav-administration}}
```

10.4.7.3. Developer perspective navigation links

```
[Add]{{highlight qs-nav-add}}
[Topology]{{highlight qs-nav-topology}}
[Search]{{highlight qs-nav-search}}
[Project]{{highlight qs-nav-project}}
[Helm]{{highlight qs-nav-helm}}
```

10.4.7.4. Common navigation links

```
[Builds]{{highlight qs-nav-builds}}
[Pipelines]{{highlight qs-nav-pipelines}}
[Monitoring]{{highlight qs-nav-monitoring}}
```

10.4.7.5. Masthead links

```
[CloudShell]{{highlight qs-masthead-cloudshell}}
[Utility Menu]{{highlight qs-masthead-utilitymenu}}
[User Menu]{{highlight qs-masthead-usermenu}}
[Applications]{{highlight qs-masthead-applications}}
[Import]{{highlight qs-masthead-import}}
[Help]{{highlight qs-masthead-help}}
[Notifications]{{highlight qs-masthead-notifications}}
```

10.4.8. Code snippet markdown reference

You can execute a CLI code snippet when it is included in a quick start from the web console. To use this feature, you must first install the Web Terminal Operator. The web terminal and code snippet actions that execute in the web terminal are not present if you do not install the Web Terminal Operator. Alternatively, you can copy a code snippet to the clipboard regardless of whether you have the Web Terminal Operator installed or not.

10.4.8.1. Syntax for inline code snippets

```
`code block`{{copy}}
`code block`{{execute}}
```



NOTE

If the **execute** syntax is used, the **Copy to clipboard** action is present whether you have the Web Terminal Operator installed or not.

10.4.8.2. Syntax for multi-line code snippets

```
```
multi line code block
```{{copy}}

```
multi line code block
```{{execute}}
```

10.5. QUICK START CONTENT GUIDELINES

10.5.1. Card copy

You can customize the title and description on a quick start card, but you cannot customize the status.

- Keep your description to one to two sentences.
- Start with a verb and communicate the goal of the user. Correct example:

Create a serverless application.

10.5.2. Introduction

After clicking a quick start card, a side panel slides in that introduces the quick start and lists the tasks within it.

- Make your introduction content clear, concise, informative, and friendly.
- State the outcome of the quick start. A user should understand the purpose of the quick start before they begin.
- Give action to the user, not the quick start.
 - **Correct example:**

In this quick start, you will deploy a sample application to {product-title}.

- **Incorrect example:**

This quick start shows you how to deploy a sample application to {product-title}.

- The introduction should be a maximum of four to five sentences, depending on the complexity of the feature. A long introduction can overwhelm the user.
- List the quick start tasks after the introduction content, and start each task with a verb. Do not specify the number of tasks because the copy would need to be updated every time a task is added or removed.

- **Correct example:**

Tasks to complete: Create a serverless application; Connect an event source; Force a new revision

- **Incorrect example:**

You will complete these 3 tasks: Creating a serverless application; Connecting an event source; Forcing a new revision

10.5.3. Task steps

After the user clicks **Start**, a series of steps appears that they must perform to complete the quick start.

Follow these general guidelines when writing task steps:

- Use "Click" for buttons and labels. Use "Select" for checkboxes, radio buttons, and drop-down menus.
- Use "Click" instead of "Click on"

- **Correct example:**

Click OK.

- **Incorrect example:**

Click on the OK button.

- Tell users how to navigate between **Administrator** and **Developer** perspectives. Even if you think a user might already be in the appropriate perspective, give them instructions on how to get there so that they are definitely where they need to be.

Examples:

Enter the Developer perspective: In the main navigation, click the dropdown menu and select Developer.

Enter the Administrator perspective: In the main navigation, click the dropdown menu and select Admin.

- Use the "Location, action" structure. Tell a user where to go before telling them what to do.

- **Correct example:**

In the node.js deployment, hover over the icon.

- **Incorrect example:**

Hover over the icon in the node.js deployment.

- Keep your product terminology capitalization consistent.
- If you must specify a menu type or list as a dropdown, write "dropdown" as one word without a hyphen.
- Clearly distinguish between a user action and additional information on product functionality.

- **User action:**

Change the time range of the dashboard by clicking the dropdown menu and selecting time range.

- **Additional information:**

To look at data in a specific time frame, you can change the time range of the dashboard.

- Avoid directional language, like "In the top-right corner, click the icon". Directional language becomes outdated every time UI layouts change. Also, a direction for desktop users might not be accurate for users with a different screen size. Instead, identify something using its name.

- **Correct example:**

In the navigation menu, click Settings.

- **Incorrect example:**

In the left-hand menu, click Settings.

- Do not identify items by color alone, like "Click the gray circle". Color identifiers are not useful for sight-limited users, especially colorblind users. Instead, identify an item using its name or copy, like button copy.

- **Correct example:**

The success message indicates a connection.

- **Incorrect example:**

The message with a green icon indicates a connection.

- Use the second-person point of view, you, consistently:

- **Correct example:**

Set up your environment.

- **Incorrect example:**

Let's set up our environment.

10.5.4. Check your work module

- After a user completes a step, a **Check your work** module appears. This module prompts the user to answer a yes or no question about the step results, which gives them the opportunity to review their work. For this module, you only need to write a single yes or no question.
 - If the user answers **Yes**, a check mark will appear.
 - If the user answers **No**, an error message appears with a link to relevant documentation, if necessary. The user then has the opportunity to go back and try again.

10.5.5. Formatting UI elements

Format UI elements using these guidelines:

- Copy for buttons, dropdowns, tabs, fields, and other UI controls: Write the copy as it appears in the UI and bold it.
- All other UI elements—including page, window, and panel names: Write the copy as it appears in the UI and bold it.
- Code or user-entered text: Use monospaced font.
- Hints: If a hint to a navigation or masthead element is included, style the text as you would a link.
- CLI commands: Use monospaced font.
- In running text, use a bold, monospaced font for a command.
- If a parameter or option is a variable value, use an italic monospaced font.
- Use a bold, monospaced font for the parameter and a monospaced font for the option.

10.6. ADDITIONAL RESOURCES

- For voice and tone requirements, refer to [PatternFly's brand voice and tone guidelines](#).
- For other UX content guidance, refer to all areas of [PatternFly's UX writing style guide](#).